



Locomotive Inspection and Repair Record

U.S. Department of Transportation
Federal Railroad Administration

See reverse for Paperwork Reduction Act Statement

OMB No.2130-0004

Year: 2022	1. Operated by: AMTRAK		RR Code: 0150	2. Owned by: AMTRAK		RR Code: 0150
3. Model No. P42DC		4. Loco No. 133		If renumbered, Prev. No.	5. Year Built 2000	
6. Propelled by: D/E		7. Horsepower 4250	8. Type of Service: Road <input type="checkbox"/> Yard <input type="checkbox"/> Other <input checked="" type="checkbox"/> Passenger <input checked="" type="checkbox"/>		9. Steam Gen. a. No.: NOT EQUIPPED	
Type of Air Brake: CCBI MICROPR		Air Dryer Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		11. Out of use Credit:		10. Max. Piston Travel RE in.
12. Last Periodic Inspection		a. Date 12/25/2021		b. Place 16th Street Chicago, IL		
AFM CAL. 229.29(b)		92 day max. interval	Previous date:	Date & Cert:	Date & cert:	Date & cert:
PERIODIC INSPECTIONS			Check one: <input checked="" type="checkbox"/> 92 days per 229.23(a)		<input type="checkbox"/> 184 days per 229.23(b)(1) only	
13. Date: Mo/Day/Yr	14. Place	15. Items*	16. Person Conducting	15. Items*	16. Person Conducting	17. Certified by
	L.A, CA	OUT OF	USE FROM	03/15/2022	TO 03/18/2022	
3/18/2022	L.A, CA	1-4&7		5		
	L.A, CA	out of	USE FROM	04/14/2022	TO 04/15/2022	
04/15/2022	L.A, CA	1-4+7		5		
* 15. Item Code: 1. Brakes 2. Running Gear 3. Cab Equip 4. Mech Equip 5. Elect Equip 6. Steam Gen 7. Safety Appl						
TESTS		18. H&H Test Pressure		19. Waiver Part 229 FRA-2005-21613		20. Waiver - Other
Type		Interval Not more than:	21. Person Conducting	22. Test Date & Place	23. Certified by	24. Previous Test Date & Place
Event Recorder 229.25(d) or 229.27(c)		No. of days : 368				09/30/21 CHI, IL
Annual Tests 229.27		368 days				09/30/21 CHI, IL
Hand Brake 232.105(c)		368 days				09/30/21 CHI, IL
Air Brakes: Level 1 229.29(c)(1)		368 days				09/30/21 CHI, IL
Level 2 229.29(c)(2)		No. of days : fragmnt				12/07/17 Beech Grove, IN
Level 3 229.29(c)(3)		No. of days: fragmnt				12/07/17 Beech Grove, IN
Hammer and Hydro 229.31		736 days	N/A Drilled	N/A Drilled	N/A Drilled	N/A Drilled

In accordance with the Locomotive Inspection Act, 49 USC Chapter 207 and the regulations issued pursuant to that Act, the parts and appurtenances of the locomotive unit have been inspected and all defects disclosed by the inspection have been properly repaired.

Certification of true copy: I certify that this is a true copy of the inspection and repair record of locomotive no. 133
Attention: A false entry on this form is punishable by fine or imprisonment (18 USC Sec1001)

Officer-in-charge _____ Date _____

INSTRUCTIONS: This Locomotive Inspection and Repair Record (Record or F6180-49A) covers a calendar year, except as noted. The Record for the preceding calendar year shall be retained in the locomotive until the first periodic inspection of the new year or, until the Record is replaced on April 2 or July 3 (if 184 day eligible) as required by 49 CFR 229.23(f) or, until the locomotive changes ownership (see 2 below.) Enter the requested information in each block. Special instructions are given below.

1. **OPERATED BY:** Enter the name and code of the primary railroad operating the locomotive at the time this Record is placed in it. Operator changes, including dates, shall be noted in "Remarks." The "RR Code" is as assigned by FRA to the railroad.
2. **OWNER:** Enter the name and RR Code of the owner. Changes in ownership shall be submitted as final reports.
3. **LOCOMOTIVE NO.:** Enter digits only. Include letters if they differ from the "RR Code." If renumbered, enter the previous number.
4. **YEAR BUILT:** Enter the year the locomotive was built and check if new. If remanufactured per 49 CFR 229.5, enter "RM" and the year.
5. **PROPELLED BY:** Enter Diesel-Electric (D-E), Electric (E), Electric Multiple Unit (MU), Diesel Multiple Unit (DMU), MU Control Cab (MUC), Non-MU Control Cab (NMUC), Turbine (T), Torque Converter (TC), or Other (O).
6. **MAXIMUM PISTON TRAVEL:** Enter only "nominal" travel. Do not include the manufacturer's tolerance.
7. **OUT-OF-USE CREDIT:** Enter the number of creditable calendar days the locomotive was out-of use since the last periodic inspection on the previous F6180-49A. Less than 30 consecutive calendar days for any out-of-use period may not be counted per 49 CFR 229.33. For current periods out-of-use, an entry "Out-of-use from _____ to _____" shall be made on a Periodic Inspection line and certified when a locomotive which would otherwise be due for inspection is out-of-use. If the locomotive is out of use at the end of the annual reporting period, complete the "To" entry with the last day of the period. An entry shall then be made on the new Record showing the first day of the new reporting period as the "From" date.
8. **LAST PERIODIC INSPECTION:** When a new Record is placed in the locomotive transfer the last periodic inspection information into block 12 a & b and the last test information into column 24 of the new Record. Tests that are not applicable should be noted "NA".
9. **AFM CAL:** Enter the date of the last Air Flow Method Indicator (AFM) calibration from the previous year. Enter and certify subsequent calibrations as they are done.
10. **PERIODIC INSPECTIONS:** Check 184 days *only* if the locomotive qualifies per 49 CFR 229.23(b)(1) and the railroad chooses to abide by the requirement for 33 day QMI Daily inspections, otherwise check 92 days. Persons making the required inspections shall sign and list the item codes inspected. The employee's supervisor shall certify that the inspections were completed.
11. **H&H:** Enter the test pressure for the hydrostatic air reservoir test. If the reservoirs are drilled, enter "NA" here and "Drilled" in the Hammer and Hydro line below.
12. **WAIVERS:** Any waiver applicable to this locomotive shall be entered by waiver number in block 19 if a waiver from Part 229, or block 20, if a waiver from any other regulation. Enter explanatory information regarding the scope and content of each waiver under "Remarks".
13. **TESTS:** The maximum number of days for Event Recorder, Level 2 and Level 3 air brake tests shall be entered per the referenced sections of 49 CFR 229. Where the railroad has chosen to fragment air brake clean, repair and test requirements as permitted under 49 CFR 229.29, a separate air record shall be maintained in the cab of the locomotive and the word "Fragmented" shall be entered in the Level 2 and Level 3 lines.

REPAIRS: Special notes relating to repairs performed to restore compliance.

Out of use from 2/13/14 to 2/22/14 @ Beech Grove, IN for PTC install.
Out of use from 9/22/17 to 12/7/17 @ Beech Grove, IN (76 days)

NOISE: Enter any noise tests or related information in accordance with 49 CFR 210.31.

REMARKS: Additional explanatory or clarifying information.

19. FRA-2005-21613- (Dated 6/19/14): With the exception of the 20CP Valve Block, which is limited to 5 years, Level two & Level three A/B requirements are extended to 8 years (2,944 days). In accordance with waiver conditional items (6&7), see separate air record in cab of locomotive.. Box 10: TBU Event Recorder- Equipped with: WABTEC 17853b

Public reporting burden for this collection of information is estimated to average 15 minutes per response including the time for reviewing Instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. A federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless that collection of information displays a current OMB Number. The OMB control number for this information is 2130-0004. Anyone with comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, may send them to: Information Clearance Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25, Washington, DC 20590



Fragmented CCBI Air Brake Inspection Report
For P-32 AC-BM, P-42 and 809

Unit #
133

Description	AAMPS #	Person Conducting: (Signature Required)	Test Date & Place	Certified By: (Signature Required)	Previous Date & Place
B-3-B Conductor Emergency Valve	22-946-69218	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Double Check Cartridge	22-582-01108	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
2" Flat Check Valve (MR Tank)	22-564-85010	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
J-1 Relay Valve	22-756-09412	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
J-1 MR 155lb Safety Valve	22-756-70926	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
1" Check Valve	22-946-99433	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
1" Check Valve	22-946-99433	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Single Check Valve	22-582-01001	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Single Check Valve	22-582-01001	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Single Check Valve	22-582-01001	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Single Check Valve	22-582-01001	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
DB10 Service Portion	26-568-00742	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Analog Converter (AW4-ER)	26-568-01509	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Analog Converter (AW4-16)	26-568-01509	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Magnet Valve (13EM)	26-568-01511	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Magnet Valve (13S)	26-568-01511	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Magnet Valve (MVER)	26-568-01511	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
KR-5EO BP Relay	26-568-01533	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Magnet Valve (53)	26-568-01534	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Pilot Air Valve (BPCO)	26-568-01535	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Regulator (ELY)	26-568-01538	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Pilot Air Valve (PVE)	26-568-01540	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Double Check Valve	26-568-01541	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Pilot Air Valve (PVEM)	26-568-01545	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Magnet Valve (MVEM)	26-568-01546	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Piston Valve (#13 ACT)	26-568-01548	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles
Controller Vent Valve	26-568-01549	[REDACTED]	12-7-09 BEE, IN	[REDACTED]	09/22/09 Los Angeles

Description	AAMPS #	Person Conducting: (Signature Required)	Test Date & Place	Certified By: (Signature Required)	Previous Date & Place
Shut-Off Valve (13C0) ME13E	26-999-05829	[Redacted]	12-7-17 BEE, IN	[Redacted]	09/22/09 Los Angeles
(5 YEAR) Magnet Valve (MV16T)	26-568-01543	[Redacted]	9/25/19 CHI IL	[Redacted]	09/11/14 Chicago
E-3 Brake Application Valve	22-564-85068	[Redacted]	12-7-17 BEE, IN	[Redacted]	09/22/09 Los Angeles
Emergency Brake Valve Button (5 YEAR)	26-568-89737	[Redacted]	9/25/19 CHI IL	[Redacted]	09/11/14 Chicago
E-3 Brake Application Valve	22-564-85068	[Redacted]	12-7-17 BEE, IN	[Redacted]	09/22/09 Los Angeles
KM2 Vent Valve * P32 AC-DM ONLY	22-945-87028	[Redacted]		[Redacted]	N/A
KM2 Vent Valve * P32 AC-DM ONLY	22-945-87028	[Redacted]		[Redacted]	N/A
#8 Vent Valve * P42 and 809 ONLY	22-947-07608	[Redacted]	12-7-17 BEE, IN	[Redacted]	09/22/09 Los Angeles
#8 Vent Valve * P42 and 809 ONLY	22-947-07608	[Redacted]	12-7-17 BEE, IN	[Redacted]	09/22/09 Los Angeles
CCB Controller (ABCL) * P32 AC-DM ONLY	26-568-03426	[Redacted]		[Redacted]	N/A
CCB Controller (ABCL) * P42 and 809 ONLY	26-568-00777	[Redacted]	12-7-17 BEE, IN	[Redacted]	N/A
20CP Valve Block (5 Year)	26-568-01537	[Redacted]	9/25/19 CHI IL	[Redacted]	09/11/14 Chicago
20CP Valve Block (8 Year)	26-568-01537	[Redacted]	12-7-17 BEE, IN	[Redacted]	N/A
NOTE: The 20CP Valve Block is the only 5 year valve. All other valves are 8 years.			INSTRUCTIONS: This Fragmented CCB Air Brake Inspection Record covers 8 years and MUST be retained in the locomotive until the record is replaced.		