MISUE 7776713

	DEDARTM	ENT OF HO	MAEL AND	CECUIDITY			
	DEPARTM	ENT OF HOUS. Coa		SECURITY		*	
USCG DO	OCKSIDE COMME			SSFI SA	FETY FXAMI	ΝΔΤΙΩΝ	
Vessel Name	JONGIDE COMMINE		Number	OOLL OA		TATION	·········
MIS COURTN	JEY KIM		99147	17	9914	77	
Call Sign UDF 8673	I HIN	76676		•	MMSI 367497	340	
Hull Color Trim Color	Superstru	ucture Color	Vessel Lengt	th	Gross Ton	Net Ton	Max POB
				Inboard	Outboard	Inboard / Out	
Year Built Year Converted Hors	sepower Number of Sh	nafts Lube Oi		lydraulic Oil C	ap (gal) Fuel Ca	p (gal) Number	of Fuel Tank
	FRP Alum			<u>(원0</u> Gas 지Die	37₡ sel Tanks: □		Fixed (vented)
		Other	ruei:				-ixea (ventea)
Exam Type: Initial Issue Follow Up	Renewal last issued: 2 Post - Termination	Fix-it	Reason for Exam:	Mandator Observer	y Voluntary Coverage	Exemption Other:	Charter
Fishing Gear Long Line Trap		Troll Processo	Trawl	Purse Se	_	Bottom	
	ters Inside Coastal Waters			licable Waters		Cold	
Boundary Line: Inside Outs		<12nm	<20nm		<u></u>	>100nm	
Owner			Contact Pers	son			
COREY WILSON	<u> </u>						
Address			Address				
Home Phone Other	Mobile	-21	Home Phone) C	ther	Mobile	

Email			Email				
A dockside examination has been completed	d on this vessel but a Comma	arcial Fishing Ves	sel Safety Dec	al cannot he issu	and due to the deficie	ncies listed helow s	and on the
Continuation Sheet. (Deficiencies are listed conditions):							
I FCC LICENCE IS F	SPRED, OSTA				- APPLYING		E
2 REPLACE FLANING I			~ ZN R		con-ORD		~1 ·0C
3 PROME SING IN	111	1800 61 4141				CORRECT	
	2-5					,	Correction .
			k				
			* FOLL	ow v	P 02	2m 70	25
			Til .				
	F-97.						
PADEON SCHARFFA (
When these deficiencies are corrected,					a re-examination	T==	
Examiner's Name NAUR SCHAEFFFEZ	SECTOR AND	eurbace	cocati		COVIE	Date of this Ex	
CONGRATUALTIONS! Your vessel ha						01 300	an 0-2
Commercial Fishing Vessel Safety Decal remains serviceable and operating condi should remain aboard your vessel so it c Program please visit https://dco.uscg.mil.	I Number 30 72 2 I itions described above are can be presented to the Co	has been issued not exceed past Guard if	d. Tipe decal e	expires on the	date below provide feetball essel if t	he vessel is sold. il Fishing Vessel :	This form
Date Expires (+2	Date Valid (+5					Date Signed	
yr. date issued) 02 500 2005						July 2	2023
Date Issued:	Issuing Examiner's Sign	nature					0.00
CG-5587 (09/19)		EXAMINE	H COPY		9	stock # 7530-01-0	GF9-0001

	GENERAL VESSEL REQUIREMENTS			
Vessel Name	ID Number			-
	BRIDGE & DOCUMENTS	Yes	No	N/A
33 CFR 173 46 CFR 67	Registration / Documents / Markings	X		
47 CFR 80.405 47 CFR 80.13	FCC Ship Station License (Any vessel required to carry a radio or is equipped with an SSB, MF/HF, satellite voice, telegraphy equipment, or travels to a foreign port.			
46 CFR 28.165	Injury Placard (All Vessels)	X	+	
33 CFR 155.450	Oil Pollution Placard (Vessels ≥ 26 ft.)	叉		
33 CFR 151.59	MARPOL (Garbage) Placard (Vessels ≥ 26 ft.)			
33 CFR 151.57	Waste Management Plan (Ocean Going Vessels ≥ 40 ft.)			
33 CFR 151.55	Garbage Log (Ocean Going Vessels ≥ 400 Gross Tons)			13
46 USC Chap 51	Load Line Certificate			<i> Y</i>
46 USC 8301	Licensing / Manning (Master / Mate / Chief and Asst. Eng. on Documented Vessels ≥ 200 Gross Tons			1
46 USC 8103	Citizenship (Master & crew requirements met 75 / 25 rule)	1		
33 CFR 80.05 46 CFR 28.225	Inland Navigation Rules on Board (Inland Waters Only; Vessels ≥ 39.4 ft.)			
33 USC 1602 / 2020 72 COLREGS	Day shapes Fishing / Trawling (Two black cones, apex to apex) Anchor (Black ball) Towing (See 72 COLREGS Rule 24 for shape) Restricted in Ability to Maneuver (Black ball, diamond, ball)	K		
33 USC 1602 33 USC 2020 72 COLREGS	Navigation Lights: Sidelights (112.5°) Sternlight (135°) Sternlight (360°) vessels ≥ 39.4 ft. Restricted in Ability to Maneuver - Red over White over Red (360°) Anchor (Black ball) Restricted in Ability to Maneuver (Black ball, diamond, ball)	7		
33 USC 1602 33 USC 2020 72 COLREGS	Sound Producing Devices: Vessels < 39.4 ft.: Means of making an efficient Sound Signal Vessels 39.4 ft 65.6 ft.: Audible 1/2 Nautical Miles, Whistle Vessels 65.6 ft 328.1 ft.: Audible 1 Nautical Mile, Whistle & 11.8" Bell	R		
33 CFR 164.46	AIS Vessels ≥ 65 ft., self-propelled engaged in commercial service			R
33 CFR 164	Navigation Safety Requirements (Vessels ≥ 1600 Gross Tons)			X.
	LIFESAVING	Yes	No	N/A
46 CFR 28.145	Visual Distress Signals Expiration: Hand: 4/16 Smoke: 4/16 Parachute: 4/16	X		
46 CFR 28.110 46 CFR 28.135 46 CFR 28.140 46 CFR 161.012	☐ PFDs On-Board: ☐ PFD	X		
46 CFR 28.115 46 CFR 28.135 46 CFR 28.140	Ring Life Buoys: Quantity: Properly maintained All 60 ft. of line 90 ft. of line Proper stowage		X	
46 CFR 28.120 46 CFR 28.125 46 CFR 28.130 46 CFR 28.140	Survival Craft: Number of Survival Craft: Total capacity: Type: Service Expiration: Through Float Free Pack Type: SOLAS A SOLAS B Properly mounted Hydrostatic Release Exp.: Coastal service	*		<u> </u>
46 CFR 28.150 46 CFR 25.26 46 CFR 28.135 46 CFR 80 46 CFR 28.140	Emergency Position indicating Radio beacon (EPIRB): Category 1 (auto activated / float free) Category 2 (manually activated) Battery Expiration: HRU Expiration: Marked with vessel's name EPIRB ID# 2 0 0 0 9 - F A 5 7 E - P P B P P	X		

	GENERAL VESSEL REQUIREMENTS			UE EX
Vessel Name	ID Number			
	BRIDGE & DOCUMENTS	Yes	No	N/A
46 CFR 28.155 46 CFR 28.160 46 CFR 25.30 FR. Vol 81, No. 141 (7/16) NFPA 10 & 12	Fire Extinguishing Equipment: Condition & Service	X		
46 CFR 28.140	Unobstructed Escape Routes			
46 CFR 25.35	Flame Arrestor (gas power)	\Box		10
46 CFR 25.40	Ventilation (gas power)			1 SZ
33 CFR 159.7	Marine Sanitation Device Type I Type I Portable None	又		100
33 CFR 155.330 33 CFR 155.350	Oceangoing and Non-oceangoing Vessels are able to: Retain oily mixtures on board Discharge to a facility	2		
46 CFR 16	Drug Testing Program (Credentialed Crew on Vessels ≥ 200 Gross Tons)			X
46 CFR 4.06-15 46 CFR 40	Alcohol Testing & Chemical Testing Does vessel carry devices or have arrangements to accomplish alcohol testing within 2 hours and chemical testing within 32 hours after a serious marine incident?			
	VESSELS GREATER THAN 100 GT, USE SUPPLEMENT 1 (CG-5587B)			
ADDITION	VAL REQUIREMENTS FOR DOCUMENTED VESELS OPERATING BEYOND THE BOUNDA WITH MORE THAN 16 PEOPLE ON BOARD	RY LIN	E OR	
	BRIDGE	Yes	No	N/A
46 CFR 28.210	First Aid / CPR Eirst Aid Kit / Medicine Chest First Aid Manual Certified in First Aid (> 2 POB) Certified in CPR (> 2 POB)	R		
46 CFR 26.03-4 46 CFR 28.225	Navigational Information ☐ Charts for Safe Navigation ☐ Tide Tables ☐ Tidel Current Tables ☐ Electronic Navigational Chart ☐ Extracts of Publications Used ☐ USCG Light List ☐ US Coast Pilot	2		
46 USC 10601	Crew Contracts (Vessels ≥ 20 Gross Tons)	7		
46 CFR 28.230	Magnetic Compass / Compass Deviation Table	Q		
46 CFR 28.235	Anchors & Radar Reflectors	1		
33 CFR 155.330 33 CFR 155.350	Communication Equipment X VHF >20nm: X SSB	X		
46 CFR 28.260	Electronic Position Fixing Device (Vessels ≥ 79 ft.) GPS Other			X
46 CFR 28.240	General Alarm System ✓ Tested		X	
46 CFR 28.250	High Water Alarms (Vessels ≥ 36 ft.) Lack Tested in all applicable floodable spaces Lack Lack Lack Lack Lack Lack Lack Lack	X		
46 CFR 28.265	Emergency Instructions (< 4 POB may be readily accessible; ≥ 4 POB posted)	עו		
46 CFR 28.270	Instructions, Drills & Safety Orientation Drills Conducted Drills Witnessed Qualified Drill Conductor Name: ANDERU WILSON	2		
33 CFR 55.1030 33 CFR 155.5021	SOPEP (Vessels > 400 Gross Tons traveling over international waters) Non-Tank Vessels Response Plan ≥ 400 ITC GT (meets SOPEP req.)			X
ESTATE OF THE				

ADDITIONAL REQUIREMENTS FOR DOCUMENTED VESSELS OPERATING BEYOND THE BOOUNDARY LINE OR WITH **MORE THAN 16 PEOPLE ON BOARD** Vessel Name ID Number **LIFESAVING** Yes No N/A Fireman's Outfits (if more than 49 POB): SCBA (2) Fire Axe (2) Boots (2 sets) Rigid Helmet (2) 46 CFR 28.205 SCBA Spare Bottles Protective Clothing (2) Gloves (2 sets) Flashlight (2) Lifeline (2) Excess Equipment SCBAs (required only if vessel equipped with ammonia refrigerant) SCBA (2) 30 minute SCBAs 46 CFR 28.205 SCBA Spare Bottles (2) 30 minute bottles **ENGINE ROOM** Yes No N/A 46 CFR 28.215 ゝ Guards for Exposed Hazards Bilge Pump, Piping & Dewatering System 46 CFR 28.255 Adequate capacity More than 1 suction for large spaces Strainer ☐ Check Valve Manifold Systems: Stop Valve **MISCELLANEOUS** Yes No N/A GMDSS (Vessels ≥ 300 Gross Tons; see NVIC 3-99 for exemptions) Radio Operator License DSC equipped VHF, MF & HF 47 CFR 406 MHz EPIRB (in addition to 46 CFR 28.150 Subchapter W NVIC 3-99 NAVTEX receiver SART (Search & Rescue Transponder – 2 reg. ≥ 500 GT) □ Valid Safety Radio Telephony Certificate DSC -- Verify connected to GPS and MMSI is properly programmed 50 CFR 600,730 Safe Boarding Ladder (Vessels with more than 4 ft. of freeboard) 46 CFR 28.300 Vessels Constructed Or Had A Major Conversion After 15 Sept. 1991 & K 46 CFR 28.400 Carry More Than 16 POB (if YES, use Supplement 2; CG-5587B) Vessel ≥ 79 ft. Not Requiring Load Lines & Constructed 46 CFR 28.500 X Or Had A Major Conversion / Alteration To Fishing / Processing Equip. After Sept. 1991 (if YES, use Supplement 2, Subpart E: CG-5587B) Vessel Has Capacity To Carry ≥ 10,500 Gallons (250 BBL) Of Oil Or 33 CFR 155.720 Hazardous Materials (if YES, use Supplement 3; CG-5587B) Fish Processor 46 CFR 28.700 Certificate of Compliance issued by Third Party Organization 46 CFR 28.720 Certificate of Class (built or converted after 27 Jul 1990) 46 CFR 28.701 STCW Competency Req (Fish Processors more than 200 Gross Tons) **CFVS EXAMINATION BOOKLET GUIDELINES** This booklet is to be used to record examinations of commercial fishing industry vessels. It provides a summary list of Coast Guard requirements to examiners and owners/operators of commercial fishing industry vessels. This booklet should be used in conjunction with the regulations or other aids developed by the Coast Guard to assist in understanding of the regulations. Examiners should retain the "Examiner Copy" of the first page, continuation sheet, and the checklist pages for their records. The "Vessel Owner Copy" of the first page and continuation sheet should be left with the vessel, PRIVACY Notice for DOCKSIDE EXAMINATIONS on COMMERCIAL FISHING VESSELS Authority: 14 U.S.C. 504, 46 U.S.C. §§§§ 4502, 4504, 4507, and 6104 Purpose: To document the Dockside Examiner's report, enhancement of fishing vessel, safety and promotion of public awareness and education. Routine Use: This information will be used for uniform Coast Guard reporting and administration of Voluntary Dockside Examination data, recording the number of vessels, and level of compliance with Coast Guard regulations. Disclosure: Furnishing this information is voluntary. However, failure to provide this information may prevent issuance of a safety decal.