

```

-----+
EQUIPMENT UNIT  NS   0000003642   (D127-LOCOMOTIVE   )
PRIOR CAR      EIN   0010177837   SWAP INIT         NS
OWNER MARK     NS                   BUILT   JUN/2016   REBUILT
LESSEE MARK    FORMAT                E LAST UPDATE 20230510
CAR TYPE      D127                   RATE HOURLY 00.00 MILEAGE      0.000
CAR CATEGORY   RATE DAILY 000.00
WEIGHT ON DRIVERS      432000   MAXIMUM SPEED      070
HORSEPOWER      4400   MINIMUM SPEED      009
FRA DROP DEAD DATE  2023-04-21

```

```

MECHANICAL CAR CLASS      CONFIRMED POOL NUMBER
CAR HIRE RATE             6   LEASE AGREEMENT, RESTRICTED, OR OVERAG
MECHANICAL DESIGNATION   D   LOCOMOTIVE

```

TRANS/TRANS CONDITION CODE

```

F2=InspInfo  F3=StsCode           F6=PoolAsgn
F7=Backward  F8=Forward           F10=EMIS      F11=UmlrMenu  F12=PrevScr
F9=NextScr   CLEAR=Exit           05/16/23 08:34:09

```

```

-----+
EQUIPMENT UNIT NS 0000003642 (D127-LOCOMOTIVE )
CLEARANCE PLATE G WIDTH HEIGHT LENGTH
OUTSIDE (FT IN) 10 02 15 11 073 02
MINIMUM CURVATURE - UNCOUPLED 21 (DEGREES)
MINIMUM CURVATURE - COUPLED 21 (DEGREES)
MINIMUM CURVATURE - 50FT CAR 21 (DEGREES)
TRUCK CENTER (FT IN) 46 03
WHEEL SIZE ( IN) 38

```

F7=Backward F8=Forward
 F9=NextScr CLEAR=Exit

F10=EMIS

F11=Umlrmenu F12=PrevScr
 05/16/23 08:34:23

```

-----+
EQUIPMENT UNIT NS 0000003642 (D127-LOCOMOTIVE )
AEI TRANSPONDER ROAD-DATE 71- -00010101 STANDARD TAG, REG WND, TAGGED
TOTAL NUMBER OF AXLES 006 POWERED AXLES 006
FUEL TANK CAPACITY 4825 GEAR RATIO 87:16
SAND CAPACITY (CU FT) FOREIGN CUSTOMS -
NUMBER OF OPERATING BRAKES 0 MAXIMUM DYNAMIC BRAKING 0098
COUPLER A-END COUPLER B-END
LOCOMOTIVE MODEL NUMBER ET44AC
RADIO MODEL NUMBER AIR BRAKE MODEL NUMBER CCB2
RADIO MANUFACTURER
BUILDER J GENERAL ELECTRIC
DYNAMIC BRAKES Z
AIR BRAKE MULTI HOOKUP Y YES, AAR STANDARD EQUIPPED
TRUCK MANUFACTURER
TRUCK TYPE GH GENERAL ELECTIC HI-ADHESION
TYPE OF JOURNAL BEARINGS A AAR

```

F2=AuxDevc

F7=Backward

F8=Forward

F10=EMIS

F11=UmlrMenu F12=PrevScr

F9=NextScr

CLEAR=Exit

05/16/23 08:34:24

```

-----+
EQUIPMENT UNIT   NS   0000003642   (D127-LOCOMOTIVE   )
INTERNATIONAL SERVICE CODE   A   U.S. AND MEXICAN UNITS EQUIPPED FOR SERVICE
HOOD CONFIGURATION   W   FULL WIDTH CAB
SPEED CONTROL   R   LEAD & TAIL
SPEED TAPE   E   EVENT
SAFETY CONTROL   A   ALERTER
CAB SIGNALS   C   CR C.C.S.
SEATING CAPACITY
CAB SIGNAL CONFIGURATION   D   DOUBLE ENDED
JUMPER CABLE CONNECTION   B   27 PIN AAR
ALIGNMENT CONTROL COUPLER   E   TYPE 'E' WITH ALIGNMENT CONTROL
SPARK ARRESTER
FUEL SHUTOFF
FUEL SAVER MANUFACTURER
WATER COOLER   B   ICE COOLED
CAB HEATER
TOILET TYPE   C   CHEMICAL
    
```

F7=Backward F8=Forward
 F9=NextScr CLEAR=Exit

F10=EMIS

F11=UmlrMenu F12=PrevScr
 05/16/23 08:34:26

```

-----+
EQUIPMENT UNIT  NS  0000003642 (D127-LOCOMOTIVE )
PNEUM CONTROL KNOCKDOWN  012001XX  WARNING LIGHT (1)  D-DOUBLE
SNOW PLOW A-END  0-NOT EQUIPPED  WARNING LIGHT (2)  -
SNOW PLOW B-END  0-NOT EQUIPPED  WARNING LIGHT (3)  -
TRANSACTION MOTOR CUTOUPS (Y-N)  Y  DYNAMIC BRAKE INTERLOCK (Y-N)  Y
INDEPENDENT PRESSURE SWITCH (Y-N) Y  LOW IDLE (Y-N)
AIR CONDITION (Y-N)  Y  WATER DRAIN  Y
FUEL PREHEATER (Y-N)  Y  TRANSACTION MOTOR TYPE (AC OR DC)  AC
ATCS  V  VETMS
ETIS  M  PERMANENTLY MOUNTED--TYPE UNKNOWN
STARTER TYPE  E  ELECTRIC
STARTER MOTOR
GROUND RELAY RESET
PENALTY AIR BRAKE APPLICATION

```

F7=Backward F8=Forward
F12=NextScr CLEAR=Exit

F10=EMIS

F11=UmlrMenu F12=PrevScr
05/16/23 08:34:26

```

-----+
EQUIPMENT UNIT  NS  0000004342  (D127-LOCOMOTIVE  )
PRIOR CAR       NS  0000009017  EIN  0001843578  SWAP INIT      NS
OWNER MARK      NS                               BUILT  /1997  REBUILT  APR/2020
LESSEE MARK     NS                               FORMAT          E  LAST UPDATE 20230512
CAR TYPE        D127                               RATE HOURLY 00.00  MILEAGE      0.000
CAR CATEGORY                                         RATE DAILY 000.00
WEIGHT ON DRIVERS 432000                          MAXIMUM SPEED                                070
HORSEPOWER        4400                          MINIMUM SPEED                                011
FRA DROP DEAD DATE 2023-06-10

```

```

MECHANICAL CAR CLASS          CONFIRMED POOL NUMBER
CAR HIRE RATE                  6  LEASE AGREEMENT, RESTRICTED, OR OVERAG
MECHANICAL DESIGNATION        D  LOCOMOTIVE

```

TRANS/TRANS CONDITION CODE

```

F2=InspInfo  F3=StsCode          F6=PoolAsgn
F7=Backward  F8=Forward          F10=EMIS    F11=UmlrMenu F12=PrevScr
F9=NextScr   CLEAR=Exit          05/16/23 08:34:32

```

| | | | |
|-------------------------------|------------|------------------|-----------|
| EQUIPMENT UNIT NS | 0000004342 | (D127-LOCOMOTIVE |) |
| CLEARANCE PLATE G | | WIDTH | HEIGHT |
| OUTSIDE (FT IN) | | 11 08 | 16 01 |
| MINIMUM CURVATURE - UNCOUPLED | | 21 | (DEGREES) |
| MINIMUM CURVATURE - COUPLED | | 21 | (DEGREES) |
| MINIMUM CURVATURE - 50FT CAR | | 21 | (DEGREES) |
| TRUCK CENTER (FT IN) | | 50 04 | |
| WHEEL SIZE (IN) | | 38 | |

F7=Backward F8=Forward
 F9=NextScr CLEAR=Exit

F10=EMIS

F11=Umlrmenu F12=PrevScr

05/16/23 08:34:33

```

-----+
EQUIPMENT UNIT   NS   0000004342 (D127-LOCOMOTIVE           )
AEI TRANSPONDER ROAD-DATE 71-   -00010101 STANDARD TAG, REG WND, TAGGED
TOTAL NUMBER OF AXLES           006   POWERED AXLES           006
FUEL TANK CAPACITY             5300   GEAR RATIO             87:16
SAND CAPACITY (CU FT)          FOREIGN CUSTOMS       -
NUMBER OF OPERATING BRAKES     0     MAXIMUM DYNAMIC BRAKING 0098
COUPLER A-END                  COUPLER B-END
LOCOMOTIVE MODEL NUMBER AC44C6M
RADIO MODEL NUMBER             AIR BRAKE MODEL NUMBER   CCB2
RADIO MANUFACTURER
BUILDER                        V     OWNER RAILROAD
DYNAMIC BRAKES                 Z
AIR BRAKE MULTI HOOKUP        Y     YES, AAR STANDARD EQUIPPED
TRUCK MANUFACTURER
TRUCK TYPE                     GH    GENERAL ELECTIC HI-ADHESION
TYPE OF JOURNAL BEARINGS      A     AAR
    
```

F2=AuxDevc

7=Backward

F8=Forward

F10=EMIS

F11=UmlrMenu F12=PrevScr

NT=NextScr

CLEAR=Exit

05/16/23 08:34:34


```

-----+
EQUIPMENT UNIT  NS  0000004342  (D127-LOCOMOTIVE )
INTERNATIONAL SERVICE CODE  A  U.S. AND MEXICAN UNITS EQUIPPED FOR SERVICE
HOOD CONFIGURATION  W  FULL WIDTH CAB
SPEED CONTROL  R  LEAD & TAIL
SPEED TAPE  E  EVENT
SAFETY CONTROL  A  ALERTER
CAB SIGNALS  C  CR C.C.S.
SEATING CAPACITY
CAB SIGNAL CONFIGURATION  D  DOUBLE ENDED
JUMPER CABLE CONNECTION  B  27 PIN AAR
ALIGNMENT CONTROL COUPLER  E  TYPE 'E' WITH ALIGNMENT CONTROL
SPARK ARRESTER
FUEL SHUTOFF
FUEL SAVER MANUFACTURER
WATER COOLER  B  ICE COOLED
CAB HEATER
TOILET TYPE  C  CHEMICAL
    
```

F7=Backward F8=Forward
 F9=NextScr CLEAR=Exit

F10=EMIS

F11=UmlrMenu F12=PrevScr
 05/16/23 08:34:35

-----+
EQUIPMENT UNIT NS 0000004342 (D127-LOCOMOTIVE)
PNEUM CONTROL KNOCKDOWN 012001XX WARNING LIGHT (1) D-DOUBLE
SNOW PLOW A-END 0-NOT EQUIPPED WARNING LIGHT (2) -
SNOW PLOW B-END 0-NOT EQUIPPED WARNING LIGHT (3) -
TRANSACTION MOTOR CUTOUTS (Y-N) Y DYNAMIC BRAKE INTERLOCK (Y-N) Y
INDEPENDENT PRESSURE SWITCH (Y-N) Y LOW IDLE (Y-N)
AIR CONDITION (Y-N) Y WATER DRAIN Y
FUEL PREHEATER (Y-N) Y TRANSACTION MOTOR TYPE (AC OR DC) AC
ATCS V VETMS
ETIS M PERMANENTLY MOUNTED--TYPE UNKNOWN
STARTER TYPE E ELECTRIC
STARTER MOTOR
GROUND RELAY RESET
PENALTY AIR BRAKE APPLICATION

F7=Backward F8=Forward

F10=EMIS

F11=UmlrMenu F12=PrevScr

05/16/23 08:34:36

```

-----+
EQUIPMENT UNIT  NS   0000004689   (D127-LOCOMOTIVE   )
PRIOR CAR       NS   0000009484   EIN   0009784175  SWAP INIT   NS
OWNER MARK      NS                   BUILT   APR/2000  REBUILT
LESSEE MARK                       FORMAT           E  LAST UPDATE 20230510
CAR TYPE        D127                   RATE HOURLY 00.00  MILEAGE     0.000
CAR CATEGORY                                         RATE DAILY 000.00
WEIGHT ON DRIVERS      432000   MAXIMUM SPEED                               070
HORSEPOWER           4400   MINIMUM SPEED                               011
FRA DROP DEAD DATE    2023-06-10

```

```

MECHANICAL CAR CLASS           CONFIRMED POOL NUMBER
CAR HIRE RATE                   6   LEASE AGREEMENT, RESTRICTED, OR OVERAG
MECHANICAL DESIGNATION        D   LOCOMOTIVE

```

TRANS/TRANS CONDITION CODE

```

F2=InspInfo   F3=StsCode           F6=PoolAsgn
F7=Backward   F8=Forward           F10=EMIS     F11=UmlrMenu F12=PrevScr
FNT=NextScr   CLEAR=Exit             05/16/23 08:34:27

```

| EQUIPMENT UNIT NS 0000004689 (D127-LOCOMOTIVE) | | WIDTH | HEIGHT | LENGTH |
|---|--|-------|-----------|--------|
| CLEARANCE PLATE G | | | | |
| OUTSIDE (FT IN) | | 11 08 | 16 01 | 073 02 |
| MINIMUM CURVATURE - UNCOUPLED | | 21 | (DEGREES) | |
| MINIMUM CURVATURE - COUPLED | | 21 | (DEGREES) | |
| MINIMUM CURVATURE - 50FT CAR | | 21 | (DEGREES) | |
| TRUCK CENTER (FT IN) | | 50 04 | | |
| WHEEL SIZE (IN) | | 38 | | |

F7=Backward F8=Forward
 F12=NextScr CLEAR=Exit

F10=EMIS

F11=Umlrmenu F12=PrevScr
 05/16/23 08:34:28

```

EQUIPMENT UNIT  NS  0000004689 (D127-LOCOMOTIVE )
AEI TRANSPONDER ROAD-DATE 71-  -00010101 STANDARD TAG, REG WND, TAGGED
TOTAL NUMBER OF AXLES          006  POWERED AXLES          006
FUEL TANK CAPACITY             4600  GEAR RATIO          87:16
SAND CAPACITY (CU FT)          FOREIGN CUSTOMS          -
NUMBER OF OPERATING BRAKES     0    MAXIMUM DYNAMIC BRAKING  0098
COUPLER A-END                  COUPLER B-END
LOCOMOTIVE MODEL NUMBER AC44C6M
RADIO MODEL NUMBER             AIR BRAKE MODEL NUMBER  CCB2
RADIO MANUFACTURER
BUILDER                        V  OWNER RAILROAD
DYNAMIC BRAKES                 Z
AIR BRAKE MULTI HOOKUP        Y  YES, AAR STANDARD EQUIPPED
TRUCK MANUFACTURER
TRUCK TYPE                     GH  GENERAL ELECTIC HI-ADHESION
TYPE OF JOURNAL BEARINGS      A  AAR
    
```

F2=AuxDevc

F7=Backward

F8=Forward

F10=EMIS

F11=UmlrMenu F12=PrevScr

F13=NextScr

CLEAR=Exit

05/16/23 08:34:29

-----+
EQUIPMENT UNIT NS 0000004689 (D127-LOCOMOTIVE)
INTERNATIONAL SERVICE CODE A U.S. AND MEXICAN UNITS EQUIPPED FOR SERVICE
HOOD CONFIGURATION W FULL WIDTH CAB
SPEED CONTROL R LEAD & TAIL
SPEED TAPE E EVENT
SAFETY CONTROL A ALERTER
CAB SIGNALS C CR C.C.S.
SEATING CAPACITY
CAB SIGNAL CONFIGURATION D DOUBLE ENDED
JUMPER CABLE CONNECTION B 27 PIN AAR
ALIGNMENT CONTROL COUPLER E TYPE 'E' WITH ALIGNMENT CONTROL
SPARK ARRESTER
FUEL SHUTOFF
FUEL SAVER MANUFACTURER
WATER COOLER B ICE COOLED
CAB HEATER
TOILET TYPE C CHEMICAL

F7=Backward F8=Forward
F9=NextScr CLEAR=Exit

F10=EMIS

F11=UmlrMenu F12=PrevScr
05/16/23 08:34:30

```

-----+
EQUIPMENT UNIT  NS      0000004689 (D127-LOCOMOTIVE                )
PNEUM CONTROL KNOCKDOWN      012001XX  WARNING LIGHT (1)      D-DOUBLE
SNOW PLOW A-END  0-NOT EQUIPPED        WARNING LIGHT (2)      -
SNOW PLOW B-END  0-NOT EQUIPPED        WARNING LIGHT (3)      -
TRANSACTION MOTOR CUTOUTS (Y-N)  Y    DYNAMIC BRAKE INTERLOCK (Y-N)      Y
INDEPENDENT PRESSURE SWITCH (Y-N) Y    LOW IDLE (Y-N)
AIR CONDITION (Y-N)              Y    WATER DRAIN
FUEL PREHEATER (Y-N)            Y    TRANSACTION MOTOR TYPE (AC OR DC)  AC
ATCS                             V    VETMS
ETIS                             M    PERMANENTLY MOUNTED--TYPE UNKNOWN
STARTER TYPE                     E    ELECTRIC
STARTER MOTOR
GROUND RELAY RESET
PENALTY AIR BRAKE APPLICATION
    
```

F7=Backward F8=Forward
 F9=NextScr CLEAR=Exit

F10=EMIS

F11=UmlrMenu F12=PrevScr
 05/16/23 08:34:31