

Survival Factors Attachment National Salvage PPE Policy and Worker Inspections

> Reed, PA RRD22LR003

> > (13 Pages)

#### **Harley Sheryl**

From:	lan Barlick
Sent:	Saturday, January 8, 2022 3:24 PM
То:	Harley Sheryl
Cc:	Forrest Koerner-Fox
Subject:	RE: [EXTERNAL] National Salvage employee issued PPE
Attachments:	1. National Salvage PPE Policy Page 27 Sec. 6.11.pdf; 2. NS RWP MANUAL PAGE 118.pdf; Kolton Helbert 1-19-21.pdf; Kolton Helbert 2-23-21 (1).pdf

[CAUTION] This email originated from outside of the organization. Do not click any links or open attachments unless you recognize the sender and know the content is safe.

Ms. Harley,

Sorry for the delayed response. Please see answers below;

• National Salvage outlines their PPE Policy in our employee handbook (Attachment 1). It does not specifically state the ANSI class required. That is outlined in the RWP training manual for the host railroad in which the employee is working on. For example, Norfolk Southern and CSX require ANSI II or III in fluorescent green, while BNSF and Union Pacific require fluorescent orange.

 To the best of my knowledge, Norfolk Southern does not directly provide guidance to contractors regarding regulations on PPE outside of job briefing discussions. Roadway worker protection training, where PPE requirements are detailed, is provided by an approved third party company (RailPros) to contractors. Attachment 2 is the page from the 2021 NS RWP Contractor Handbook provided by RailPros that outlines PPE.

National Salvage employees are trained annually on Roadway Worker Protection, which includes training on PPE requirements and when/where it needs to be worn. New employees are also trained in the field on specific times where additional PPE is required such as shields, spats, cutting sleeves, etc.

 All National Salvage employees in our railroad division are issued a white hardhat with reflective band, ANSI Class II breakaway vests, gloves, safety glasses and hearing protection. Employees are also issued additional safety items specific to their position when needed.

• National Salvage project managers perform unannounced safety checks regularly. National Salvage's Safety Manager also performs safety checks around the system throughout the year on employees and sub-contractors. These checks would include inspection of PPE such as hardhat expiration dates and issuing new PPE in the event of expired hardhats, scratched safety glasses, soiled or torn safety apparel etc. Additionally, National Salvage employees have access to a company issued credit card to purchase any PPE necessary for their duties. They are encouraged to reach out to managers when in need of any safety items.

• Kolton had two formal safety checks by our Safety Manager, Jon Mick, in 2021. They were performed on 1/19/21 in Birmingham, AL and 2/23/21 in Columbus, OH. These were both site visits by Jon Mick. Both of these audits are attached, as well as uploaded to Kiteworks. Additionally, project managers visit the gangs throughout the year and make contact with employees. These visits are not documented unless a safety infraction/rule violation is observed or the manager is doing a formal inspection of the employees and equipment.

Please let me know if there is any other information I can provide.

Thank you,

lan Barlick Project Manager – Northeast Region



National Salvage & Service Corporation

Lell:	
Home:	
Email:	

From: Harley Sheryl

To: Forrest Koerner-Fox

Sent: Wednesday, January 5, 2022 5:02 PM

Subject: (EXTERNAL) National Salvage employee issued PPE

; Ian Barlick

Good Afternoon,

As you know, we have recovered Kolton's clothing from the funeral home in Tennessee. I have a few questions.

- What is National Salvages' policy on PPE (type and ANSI class to be worn)
- Does Norfolk Southern provide guidance to contractors regarding its company regulations on PPE (type and class)
- Does National Salvage employees receive training regarding the proper type and wearing of PPE
- What PPE was Kolton issued
- Does National Salvage conduct any type of equipment (PPE) inspection to ensure compliance or condition of equipment (PPE)
- I understand that in January, the company noted that Kolton had the correct issued PPE. I was wondering how this confirmation took place. Was it a visual inspection or verbal?

Call me if you have any questions or concerns. Thank you.

#### Sheryl

CONFIDENTIALITY NOTICE - THIS E-MAIL TRANSMISSION MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, PROPRIETARY, SUBJECT TO COPYRIGHT, AND/OR EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IT IS FOR THE USE OF INTENDED RECIPIENTS ONLY. If you are not an intended recipient of this message, please notify the original sender immediately by forwarding what you received and then delete all copies of the correspondence and attachments from your computer system. Any use, distribution, or disclosure of this message by unintended recipients is not authorized and may be unlawful.



#### 6.11 PERSONAL APPEARANCE

Your personal appearance reflects on the reputation and integrity of National. All employees are required to report to work neatly groomed and dressed. You are expected to maintain personal hygiene habits that are generally accepted in the community, i.e. clean clothing, good grooming and personal hygiene, and appropriate social behavior.

All employees entering a railroad, railroad tie grinding, demolition, utility or environmental areas are required to wear personal protective equipment at all times. Required equipment includes, but is not limited to, steel toed boots, safety glasses, hard hats, and break-away safety vests. Additional protective wear may be required. Please consult with your supervisor as to Company policy regarding fitting, cleaning, and repair of protective equipment. Failure to wear required protective equipment will result in discipline and can result to termination. Employees will be given an annual boot allowance of \$150 for the purchase of steel-toed boots. Employees who are required to use a cutting torch as a regular part of their work will be reimbursed up to \$200 per year. Employees must submit a copy of receipt to receive reimbursement via payroll check. Any protective equipment provided by National is company property and must be returned when employment ceases.

Environmental employees are required to wear appropriate safety gear including but not limited to respirators. Environmental employees are required to pass medical examinations for respirator fitness. Protective clothing may also be required depending upon the jobsite. Please refer to the Standard Operating Procedures manual for Asbestos Abatement for all required safety regulation for Environmental employees.

NATIONAL		SAFETY INSPECTION CHECKLIST				
NAME Kolton Helbert	·	DATE	1-19.2	/		
LOCATION (CITY, ST) BIRMINGHAM	AI	RR	NS	R.12		
TRUCK NUMBER 1185		TEAM #	A.12			
REQUIRED DOCUMENTATION	POSTIV	ENEGATIVE		COMMENTS		
Brake Test				· · · · · · · · · · · · · · · · · · ·	·	
Daily Paperwork	~			· · · · · · · · · · · · · · · · · · ·		
E-Rail Card and RWP Card	-					
FRA Inspection	-		· · · · · · · · · · · · · · · · · · ·			
Track Authority Completed/On-Track Protection Verified/Verify Train Passage by Engine Number (NS9999)	-					
BEHAVIOR AND WORK SPACE	POSTIVE	NEGATIVE		COMMENTS		
Job Safety Briefing	-					
Vehicle Cleanliness	-					
Work Area Cleanliness	-					
Work Ethic and Safety Attitude	-			······································		
JOB SPECIFIC	POSTIVE	NEGATIVE	······································	COMMENTS		
Crane Operation	-					
Lutting -Proper Eye Protection (face shield, slasses), Leggings, Cutting Sleeves	-					
all Protection (12 ft Off Ground or Over Vater)	~					
landling Material	~					
ifting	~					
ockout/Tagout, De-energize Equipment	-					
lounting and Dismounting Vehicle - 3 POC	-					
ut of Line of Fire of Person Working	-					
ersonal Protective Equipment	-					
oper Use of Tools	-					
dio Procedure	-		······································			
acing of Equipment	~					
e of Power Equipment	-					
rking and Walking Conditions	-					

OMMENTS	<u> </u>	
EEDBACK FROM RAILROA	D MANAGER	
CTION REQUIRED		
EMPLOYEE SIGNATURE		
MANAGER SIGNATURE		
-	O DATE	
FOLLOW-UP	DATE	
EMPLOYEE SIGNATURE		

OPERATOR NAME MIKS Fellow	5		DATE 1-19.31
UDDIVIETER READING 16864			TRUCK # 1185 R
GENERAL INSPECTION CHECKLIST	PASS	FAIL	COMMENTS
Annual DOT Inspection (decals in door jam)			COURRING OTHERS
Boom Instructions			Sound of Make
Cleanliness of Truck	~		
Log Book	-		
Current Cab Card (registration)			2-28-21
Current Insurance form	-		
ELD Manual	-		······································
Fuel Card	~		
HOS Instructions	~		
Hut - NY Decal	ど		
IFTA paper and Copy of Sticker			
VEHICLE CHECKLIST	PASS	FAIL	COMMENTS
(2)Cones/Triangles			
(2)Red Flags	-		
(4) Lines for Grapple, 4 Lines for Extension			
(6) Fuses	-		· · · · · · · · · · · · · · · · · · ·
5 Gal Hydraulic Fluid	-		
Back-up Alarm Working			
Backup Light			
Battery Grease Gun and Grease	<u> </u>		
Brake Inspection	-		
Brakes on the Carts	-		
Clearance Lights			
Condition of Equipment (Boom, Crows Nest, Ladders)	-		HAS SCAT Boll
Cuplink Tongue and Safety Chain	2		
Fire Extinguisher - Check Expiration Date	~		
First Aid Kit - Check Expiration Date	~		

VEHICLE CHECKLIST	1	FAIL	COMMENTS
Flashlight	-		
Funnel	~	-	
Glad Hands and Chain	~		
Lockout/Tagout Equipment	~		Given TAg
Shop Towels/ Hand Cleaner/Garbage Bag	-		
Shovel/Broom			
Spill Kit	~		
Steps, Handrails	-		
Strobe	-		
Truck Greased	-		
Visual Inspection of any Damage	-		
COMMENTS			
ACTION REQUIRED	YES 🗍	NO 🖬	
MANAGER SIGNATURE			· · · · · · · · · · · · · · · · · · ·
FOLLOW-UP	· · · • · · · · · · · · · · · · · · · ·	DATE	
EMPLOYEE SIGNATURE			
			: 

NATIONAL			SAFETY INSPECT	ION CHECKLIST
NAME Kolton Helbert		DATE	2-23.2	
LOCATION (CITY, ST) Columbus OH	L	RR	NS	
TRUCK NUMBER MARKER		TEAM #	Buckeyo	YARd
REQUIRED DOCUMENTATION	POSTIVE	NEGATIVE		COMMENTS
Brake Test			NA	
Daily Paperwork	-			
E-Rail Card and RWP Card	-			-
-RA Inspection			NB	
Frack Authority Completed/On-Track Protection Verified/Verify Train Passage by Engine Number (NS9999)	-			$A \sim A$
BEHAVIOR AND WORK SPACE	POSTIVE	NEGATIVE		COMMENTS
ob Safety Briefing	-			
/ehicle Cleanliness			NA	
Nork Area Cleanliness			NA	
Nork Ethic and Safety Attitude	-			
JOB SPECIFIC	POSTIVE	NEGATIVE		COMMENTS
Irane Operation			NA	
Cutting -Proper Eye Protection (face shield, glasses), Leggings, Cutting Sleeves				
all Protection (12 ft Off Ground or Over			NA	
Vater)			NA	
landling Material			NB	
ifting			NA	
ockout/Tagout, De-energize Equipment			NA	
/ounting and Dismounting Vehicle - 3 POC	2			
)ut of Line of Fire of Person Working	5			
ersonal Protective Equipment	5			
roper Use of Tools			NA	
adio Procedure			N	
pacing of Equipment			NA	
se of Power Equipment			NR	
Vorking and Walking Conditions			wa	

COMMENTS	<del>.</del>	
Employee MAG	S DISCUSSED	
SAFORY ITEM	5 DISCUSSED	
EEDBACK FROM RAILROAD MANAGE	R	
		······································
CTION REQUIRED	YES D NO D	
ANAGER SIGNATURE	• •	
OLLOW-UP	DATE	
. <u> </u>		
	<u>.</u>	
MPLOYEE SIGNATURE	· · · · · · · · · · · · · · · · · · ·	
ANAGER SIGNATURE		

### X ARE ITEMS DISCUSSED

Name: Kolton Helbert Truck # NA

#### Job Briefing

	In compliance		
	YES	NO	Commente
Attended Job Briefing	-		Comments
Documented Track Protection	-		
Hazards Identified	L		
Clearing location noted	L		
Track Limits noted	·×		and the second
Time limits noted	X		
EIC named	×		
OTS on adjacent track	X		
Copy of daily safety rules	×		

#### Red Zones

	YES	NO	Comments
15' around machinery			Comments
25' from end of standing equipment	-		
Good communication	-		
Doors-Pinch Points	-		
Operator's hands off when employee enters red zone	-		

## **Personal Protective Equipment**

	YES	NO	Comments
Safety glasses (Clear)			Comments
Side shields for Rx glasses			
Steel toed shoes (1" heel, 6" height)	-		wn.
Hearing protection/Availability	×		and a second
Hard hat (5 Year Exp.)			
Gloves (where required)			
Reflective vest	5	the services	
Where torch is present			
a. Welders jackets or sleeves	v		NA
b. #5 tinted shield/clear glasses	V		
or clear shield/ #5 tinted goggles	×		
c. Leather leggings	x		
d. Welding/heat resistant gloves	×		
e. Striking Tools-Face Shield	X		

Page 1 Of 3

## Walking, Climbing & Mounting

	YES	NO	Comments
Walking with hands in pocket	~		Comments
3 Point-contact	X		
a. Face Equipment	X		
b. Nothing in hands	X		the second s
c. Get off dead side of track	X		
d. Observe ground	XT		
e. Equipment not moving	X		
f. Hold on full duration	X		
g. Stop at the Last Step	X		
lse hand-rail on steps	X		
Stop and look before crossing track	X		

## Vehicle Operations NA BUT DISCUSSED

	YES	NO	Comments
Seat Belts	X		comments
First Aid/Fire extinguisher (updated)	X		
Electronic Device rules followed	X		
Insurance/registration updated	X		
License and CDL	X		
All lights functioning properly	×		
HM-10 filled out	-		
Log book filled out	X		
Daily inspection log (Pre/Post)	x		
Back-up alarms	X		
Forms/Books	X		
Bent/broken foot steps/grating	X		and the second se
Backed in parking spaces	*		
Bround man backing vehicles	X		
Buffer zone when stopped	x		
Drange Velcro Boom Raised Flag	X		

# **On-Track Worker Protection**

Employeet	YES	NO	Comments
Fouling track (4' clearance)	X		Comments
Trucks & equipment 7' from track	×		
EIC access to working radio	X		
Proper protection (704,707,ITD, etc)	×		the second s

Page 2 Of 3

Watchman Look-out		a second data data data data data data data da
a. Day - Whistle & with flag or disc	K	
b. Night - Whiatle & Whitern or hisee	X	
C Watchwate stantern of hisee	×	
C. Watchman abyeys watching-not working	×	Managements of the Antonio and the Antonio and the Antonio and A
	1	
a. Not in hump or control point	X	the second se
b. No power openited tools/machinery	X	
c. Not impaired by noise, lights,		
precipitation, fog, peesing train	×	****
d. Must have working radio	- <u>×</u>	
A Must have GOTA sites	X	
e. Must have SOTS filled out	<u> </u>	
Working distance between mechine = 40'	X	
inspect switches before/efter throwing	X	
Traveling distance between machine = 200'		
Contractor ID Badges		
Bunching over road crossing = 40'	+5	
Regulator Work Distances 200/Tramming 400	×	
And the second	X	

ŕ,

 $\left( \right)$ 

## Cranes PA

	YES	NO	Commente
	Jib crane operational		
	Jib crane safety latches on hooks		
ĺ	Teg line with creme		

### Fall Protection WHEN USED

	YES	NO	Comments
Rescue retrievel plan			yonning
tob start-up form completed			
all Amest/Restraint equipment			
<ul> <li>a. Adjusted property</li> <li>b. Not deteriorated</li> <li>c. Not stained to prevent inspection</li> <li>d. Retrievel Equipment when</li> </ul>			
			······································
			and the second
Required			
		<u></u>	
Manager:			Date 2.33.11
			Date
Employee			

Page3 Of 3