UNITED STATES OF AMERICA

NATIONAL TRANSPORTATION SAFETY BOARD

Investigation of:

SAN FRANCISCO GAS RELEASE AND FIRE * Accident No.: PLD19MR001

FEBRUARY 6, 2019

Interview of: REX HALE

San Francisco Police Department San Francisco, California

Tuesday, February 10, 2019

APPEARANCES:

ALEX COLLETTI, Investigator in Charge National Transportation Safety Board

NATHAN SARINA, Utilities Engineer California Public Utilities Commission

TERENCE ENG, Senior Utilities Engineer Supervisor California Public Utilities Commission

KIM WEST, Senior Accident Investigator
Pipeline and Hazardous Materials Safety Administration
(PHMSA)

CHRISTINE COWSERT, PE
Pacific Gas & Electric Company (PG&E)

KEVIN SOUZA, North Bay Gas Superintendent Pacific Gas & Electric Company

MICHAEL COCHRANE, Assistant Deputy Chief Homeland Security, San Francisco Fire Department (On behalf of Mr. Hale)

ITEM			INDEX	PAGE
Interview	of Rex	Hale:		
	By Ms.	Colletti		6
	By Mr.	Cochrane		23
	By Mr.	Sarina		24
	By Mr.	Souza		26
	By Ms.	Colletti		29
	By Mr.	Sarina		30

INTERVIEW

2 (9:33 a.m.)

2.0

MS. COLLETTI: Okay. We're on the record for the interview of Assistant Chief Rex Hale.

Good morning. Today is February 10, 2019. It is now 9:33 a.m. Pacific Time. My name is Alex Colletti. I'm the investigator in charge for this accident for the National Transportation Safety Board in Washington, D.C.

We are at the Richmond Station Police Station in San Francisco, California. This interview is being conducted as part of the investigation into the Pacific Gas and Electric natural gas release and fire that occurred on February 6, 2019 in San Francisco, California. The NTSB case number for this accident is PLD19MR001.

This interview is being recorded and may be transcribed at a later date. A copy of the transcript will be provided to you for review prior to being entered into the public docket. That's your opportunity to correct things that the transcriber may have gotten wrong.

For example, if you said you turned left and the transcriber wrote right, that would be something that you'd correct. It wouldn't be, I turned left and then I walked and did this next. It's not an opportunity to add additional factual, it's just to make corrections. So, please, if you have information give it to us now.

- 1 You're permitted to have one person present during the 2 interview. This person is of your choice. It could be an 3 attorney, supervisor, friend, family member, or nobody at all. 4 Assistant Chief Rex, please state for the record the spelling 5 of your full name, your job title, and who you've selected to be 6 present during the interview. 7 MR. HALE: Good morning, my name is Rex Hale, R-E-X, H-A-L-E. I'm an assistant chief for the San Francisco Fire Department. I 8 9 have Chief Cochrane here as -- if that's okay. If not, I'll be 10 solo. 11 MS. COLLETTI: Okay, great. Now, we're going to go around 12 the room and introduce ourselves. 13 MR. COCHRANE: Michael Cochrane, M-I-C-H-A-E-L, C-O-C-H-R-A-14 N-E, Assistant Deputy Chief, Homeland Security, San Francisco Fire 15 Department. 16 I'm Kim West, the senior -- Kim West, K-I-M, W-E-MS. WEST: 17 S-T. I'm a senior accident investigator for PHMSA, Office of 18 Pipeline Safety.
- MR. ENG: Terence Eng, T-E-R-E-N-C-E, E-N-G, California

 Public Utilities Commission.
- MR. SARINA: Nathan Sarina, N-A-T-H-A-N, S-A-R-I-N-A. I'm with the California Public Utilities Commission.
- MR. SOUZA: Kevin Souza, K-E-V-I-N, S-O-U-Z-A, with Pacific Gas and Electric.
- MS. COWSERT: Christine Cowsert, C-H-R-I-S-T-I-N-E, C-O-W-S-

- 1 E-R-T, PG&E.
- 2 MS. COLLETTI: Excellent, thank you. I'm going to start this
- 3 by saying thank you. From all that I've heard so far, you guys
- 4 did an excellent job and really kept, really kept damage to a
- 5 minimum.
- 6 MR. HALE: Thank you.
- 7 MS. COLLETTI: Especially for the extent for that period of
- 8 time and for as large of a fire as it was. It is very remarkable
- 9 to not have had any injuries or fatalities, so thank you very much
- 10 for your work.
- 11 MR. HALE: Thank you.
- 12 INTERVIEW OF REX HALE
- BY MS. COLLETTI:
- 14 Q. I'm going to start off by talking about your history with the
- 15 | Fire Department. My guess is you've been there a little while.
- 16 A. Yes. It'll be 29 years in April 2nd.
- 17 Q. Fantastic, great. How long have you been an assistant chief?
- 18 A. I got appointed in July 2nd, 2018.
- 19 Q. Okay. Okay. Now, here's the part where you're going to have
- 20 to talk a lot.
- 21 A. Sure.
- 22 Q. If you could walk me through from when you received
- 23 notification via dispatch or any other means --
- 24 A. Okay.
- 25 Q. -- to head to the incident site, what you saw, what you

- 1 | heard, what you smelled even when you were there, what you
- 2 instructed your crews to do, how incident command was set up,
- 3 every detail you can think of during that event that you can
- 4 remember. If you have to go back and forth in time, that's fine,
- 5 | that's very normal.
- 6 A. Okay.
- 7 \mathbb{Q} . So, the more detail you can provide us, the better.
- 8 A. Okay. The exact time I was notified, I'm not sure, but I was
- 9 at the firehouse and my operator made an announcement that he
- 10 heard something going on on Geary Street and he thinks I might --
- 11 | we might have to go.
- So, we started to proceed to go to Geary Street where I heard
- 13 | Battalion 7 call for first alarm, we have a working fire at Parker
- 14 and Geary with gas explosion. We were in route and as -- I could
- 15 see some smoke from a distance and as we got on to Geary Street,
- 16 which I believe was probably Geary and Masonic, I could see heavy
- 17 flame showing from the street.
- 18 As I was about 3 blocks away I confirmed what I saw and it
- 19 was heavy flame showing from the street at Geary and Parker. I
- 20 | went on scene, pulled a second alarm and then proceeded to walk
- 21 down 2 blocks from where we parked because -- well, one of the
- 22 | reasons was that Battalion 7 had reported heavy fire gas
- 23 explosion, have all units post out one block. And she also made a
- 24 notification to evacuate at one-block radius. And that's all I
- 25 remember hearing from her at this time.

I approached the scene and made a face-to-face with Chief Kalos who was Battalion 7 and she gave me a quick briefing on what they had, gas explosion, construction workers, possibly three construction workers missing, unaccounted for. They are starting to deploy a 2½-inch line onto the -- what we could call the main fire building, which was the 3300 Geary, to slow down any spread.

2.0

We quickly recognized that we're not going to be able to put out the gas fire, so we had to go into a surround -- get our arms around it and try to keep this fire from spreading along Parker and along Geary.

I then -- Engine 21 reported in and I directed them to setup a multi-versal on the corner of Geary and Parker across the street and to squirt water onto the 3300 Geary. Truck 12 also reported in and they -- I directed them onto Geary to setup a ladder pipe and to squirt water onto the roof of 3300 Geary.

I directed Battalion 7 -- she was going to be assigned division Alpha and she had all of Geary Street, she would have all the master streams, would be charge of all the master streams on then Geary Street. I think directed Battalion 5, Chief O'Connell, to -- he pulled up behind me, I had a command post setup at Parker and Geary on the southeast corner, southeast corner.

He pulled up behind me and I redirected him to go around onto Parker with the instructions to stop this fire from making a run down Parker. So, he pulled around the block, came up Parker, positioned himself and he immediately called for two engines and a

truck, which I sent over there. I'd have to refer to some notes on which exact companies those were. It was Truck 5 Engine 38 and the third company was Engine 12. And they setup a defensive operation on Parker north of Geary there.

2.0

And then 3 Engine showed up and I had them deploy a multiversal water curtain onto the H&R Block building. I don't know the address off the top of my head, but I designated that as Bokura Delta. And then I had Chief Pacora (ph.) Battalion 4 be in charge of -- he was assigned to division Delta. And there was obvious radiant heat threatening that building, and so we started to take actions to prevent that from catching fire.

So, at this point I have division -- I mean, I have Battalion
7 in charge of division Alpha, which is all of Geary Street. I
have Battalion 5 in charge of division Charlie which is Parker
Street north of Geary. And I have division Delta, Battalion 4,

Bokura
Battalion 4 Pacora was in charge of division Delta.

At this time, Battalion 2 Chief Hickey (ph.) pulled up and asked for assignment and I told him to go over to Bravo, which would be the building next to the 3300 -- west of 3300 and to evaluate and make sure we could stop this fire from going into Bravo. So, he was assigned Bravo.

At that point, PD confirmed that I wanted a one-block evacuation, and I said, yes. The timeline when they -- PD was there when I got there when they confirmed that they wanted a one-block evacuation, the timeline I'm unclear on, but it was pretty

quick once I was squared away there.

2.0

for construction workers, which turned into five. At some point there was a report of five unaccounted construction workers.

Rescue 1 pulled upon scene and I told them to do a surface primary on the street surrounding this explosion and to see if they also get primary into the 3300, that's a primary search, 3300 Geary.

And then we also had still that report of three unaccounted

And they -- at some point, I'm not sure of the timeline, within 10 minutes, 15 minutes they cleared it and the primary was negative, negative results. PD then approached me and said -- I forget the sergeant's name. The names I don't remember. I can remember his face.

He said that he believes that the construction workers are all accounted for because he talked to the foreman. And I said bring that foreman here, I want to confirm that. So, he did and we then confirmed that all the construction workers were accounted for. And the primary in the Hong Kong restaurant and the floor above was also cleared by Rescue 1.

It was also reported by division Charlie that the electrical wires were threatened, high voltage wires were threatened on Parker. And so, I special called PG&E Electric. Battalion 7, on the initial arrival, she special called PG&E Gas. At this point, neither one had showed up and my -- if I remember correctly, there was an ETA of 10 minutes.

Timeline-wise, PG&E showed up confirmed that obviously we

needed this gas shut off as soon as possible, and then at another time PG&E Electric showed up. I told them I needed that electrical wires on Parker shut down and they had that mitigated or shut down fairly quickly for the electrical.

2.0

Second alarm unit starts showing up and I started having them supply master streams and assisting with Delta and Charlie, division Delta and Charlie, and Bravo just kind of spread them out around the perimeter.

Third alarm units showed up, a lot of them I had them stand by. I didn't want to commit them until I had a good assignment for them, meaning I didn't want to just start throwing companies at this thing. I wanted to make sure where we needed them the most. And then, so I gradually started to assign third alarm companies to as water supply mostly and assist with division Charlie. Division Charlie had his hands full.

Division Delta was -- there was some radiating heat breaking windows, but other than that there was no impingement into the building because I had some units in there stopping anything. We had units on the roof of division Delta also.

At some point I had to make a decision about whether we're going to go into 3300 Geary. We were still having heavy fire from the gas line impinging on the corner of that building and it started -- I started to get reports of it being compromised and it was likely to collapse on that corner. So, after discussion with some Battalion chiefs and with the chief of the department we

decided we are not going to go make entry into 3300 Geary Street and we would stop it at Bravo, which was the next building to the left.

2.0

We also setup a water curtain to protect -- okay. So, we had -- so, PG&E had to get access on Parker and Geary on the southwest corner to start digging, and so we had to let some trucks in. We had to move some apparatus. They got in, they started digging. They gave us about an hour timeline, is the report I got, it's going to take to shut this thing off.

I notified my division supervisors that it was going to take an hour and everybody is to hold strong, we're going to be here a while. And then eventually we started having a lot of PG&E workers there and we setup a water curtain between the gas portion of the fire to protect them. So, I had some hand lines there.

I'm going to say about an hour and a half into it timeline-wise about an hour and a half would be my guess, could be an hour and 45 minutes, the gas got shutoff. At that point, we started shutting down master streams and started making entry into the main fire building which was 3300.

The Charlie building, which is the building -- it's one whole building but it was separated by addresses so we designed that as the Charlie building. They started making entry into Charlie to extinguish that. And then we had entry into Bravo starting to extinguish that. Division Delta was okay.

We were on the cusp of having some water supply issues, but

at the time we were able to setup enough water supply to help with all these master streams. And in the back of my mind, if another building got going out I would have had to strike a forth alarm and I would have had to bring hose tenders so we could start leading from high pressure hydrants that were a couple blocks away.

2.0

That was a major operation, but I confirmed with my division group supervisors or my division supervisors that they had the fire contained to those buildings and wasn't spreading so we were able to hold this to a third alarm.

Once the gas was shutoff we were able to put out the fires in Charlie and the main fire building and Bravo fairly quickly. I mean, it probably took 20 minutes to get containment and another 20 to get under control. Those are rough timelines.

At that point, once we started picking up I started order ladder pipes to be shut down -- well, that happened a little bit previous. Ladder pipes to be shut down. Those had to be shut down slowly so not to cause any water hammer. And once we started having those shut down and we started getting containment and under control we started letting units go back in, pick up and start to go back in.

I'm not sure of the time again, but I'm going to say around 5:00 I told Battalion 7 that she was in charge and I shortly left thereafter. There was a reunification center setup in front of Mel's, a couple of Muni buses there. Red Cross was there for any

- 1 displaced tenants. At the time that this was happening I did not
- 2 have a bunch of people there to direct towards there, but I guess
- 3 towards the end of the day as they started coming home from work
- 4 they started reunifying at that location.
- 5 Water Department was there. They were helpful in locating
- 6 and supplementing the water supply in the surrounding hydrants.
- 7 That's all I got for this -- at this time that I could think of.
- 8 Q. That's excellent. That's the amount of detail I was looking
- 9 for. Thank you.
- 10 A. Okay.
- 11 Q. I'm going to go back to the very beginning because I want to
- 12 make sure I understand the designations of the Alpha, Bravo,
- 13 Charlie, Delta --
- 14 A. Okay.
- 15 Q. -- which building was which. So, Charlie I take it to
- 16 understand is the 3300 Geary.
- 17 A. No.
- 18 Q. No, okay.
- 19 A. There is a separate address on --
- 20 Q. That's where I (indiscernible).
- 21 A. -- Parker and I think it's 195 Parker is the address.
- 22 Q. Okay. That's -- and that was Battalion 7?
- 23 A. That was Battalion --
- 24 O. Or --
- 25 A. That was Battalion 5.

- 1 Q. 5, 5.
- 2 A. But when I --
- 3 Q. 5, Charlie, okay. Sorry.
- 4 A. When I initially designated Battalion 5 as division Charlie I
- 5 didn't have a building, specific building in mind I just wanted
- 6 | him to stop that fire from going down Parker. So, that division
- 7 is all encompassing.
- 8 Q. Okay.
- 9 A. Okay. It could have been multiple buildings.
- 10 Q. Just in the Parker direction?
- 11 A. Correct.
- 12 Q. Okay, okay.
- 13 A. Yeah, yeah. And same with Alpha, technically Alpha would be
- 14 | the building across street -- across the street from Geary on my
- 15 back behind me --
- 16 Q. Okay.
- 17 A. -- but I designated division Alpha as Geary Street just --
- 18 Q. Okay.
- 19 A. -- just to have -- to break up this event into chunks, to
- 20 manageable chunks.
- 21 Q. Okay. And Alpha was Battalion 7. Is that --
- 22 A. Correct.
- 23 Q. -- correct? Okay. A Battalion Delta, which was over the H&R
- 24 Block --
- 25 A. Correct.

- 1 Q. -- building.
- 2 A. That's Battalion 4.
- 3 Q. Battalion 4, okay. And Bravo, can you -- I missed Bravo.
- 4 A. That's Battalion 2.
- 5 Q. Battalion 2, okay. And what were they covering?
- 6 A. I forget the -- there was a big sign on that building. I
- 7 don't know the address, but it was right next to 3300 Geary.
- 8 Q. Okay.
- 9 A. That's Bravo. That building directly next to the Chinese
- 10 restaurant. There's like a dog grooming place or something, I'm
- 11 | not -- something like that.
- 12 Q. Okay. I just want to back up to some of this and I'm going
- 13 to walk through it to make sure I understand the big picture --
- 14 A. Um-hum.
- 15 \mathbb{Q} . -- of the steps that were taken and the order they were taken
- 16 | because you did a lot of different activities --
- 17 A. Yeah.
- 18 \mathbb{Q} . -- at a lot of different times so I just want to have it
- 19 clear in my mind.
- 20 A. Sure.
- 21 Q. So, essentially Battalion 7 is first on scene. They're
- 22 pulling first alarm.
- 23 A. Correct. Got dispatched as a 21 Box, which was an engine
- 24 truck and Battalion chief for apparently a gas leak.
- 25 Q. Okay. And then after that you guys are heading in route.

- 1 A. Yes.
- 2 | Q. Okay. And once you're arriving there you're seeing a heavy
- 3 | flame visible 3 blocks away and you're pulling a second alarm.
- 4 A. Yes.
- 5 Q. Okay. You requested at that time evacuation from PD for a
- 6 one-block radius?
- 7 A. No. Battalion 7 requested that while I was --
- 8 Q. Okay.
- 9 A. -- in route.
- 10 Q. Okay.
- 11 A. And then I confirmed -- when PD made a face-to-face with me I
- 12 | confirmed that, yes --
- 13 Q. Okay, great.
- 14 A. -- that's what we need.
- 15 Q. Do you have any idea about how long that took to get that
- 16 | confirmation from PD or how long it took to execute those
- 17 | evacuations?
- 18 A. PD came up pretty quick and wanted to confirm that that's
- 19 what they wanted, and I said, yes. And then there was a point --
- 20 the time I don't remember, but they came back and said, okay, we
- 21 got everything evacuated up to -- within two buildings of this
- 22 | fire, we can't do those buildings.
- 23 Q. Okay.
- 24 A. We don't want them entering those. There was too much
- 25 radiant heat.

- 1 Q. Okay.
- 2 A. I said, okay, we'll take care of those.
- 3 Q. Okay.
- 4 A. So, we covered H&R Block, one building over, the Hong Kong
- 5 restaurant building, and one or two buildings behind I'm not sure
- 6 how many we covered, and then Bravo. That bigger building in
- 7 Bravo 2 which the big green building, I'm not sure if PD evacuated
- 8 that or we did. I'm pretty sure PD did.
- 9 Q. Okay. Okay. Once you guys are on site you're guickly
- 10 recognizing that it's gas-fed fire, you're not going to be able to
- 11 put it out and you're working to surround the area.
- 12 A. Yes.
- 13 Q. Okay. And contain, which is where you're designating the
- 14 different designations for --
- 15 A. Correct.
- 16 Q. Okay. And there's a lot of other smaller actions in here.
- 17 A. Yeah.
- 18 Q. Just trying to get the big picture.
- 19 A. Um-hum.
- 20 Q. PD is starting on their evacuations. You're hearing reports
- 21 of three to five missing folks and you're --
- 22 A. Construction workers, yeah.
- 23 Q. -- and you're sending search and rescue.
- 24 A. Yeah, rescue, yes.
- 25 Q. Okay. Okay. That took about 10, 15 minutes, we're not

- 1 finding anything as -- which makes sense because there was no one
- 2 there.
- 3 A. Yeah.
- 4 Q. Okay. And then PD is confirming -- and who did they bring?
- 5 Was it one of the excavation folks? You had said a foreman that
- 6 --
- 7 A. It was one of the -- yeah, the construction workers that were
- 8 working (indiscernible) --
- 9 Q. The construction worker foreman, okay.
- 10 A. Yeah, yeah.
- 11 Q. Great, great. Just wanted to make sure it wasn't a PG&E
- 12 foreman as opposed to --
- 13 A. No, no.
- 14 Q. Okay.
- 15 A. No, no, it was a construction guy.
- 16 Q. Just clarifying, okay. I believe I heard something about
- 17 | electric poles --
- 18 A. Yes.
- 19 Q. -- electric fire. Can you talk about that a little bit?
- 20 A. So, there was two poles that were on the northwest side of
- 21 Parker right next to Geary that were threatened by the gas fire
- 22 and they started to burn and we had concerns that wires were going
- 23 to start coming down. So, that was going to be a major issue if
- 24 that happened, so we tried to get PG&E Electric on that quickly.
- 25 And I would say that was mitigated fairly quickly.

- 1 Q. Okay. Throughout this time you're getting additional
- 2 | companies coming, you're having them provide essentially backup
- 3 support for the battalions that are actively working on those --
- 4 A. Yeah.
- 5 Q. -- four designations. Okay. Making decisions not to enter
- 6 certain buildings at that time because of the fear of collapse.
- 7 And PG&E is letting you know that it's going to take about an hour
- 8 to close down.
- 9 A. Um-hum.
- 10 Q. About how long into the incident did PG&E notify you of how
- 11 long it would take? If you don't remember, that's okay.
- 12 A. Yeah, I don't remember a timeline.
- 13 Q. Okay.
- 14 A. I actually -- I had Battalion 1 was there, Chief Yee, and I
- 15 was using him as kind of a liaison to make face-to-face with PG&E
- 16 and let's get an update. And so, he did that and he's the one
- 17 | that came back and reported that the electrical was shutoff and
- 18 that it's going to take an hour. That timeline, yeah, I don't
- 19 know, it could be 20 minutes into this, 20 minutes since PG&E Gas
- 20 | showed up. I don't remember --
- 21 Q. Okay.
- 22 A. -- specifically because --
- 23 Q. That's okay.
- 24 A. -- there was gas, there was electric, and --
- 25 Q. There was a lot of moving parts at the time.

- 1 A. Yeah, yeah.
- 2 Q. No, that's okay. PG&E requested a water curtain while they
- 3 were doing the excavation?
- 4 A. Yes.
- 5 Q. And so, you guys provided that for them. And then the gas
- 6 | shutoff occurred. From there obviously were no longer worrying
- 7 | about the gas-fed fire, were worrying about the buildings around.
- 8 A. Correct.
- 9 Q. So, you guys worked to extinguish those specific fires. And
- 10 I believe in my timeline I have 20 minutes to contain and 20
- 11 minutes to control. Is that correct?
- 12 A. That's once the gas was shutoff.
- 13 Q. Once gas shutoff, yeah, right, obviously.
- 14 A. Yeah, yeah.
- 15 Q. Yeah, once you get rid of the fuel.
- 16 A. Yeah.
- 17 Q. Yeah, right, right. Sorry, apologies.
- 18 A. That's a rough estimate that --
- 19 Q. Okay, okay. You talked about having some issues with the
- 20 water supply if --
- 21 A. Well, we were -- okay. I'm sorry, go ahead.
- 22 Q. No, that's okay, please, please.
- 23 A. We were right on the edge of having a water supply issue
- 24 because we had --
- 25 Q. Okay.

- 1 A. -- so many master streams going. We were able to manage with
- 2 | what we had, but if it gotten -- if this fire had gotten any
- 3 bigger we would have had to go on to the next alarm with a plan to
- 4 | use high pressure hydrants from I believe California Street and
- 5 Turk Street.
- 6 Q. Okay. Let me see, if you could give me a favor because I'm
- 7 | having a hard time visualizing the different locations.
- 8 A. Okay.
- 9 Q. If you could write -- draw for me, you know, Geary, Parker,
- 10 where the different Battalions --
- 11 A. Okay.
- 12 Q. -- the different locations were, I'd appreciate it. It's
- 13 going to be -- because if I try and do it in my head there's a
- 14 good chance I'll mess it up. Oh, yeah.
- 15 UNIDENTIFIED SPEAKER: Drew a picture yesterday.
- 16 MS. COLLETTI: Oh excellent, okay.
- 17 MR. HALE: CP, command post, (indiscernible). You just
- 18 wanted divisions, is that --
- MS. COLLETTI: That is fantastic. Yes, that's exactly what I
- 20 was looking for.
- 21 MR. HALE: I had staging up there. I don't know if that
- 22 matters, but I had staging up there.
- BY MS. COLLETTI:
- 24 Q. Staging over here?
- 25 A. On Spruce.

- 1 Q. Okay. On Spruce? Okay. That is extremely helpful. Just to
- 2 make sure that I understand the different acronyms.
- 3 A. Um-hum.
- 4 Q. Bravo, Bravo Unit 2?
- 5 A. Yeah.
- 6 Q. Okay. Fire Bravo?
- 7 A. Fire building. That would be --
- 8 Q. Fire building.
- 9 A. -- considered the main fire building is what we were calling
- 10 --
- 11 Q. Main fire building, which is 3300?
- 12 A. Yeah.
- 13 Q. Okay. The Hong Kong building. Charlie, Delta, Delta 2,
- 14 okay, fantastic. Thank you very much.
- 15 A. Sure.
- MS. COLLETTI: That's going to be the end of my questions for
- 17 | this round, so I'm going to hand it off to --
- 18 MR. COCHRANE: Okay, thank you. Yeah, Michael Cochrane, San
- 19 Francisco Fire. I just have one question for the chief, but
- 20 before that just pulling up to that fire, evacuations, lost
- 21 civilians, utility impingement, possibly losing a block and 123 of
- 22 our members arriving and orchestrating that was an outstanding
- 23 job, Chief Hale, and thank you.
- MR. HALE: Thank you.
- 25 BY MR. COCHRANE:

- 1 Q. The only question is, do you think there was proper
- 2 | representation and good updates given by PG&E throughout the
- 3 incident?
- 4 A. Yes. I spoke with several -- I want to say at least three
- 5 | face-to-face with three different PG&E personnel, one was
- 6 | electric, one was gas, and then the only -- I have one guy's card
- 7 | who was very helpful and that's the only name I remember. Sorry,
- 8 I got to put my glasses on, Jason -- or James Wickham or Wickham.
- 9 He was by my side most of the time giving me updates, but
- 10 there was a couple other PG&E folks that when we started
- 11 discussing some actions that worked out. Yeah, once they were on
- 12 | scene, I mean, PG&E started going to work right away. There was
- 13 no doubt about it that they had a big problem on their hands. So,
- 14 to answer your question, yes.
- 15 MR. COCHRANE: Thank you, Chief.
- MS. WEST: Kim West. I have no comments.
- 17 MR. HALE: Thank you.
- 18 MS. WEST: No questions.
- 19 MR. SARINA: Nathan Sarina, CPUC.
- 20 BY MR. SARINA:
- 21 Q. So, have you performed on any other joint exercises or
- 22 | anything -- PG&E is required to reach out to some of the fire
- 23 departments, the public liaison so I don't know if that is at your
- 24 level or what level that's going to per se, but have you been
- 25 involved with any of that?

- 1 A. I'm not quite sure what your question is.
- 2 Q. Okay. So, under PG&E is required to -- or have you ever
- 3 participated in any joint exercises prior, not incidents --
- 4 A. When you say -- okay. So, you mean drills, okay.
- 5 Q. Drills, drills.
- 6 A. Okay.
- 7 O. Yes, drills.
- 8 A. I don't know if I -- I don't know that I have. we have been
- 9 drilled and been given handouts and discussed PG&E operations, and
- 10 I know there were some setup where there was a unified drill, but
- 11 me personally having attended that, I don't believe so.
- 12 Q. Okay. But to the best of your understanding there have been
- 13 drills with other folks --
- 14 A. Yes.
- 15 \mathbb{Q} . -- within the department. Okay.
- 16 A. yeah, yeah.
- 17 MR. SARINA: No further questions at this time.
- 18 MR. HALE: Thank you.
- 19 MR. SOUZA: Kevin Souza, PG&E. Assistant Chief Rex, I was
- 20 Gas IC --
- MR. HALE: Okay.
- MR. SOUZA: -- man on site. We had conversations throughout
- 23 the incident.
- MR. HALE: Actually, you're not the face that I put -- I
- 25 remember the other guys face.

- 1 UNIDENTIFIED SPEAKER: I told you he was in here.
- 2 MR. HALE: I know.
- MR. SOUZA: I look different with a hard hat.
- 4 MR. HALE: Yeah, yeah, yeah.
- 5 MS. COLLETTI: If it makes you feel better, I met him the
- 6 | first day I was here; on the second day I introduced myself again.
- 7 MR. HALE: I know.
- 8 MS. COLLETTI: The hard hat for some reason --
- 9 MR. HALE: Yeah.
- MR. SOUZA: So, thank you for your support on this event.
- 11 BY MR. SOUZA:
- 12 Q. One of the topics that we were working together on was
- 13 whether or not the electric was off.
- 14 A. Um-hum.
- 15 Q. I know we had a great response from them turning it off, but
- 16 | the concern that I had and you had was we couldn't tell. I don't
- 17 | think we --
- 18 Q. Yeah.
- 19 A. -- took a while to get confirmation that it was off.
- 20 O. Yeah.
- 21 A. There was that unknown period, right? So, would you agree
- 22 | that we needed some improvement on confirmation to the ground that
- 23 that was -- that that line was controlled because there was, I
- 24 believe, a little bit of a delay I getting that to you.
- 25 Q. Yes, definitely.

- 1 A. Okay.
- 2 Q. It almost seems like there should be -- like with BART
- 3 | there's a word safe clearance and, you know, there's a couple
- 4 different stages of turning this electrical off and if we had
- 5 something like that in place that would probably be a good idea.
- 6 Q. Okay. And the gentleman that was by your side, Jim Wickham,
- 7 he is our liaison for fire, police, a lot of that communication
- 8 was happening as our IC structure is setup between him and I, and
- 9 then he brings that information --
- 10 A. Yeah.
- 11 Q. -- back to you. And I was also in communication with -- I
- 12 don't remember the woman's name, but she was in a light brown
- 13 jacket.
- 14 A. That's the chief of the department.
- 15 Q. Chief of the department, yeah.
- 16 A. Yeah (indiscernible).
- 17 Q. She's like -- that was my contact as we were working through
- 18 this. Any suggestions on your part in the way Gas responded and
- 19 communicated short of the hour timeframe that was off because of
- 20 some of the issues that we were having finding lines? Any
- 21 improvements that you can suggest for us?
- 22 A. Well, we need to get you guys there faster. I mean, we have
- 23 PG&E Gas and Electric events all the time, nothing of this major,
- 24 but, I mean, we need you guys there faster. So, either being able
- 25 to respond Code 3 or Plan B, I quess, is possibly a police escort

- 1 to get you from Point A to Point B, but I mean it almost seems
- 2 | like it should be automatically dispatched on any working fire.
- 3 And maybe you are, but we're not getting you there.
- 4 Q. I appreciate you saying that because that was something that
- 5 was discussed between my team, the supervisors were having issues
- 6 with that and we agree that a police escort and this for our first
- 7 | responders and employees responding to valves --
- 8 A. Yeah.
- 9 Q. -- would have helped in this situation due to the traffic,
- 10 | the roadblock, and the fact that a flashing orange light on the
- 11 | top of a PG&E truck doesn't make, you know, cars get out of the
- 12 way.
- 13 A. Yeah. They're not -- people on Valencia Street are not going
- 14 to understand what's happening over here on Geary Street.
- 15 Q. Exactly.
- 16 A. Yeah.
- 17 MR. SOUZA: So, no, I appreciate that and we are definitely
- 18 going to look to implement something like that. Thank you. No
- 19 further questions.
- 20 MR. HALE: Thank you. I would like to say that once you guys
- 21 get on scene you guys do a tremendous job. I know you're working
- 22 your best to get it done and we appreciate that. Do we want it to
- 23 happen quicker, of course we do, but we're not the one in charge
- 24 of that.
- MR. SOUZA: We do. Thank you.

- 1 MR. HALE: Yeah.
- 2 MR. SOUZA: No further questions.
- MS. COLLETTI: Okay. This is Alex Colletti.
- 4 BY MS. COLLETTI:
- 5 Q. In talking about your interactions with Jim Wickham or Jim
- 6 Wickham, I'm sorry, did you feel like you were getting all the
- 7 information you needed from PG&E on a timely manner?
- 8 A. Yeah. I mean, they were telling me that it's going to take
- 9 some time. But, yeah, I was, I was getting updates and I felt
- 10 once they were on scene that we were all on the same page and, you
- 11 know, they were doing the best they could do and we were doing the
- 12 best we could do and --
- 13 Q. So, really the main issue is just them getting on scene, is
- 14 what I'm hearing?
- 15 A. Well, yeah. I mean, obviously it would have been nice to
- 16 | have turned that thing off -- if we -- if it was turned off
- 17 | within, I don't know, 20 minutes we would have been a lot better
- 18 off, right? I mean --
- 19 MS. COLLETTI: Um-hum. I have no further questions.
- MR. HALE: Okay.
- 21 MR. COCHRANE: Mike Cochrane, San Francisco Fire. No further
- 22 questions.
- MS. WEST: Kim West. No further questions.
- MR. HALE: Thank you.
- MR. SARINA: Nathan Sarina, CPUC.

- 1 BY MR. SARINA:
- 2 Q. Could you -- you said Code 3 response?
- 3 A. Yes. That's red lights and sirens and being able to go
- 4 against traffic or against red lights, controlling intersections
- 5 and being able to proceed through it.
- 6 Q. So, that's lights and sirens response?
- 7 A. Yeah.
- 8 Q. Typically I guess (indiscernible) so what you would see with
- 9 flashing lights --
- 10 A. Yeah, and they're not adhering to the normal traffic laws.
- 11 Q. Okay. Thank you. Then could you describe your interaction
- 12 | with the -- I guess the excavator foreman in a little big greater
- 13 detail? You met with him and I guess what was the extent of that
- 14 | conversation?
- 15 A. The extent was, do you have everybody accounted for? He
- 16 said, yes. I go, is there anybody injured? He said, no. I said,
- 17 | thank you.
- 18 MR. COCHRANE: All right. Thank you. No further questions.
- 19 MR. SOUZA: Kevin Souza, PG&E. No further questions.
- 20 MS. COLLETTI: Alex Colletti again. I'd like to thank you
- 21 for your work.
- MR. HALE: Sure.
- MR. COLLETTI: And that's going to include our interview.
- MR. HALE: Okay. Thank you.
- 25 (Whereupon, the interview was concluded.)

CERTIFICATE

This is to certify that the attached proceeding before the

NATIONAL TRANSPORTATION SAFETY BOARD

IN THE MATTER OF: SAN FRANCISCO GAS RELEASE AND FIRE

FEBRUARY 6, 2019

Interview of Rex Hale

ACCIDENT NO.: DCA19MR001

PLACE:

DATE: February 10, 2019

was held according to the record, and that this is the original, complete, true and accurate transcript which has been transcribed to the best of my skill and ability.

Charlene Brown Transcriber

Colletti Alexandria

From: Hale, Rex

Sent: Tuesday, April 30, 2019 8:19 PM

To: Colletti Alexandria

Subject: Re: Transcript of Interview - NTSB case PLD19MR001

Follow Up Flag: Follow up **Flag Status:** Flagged

Hello Alex,

I have only a couple minor changes.
Pg8 Line 19 Replace think with then
Pg9 Line 8 correct name is Chief Bokura
Pg9 Line 16 correct name is Chief Bokura

thank you AC Rex Hale

From: Colletti Alexandria

Sent: Friday, April 19, 2019 12:52 PM

To: Hale, Rex (FIR)

Cc:

Subject: Transcript of Interview - NTSB case PLD19MR001

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

Good afternoon Assistant Chief Hale,

Please see attached for a transcript of your interview on February 10, 2019 for the NTSB investigation into a natural gas release and fire in San Francisco, CA. There is also a short form which will need to be returned along with any corrections you find to the transcription. Thank you again for your time and assistance on this case. If possible, a response would be appreciated by **May 27, 2019**. If you have any questions, please do not hesitate to shoot me an email or call me on my cell.

Thank you, Alex

Alex C. Colletti

Accident Investigator – Pipeline National Transportation Safety Board

Office: Cell: Fax:

CONFIDENTIALITY NOTICE - THIS E-MAIL TRANSMISSION MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, PROPRIETARY, SUBJECT TO COPYRIGHT, AND/OR EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IT IS FOR THE USE OF INTENDED RECIPIENTS ONLY. If you are not an intended recipient of this message, please notify the original sender immediately by forwarding what you received and then delete all copies of the correspondence and attachments from your computer system. Any use, distribution, or disclosure of this message by unintended recipients is not authorized and may be unlawful.