



VEHICLE FACTORS GROUP CHAIRMAN'S

Vehicle Attachment – FedEx Freightliner Build Sheets

Mount Pleasant, Pennsylvania

HWY20MH002

(25 pages)

REQUESTED BY:
PAGE 1
EMAILED TO :

IOPSCN-1



*** TSO REPORT

*** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER: [REDACTED]
NUMBER..... [REDACTED]

SERIAL

[REDACTED] ST
MIAMI

FL 33178

TSO

NUMBER..... [REDACTED]

MODEL NUMBER.....

PT126SLP

INTERNAL MODEL....

PT126064S T

SALES

BUILD

LOCATION..... [REDACTED]

OUTLET: P.O. [REDACTED]

PO

NO..... [REDACTED]

MIAMI

FL 33102

ORDER

RECEIVED.....10/23/17

REQUESTED

DELIVERY.....01/08/18

COORDINATOR: [REDACTED]

DB
WEIGHTS (*)
ITEM CODE
REAR

OPTION

SPECIFICATIONS

STATUS FRONT

PRICE LEVEL INFORMATION

1 PRL-15K NEW CASCADIA PRL-15K (EFF:9/1/16)..... OPT

GENERAL APPLICATION INFORMATION

- 2 AA1-001 TRACTOR/TRAILER CONFIGURATION
- 3 AA6-001 DOMICILED, USA 50 STATES (INCLUDING CALI FORNIA AND CARB OPT-IN STATES)
- 4 A85-005 LINEHAUL/LONG HAUL SERVICE
- 5 A84-1LR LEASE/RENTAL BUSINESS SEGMENT
- 6 AA2-001 VAN TRAILER
- 7 AH6-002 DOUBLE (2) TRAILERS
- 8 AA5-002 TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
- 9 AB5-001 SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE

10	AB1-008	MAXIMUM 8% EXPECTED GRADE		
11	AA4-001	GENERAL FREIGHT COMMODITY		
12	A66-99D	EXPECTED FRONT AXLE(S) LOAD	12350	LBS
13	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
14	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	52000	LBS
15	A70-99D	EXPECTED GROSS COMBINATION WEIGHT	120000	LBS
16	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	89.37	IN
17	A72-99D	EXPECTED FRONT OF TRAILER TO KINGPIN DIM	36	IN
18	A74-99D	EXPECTED TRAILER CORNER RADIUS	0	IN
19	A73-99D	EXPECTED TRAILER WIDTH	102	IN
20	A79-99D	EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
21	A78-99D	EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
22	AL7-99D	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	12	IN

REQUESTED BY: IOPSCN-1
PAGE 2
EMAILED TO : [REDACTED]

01/07/20
15:59:49
CUSTOMER: [REDACTED] SERIAL
NUMBER.... [REDACTED]

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
23	AM5-99D	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC		68.85	IN
24	AL9-99D	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR		67	IN
25	AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM		86.52	MPH
26	AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD		38.05	IN
27	AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN		39.62	IN
28	AM0-99D	TOP OF FRM TO RR TIRE TOP-UNLD		-1.38	IN

REQUESTED BY:
PAGE 3
EMAILED TO :

IOPSCN-1

01/07/20

*** TSO REPORT

*** DATE:

15:59:49
CUSTOMER:
NUMBER.....

TIME:

SERIAL

MAXIMUM GVW & AXLE SYSTEM CAPACITIES

COMPONENT TAG	-----AXLES-----					
	-----FRONT-----			-----REAR-----		
	1ST	2ND	PUSHER	1ST	2ND	3RD
AXLE	12500			20000	20000	
SUSPENSION	12500			20000	20000	
TIRES	12350			22700	22700	
WHEELS/RIMS	14800			29600	29600	
HUBS/SPOKES	13300			23000	23000	
BRAKES	13300			21000	21000	
STEERING	14000					

MAX RATED CAPACITY 12350 20000 20000

VEHICLE SUMMARY

MAX CAP FRONT AXLE: 12350
MAX CAP REAR/AXLE: 40000
MAX CAP PUSH/TAG AXLE:
MAX VEHICLE CAP (GVW): 52350

REQUESTED BY: IOPSCN-1
PAGE 4
EMAILED TO :

01/07/20 *** TSO REPORT *** DATE:
15:59:49 TIME:

CUSTOMER: SERIAL
NUMBER....

DB	OPTION		
WEIGHTS (*)			
ITEM CODE	SPECIFICATIONS	STATUS	FRONT
REAR			
29	A61-99D	CALC'D MAX CAPACITY FRONT AXLE(S) TOTAL	12350 LBS
30	A59-99D	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000 LBS
31	A60-99D	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0 LBS
32	A62-99D	RATED MAXIMUM VEHICLE CAPACITY - GVWR	52350 LBS

BASE MODEL

33 001-234 NEW CASCADIA 126 INCH SLEEPER CAB..... OPT 9765
 7724
 34 004-218 2018 MODEL YEAR SPECIFIED..... OPT
 35 995-1AE FREIGHTLINER LEVEL II WARRANTY..... OPT
 36 002-002 SET BACK AXLE - TRACTOR..... STD
 37 003-001 LH PRIMARY STEERING LOCATION..... STD

ENGINE

38 101-2YF DETROIT DD15 14.8L 455 HP @ 1625 RPM, 19 00 GOV RPM, 1650 LB/FT @ 975 RPM..... OPT
 39 99C-017 2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/C ARB/FINAL GHG17 CONFIGURATION..... STD
 40 99Z-004 VEHICLE IS SUBJECT TO EPA GHG14/GHG17, DOES NOT HAVE REGULATORY VEHICLE SPEED LIMITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN (AES)..... STD
 41 99D-011 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)..... OPT
 42 992-001 50 STATE EMISSIONS CERTIFICATION..... OPT
 43 28F-014 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER... STD
 44 79A-065 65 MPH ROAD SPEED LIMIT..... OPT
 45 79B-006 CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT, WITH AUTO RESUME AFTER SHIFT..... OPT
 46 79C-998 NO DRIVER FUEL ECONOMY INCENTIVE..... STD
 47 79D-100 1600 RPM LIMIT FOR LOW GEARS, 1700 RPM LIMIT FOR MIDDLE GEARS, 1900 RPM LIMIT FOR HIGH GEARS..... OPT
 48 79E-998 NO LOW RANGE TORQUE PROTECT..... STD
 49 79F-013 FLEET MANAGEMENT - DAILY ENGINE USAGE ENABLED..... OPT

REQUESTED BY:
 PAGE 5
 EMAILED TO :

IOPSCN-1



*** TSO REPORT

*** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER:
 NUMBER....



SERIAL

DB
 WEIGHTS (*)
 ITEM CODE
 REAR

SPECIFICATIONS

OPTION
 STATUS FRONT

50	79G-023	5 MINUTE IDLE SHUTDOWN WITH EDGE TRIGGER ED ACCEL PEDAL WITHOUT CLUTCH AND SERVIC E BRAKE OVERRIDE.....	OPT
51	79J-001	5 MINUTES PTO SHUTDOWN WITHOUT CLUTCH AN D BRAKE OVERRIDE.....	OPT
52	79K-998	NO PTO MODE ENGINE RPM LIMIT, PTO 1.....	OPT
53	79L-998	PTO MODE THROTTLE OVERRIDE DISABLED.....	STD
54	79M-998	PTO MODE BRAKE OVERRIDE - DISABLED.....	OPT
55	79N-998	NO PTO MODE CLUTCH OVERRIDE.....	STD
56	79P-998	NO PTO RPM WITH CRUISE SET SWITCH.....	OPT
57	79Q-998	NO PTO RPM WITH CRUISE RESUME SWITCH....	OPT
58	79R-998	NO PTO MODE COOLING FAN.....	STD
59	79S-998	NO PTO MODE CANCEL VEHICLE SPEED.....	OPT
60	79T-998	NO PTO MODE RPM INCREMENT.....	OPT
61	79U-998	NO PTO GOVERNOR RAMP RATE.....	OPT
62	79V-998	NO PTO MODE DPF REGEN.....	STD
63	79W-998	REMOTE PTO DISABLED.....	STD
64	79X-998	NO PTO 1 SET SPEED.....	STD
65	79Y-998	NO PTO 2 SET SPEED.....	STD
66	79Z-998	NO PTO 3 SET SPEED.....	STD
67	80A-998	NO ALTERNATE ROAD SPEED LIMIT.....	STD
68	80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED.....	STD
69	80C-012	ENGINE BRAKE WITH GLOBAL CRUISE CONTROL ENABLED.....	OPT
70	80D-998	NO SOFT CRUISE CONTROL.....	STD
71	80E-998	NO ENGINE FAN WITH RETARDER.....	STD
72	80F-998	NO MAINTENANCE MONITOR.....	STD
73	80G-998	NO PTO MINIMUM RPM.....	OPT
74	80H-998	NO ACCELERATION MANAGEMENT.....	STD
75	80J-998	NO REGEN INHIBIT SPEED THRESHOLD.....	STD
76	80R-000	DRIVELINE TORQUE PROTECTION - ENABLED...	STD
77	85J-004	REVERSE GEAR RANGE LIMITED TO 2ND GEAR..	OPT

ENGINE EQUIPMENT

78	13E-001	STANDARD OIL PAN.....	STD
79	105-001	ENGINE MOUNTED OIL CHECK AND FILL.....	STD
80	104-016	FLOCS OIL EVACUATION FITTING WITH AEROQU IP FD14 FITTING AND DIRECT ACCESS.....	OPT
81	133-004	ONE PIECE VALVE COVER.....	STD
82	014-1CT	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER.....	STD

2

REQUESTED BY:
PAGE 6
EMAILED TO :



IOPSCN-1

01/07/20

15:59:49

*** TSO REPORT

DATE:

TIME:

CUSTOMER: [REDACTED]
 NUMBER.... [REDACTED]

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
83	124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU NT PAD ALTERNATOR WITH REMOTE BATTERY VO LT SENSE.....	OPT	10
84	292-1ED	(4) JCI F1150 GROUP 31 12 VOLT MAINTENAN CE FREE 2800 CCA THREADED STUD BATTERIES , WARRANTY EXCLUDED BY DTNA LLC**DO NOT USE**.....	OPT	20
20				
85	290-1D3	STEEL BATTERY BOX WITH ENCLOSED TRAY....	STD	
86	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB.....	STD	
87	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WI TH ADDITIONAL FRAME GROUND RETURN.....	STD	
88	289-006	PLASTIC BATTERY BOX COVER.....	STD	
89	293-998	NO BATTERY SHUTOFF SWITCH.....	STD	
90	306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12 .3 VOLTS FOR DESIGNATED CIRCUITS.....	STD	
91	28E-001	12V POWERNET ARCHITECTURE.....	STD	
92	80X-998	NO BATTERY MANAGEMENT SYSTEM.....	STD	
93	180-1AP	DETROIT HEAVY DUTY AUTOMATED MANUAL TRAN SMISSION CLUTCH.....	STD	70
94	107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE.....	STD	
95	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVER NOR.....	STD	
96	131-013	AIR COMPRESSOR DISCHARGE LINE.....	STD	
97	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT ECTION SYSTEM.....	STD	
98	128-002	JACOBS COMPRESSION BRAKE.....	STD	
99	016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTA L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE.....	STD	
100	239-001	STANDARD EXHAUST SYSTEM LENGTH.....	STD	
101	237-052	RH STANDARD HORIZONTAL TAILPIPE.....	STD	
102	23U-003	23 GALLON DIESEL EXHAUST FLUID TANK.....	STD	
103	43W-001	STANDARD DIESEL EXHAUST FLUID SYSTEM COO LANT PLUMBING.....	STD	
104	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL...	STD	
105	23Z-998	NO DIESEL EXHAUST FLUID TANK COVER.....	STD	
106	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP..	STD	
107	273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE.....	OPT	
108	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC H, NON ENGINE MOUNTED.....	STD	

REQUESTED BY:
PAGE 7
EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER:
NUMBER....

SERIAL

DB OPTION
WEIGHTS (*)
ITEM CODE SPECIFICATIONS STATUS FRONT
REAR

109	110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/ FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR.....	STD	
110	118-001	FULL FLOW OIL FILTER.....	STD	
111	120-998	NO COOLANT FILTER.....	STD	
112	266-1C1	1400 SQUARE INCH FUEL ECONOMY RADIATOR..	STD	
113	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL ICATE FREE) EXTENDED LIFE COOLANT.....	STD	
114	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIV ALENT.....	STD	
115	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES.....	STD	
116	270-019	HDEP VARIABLE SPEED COOLANT PUMP AND RAD IATOR DRAIN VALVE.....	STD	
117	168-002	LOWER RADIATOR GUARD.....	OPT	5
118	138-041	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER WITH THERMOSTAT.....	OPT	4
119	140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR.....	OPT	
120	134-001	ALUMINUM FLYWHEEL HOUSING.....	STD	
121	155-074	DELCO 12V MOD 3.175-39MT+ OCP STARTER WI TH THERMAL PROTECTION AND INTEGRATED MAG NETIC SWITCH.....	STD	

TRANSMISSION & EQUIPMENT

122	342-2AV	DT12-1650-OH1 HEAVY DUTY 12-SPEED OVERDR IVE AUTOMATED MANUAL TRANSMISSION.....	OPT	
123	343-2BH	DT12 ECONOMY PACKAGE: ECONOMY ONLY, NO I CU CONTROL MENUS, NO KICKDOWN.....	OPT	
124	345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED.....	OPT	
125	347-002	ALUMINUM CLUTCH HOUSING.....	STD	
126	370-002	AIR TO OIL TRANSMISSION COOLER.....	OPT	15
127	35T-003	SYNTHETIC TRANSMISSION LUBE.....	STD	
128	341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI ON FILL AND DRAIN, AXLE(S) FILL AND DRAI	STD	

N.....

FRONT AXLE, SUSPENSION & EQUIPMENT

129 400-1G7 MFS-12E-143A 12,500# FF1 71.5 INCH KPI/3 OPT 10
.74 INCH DROP SINGLE FRONT AXLE.....

REQUESTED BY: IOPSCN-1
PAGE 8
EMAILED TO : [REDACTED]

01/07/20

*** TSO REPORT *** DATE:

15:59:49

TIME:

CUSTOMER: [REDACTED] SERIAL
NUMBER..... [REDACTED]

DB OPTION
WEIGHTS (*) STATUS FRONT
ITEM CODE SPECIFICATIONS
REAR

- 130 402-1AT MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, PLATINUM SHIELD FABRICATED SHOES..... OPT
- 131 403-043 2011/2013-FMVSS 121 RSD FRONT BRAKE LINING..... OPT
- 132 419-027 CONMET CASTLITE CAST IRON FRONT BRAKE DRUMS..... OPT -20
- 133 427-998 NO FRONT BRAKE DUST SHIELDS..... STD
- 134 409-006 FRONT OIL SEALS..... OPT
- 135 408-001 VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL..... STD
- 136 416-022 STANDARD SPINDLE NUTS FOR ALL AXLES..... STD
- 137 404-074 HALDEX LONGSTROKE FRONT BRAKE CHAMBERS.. STD
- 138 405-002 MERITOR AUTOMATIC FRONT SLACK ADJUSTERS. STD
- 139 536-050 TRW THP-60 POWER STEERING..... STD
- 140 537-005 STEEL STEERING SHAFT..... STD
- 141 539-003 POWER STEERING PUMP..... STD
- 142 534-015 2 QUART SEE THROUGH POWER STEERING RESERVOIR..... STD
- 143 40T-004 ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE..... OPT
- 144 620-1F3 12,500# TAPERLEAF FRONT SUSPENSION..... STD
- 145 619-005 MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION..... STD
- 146 410-001 FRONT SHOCK ABSORBERS..... STD

REAR AXLE, SUSPENSION & EQUIPMENT

147 420-1K3 MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE OPT
10

XLE.....
 148 421-336 3.36 REAR AXLE RATIO..... OPT
 149 424-003 IRON REAR AXLE CARRIER WITH OPTIONAL HEA OPT
 30
 VY DUTY AXLE HOUSING.....
 150 386-067 RPL25SD MERITOR MAIN DRIVELINE..... OPT
 151 388-039 RPL20 MERITOR INTERAXLE DRIVELINE..... STD
 152 878-019 (1) INTERAXLE LOCK VALVE FOR TANDEM OR T STD
 RIDEM DRIVE AXLES.....
 153 423-1A1 MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REA OPT
 R BRAKES, DOUBLE ANCHOR, PLATINUM SHIELD
 FABRICATED SHOES.....
 154 433-043 2011/2013-FMVSS 121 RSD REAR BRAKE LININ STD
 GS.....

REQUESTED BY:
 PAGE 9
 EMAILED TO :

IOPSCN-1

*** TSO REPORT

DATE:

01/07/20

TIME:

15:59:49

CUSTOMER:
 NUMBER.....

SERIAL

DB	WEIGHTS (*)	ITEM CODE	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR					
		155 434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS.....	STD		
		156 451-014	MERITOR STEELLITE X30 REAR BRAKE DRUMS..	OPT		
		157 425-998	NO REAR BRAKE DUST SHIELDS.....	STD		
		158 440-006	REAR OIL SEALS.....	OPT		
		159 426-075	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES	OPT		
		20				
			SPRING PARKING CHAMBERS.....			
		160 428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS..	STD		
		161 41T-003	ROADRANGER SYNTHETIC FE 75W-90 REAR AXLE LUBE.....	OPT		
		162 622-218	AIRLINER 40,000# EXTRA DUTY REAR SUSPENS	OPT		
		160				
			ION.....			
		163 621-007	AIRLINER HIGH POSITION RIDE HEIGHT.....	STD		
		164 431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROU P.....	OPT		
		165 624-016	51 INCH AXLE SPACING.....	STD		
		166 888-077	IGNITION CONTROLLED ELECTRIC DUMP SWITCH	OPT		

FOR AIR SUSPENSION WITH STATE RETENTION

167	87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT.....	OPT
168	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE.....	STD
169	923-003	DEDICATED PATHWAY, LOW COMPLEXITY ROUTING AND CLIPPING.....	STD
170	623-002	TRANSVERSE CONTROL RODS.....	STD
171	439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION).....	STD

BRAKE SYSTEM

172	490-1AW	WABCO 6S/6M ABS WITH HILL START AID AND TRACTION CONTROL WITH ATC SHUT OFF SWITCH.....	OPT
173	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES.....	STD
174	904-001	FIBER BRAID PARKING BRAKE HOSE.....	STD
175	412-001	STANDARD BRAKE SYSTEM VALVES.....	STD
176	413-002	STD U.S. FRONT BRAKE VALVE.....	STD
177	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE.....	STD
178	480-083	WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER.....	STD

REQUESTED BY: IOPSCN-1
 PAGE 10
 EMAILED TO : [REDACTED]

01/07/20
 15:59:49
 CUSTOMER: [REDACTED] SERIAL
 NUMBER.... [REDACTED]

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
179	479-015	AIR DRYER FRAME MOUNTED.....	STD		
180	483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER.....	STD		
181	460-001	STEEL AIR BRAKE RESERVOIRS.....	STD		
182	46A-040	(1) 700 CUBIC INCH ALUMINUM TRANSMISSION AIR TANK, INLET CHECK VALVE.....	STD		
183	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM.....	STD		
184	477-004	PULL CABLES ON ALL AIR RESERVOIR(S).....	STD		
185	481-074	15 FOOT COILED TRAILER AIR HOSE WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS.....	OPT		12

186	476-002	36 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER.....	STD	
187	914-002	TRAILER GLAD HANDS AT END OF FRAME IN ADDITION TO ANCHOR COUPLINGS AT BACK OF CAB FOR TRACTORS.....	OPT	5
188	484-032	COMBINATION DUMMY GLAD HANDS AND LIGHT P LUG HOLDER MOUNTED LH BACK OF CAB WITH GROUND ACCESS.....	STD	
189	296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION.....	STD	
190	297-027	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER LH BACK OF CAB....	STD	
191	32A-007	SIGNAL DETECTION AND ACTUATION MODULE...	STD	
192	331-998	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS RECEPTACLE.....	STD	
193	303-001	7-WAY RECEPTACLE END OF FRAME (IN ADDITION TO STANDARD).....	OPT	5
194	310-049	15 FOOT PHILLIPS ELECTRACOIL DETACHABLE COILED ELECTRICAL CABLE WITH J560 CONNECTOR AND METAL HOUSING ENDS.....	OPT	2
FRAME & WHEELBASE				
195	545-577	5775MM (227 INCH) WHEELBASE.....	OPT	
196	546-1C2	8.0MM X 88.0MM X 281.0MM STEEL FRAME (0.31X3.46X11.06 INCH) 120 KSI.....	OPT	40
197	552-012	1450MM (57 INCH) REAR FRAME OVERHANG....	OPT	
198	AB8-99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS		0.57 %
199	553-002	FLANGED TAPERED END OF FRAME.....	STD	
200	559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER.....	STD	

REQUESTED BY: IOPSCN-1
PAGE 11
EMAILED TO : [REDACTED]

01/07/20 *** TSO REPORT *** DATE:
15:59:49 TIME:

CUSTOMER: [REDACTED] SERIAL
NUMBER.... [REDACTED]

DB OPTION
WEIGHTS (*) STATUS FRONT
ITEM CODE SPECIFICATIONS
REAR

201	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER.....	OPT	
30				
202	572-005	HOSTLER 3,500# CAPACITY TOWING REAR CROS	OPT	
30				
		SMEMBER.....		
203	587-090	HOSTLER-HOLLAND PH-10RP41 PINTLE HITCH..	OPT	
10				
		CHASSIS EQUIPMENT		
204	674-001	LH BACK OF CAB ACCESS.....	STD	
205	592-054	21 INCH (525MM) DECK PLATE FLUSH MOUNTED	OPT	3
2				
		BETWEEN RAILS.....		
206	556-1G4	SOLID DARK GRAY AERODYNAMIC BUMPER WITH	OPT	32
		CHROME OVERLAY AND ENHANCED AERODYNAMIC		
		DEVICES.....		
207	558-998	NO FRONT TOW HOOKS.....	STD	
208	574-007	BUMPER MOUNTING FOR (3) LICENSE PLATES..	STD	
209	585-1AB	BETTS B-91 PAINTED HEAVY DUTY MUDFLAP BR	OPT	
		ACKETS.....		
210	590-001	BLACK MUDFLAPS.....	STD	
211	586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS...	STD	
212	551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS	STD	
213	583-038	FLEETLINE BLACK POLY QTR FENDERS W/BLACK	OPT	
25				
		RUBBER FLAPS W/O FAIRINGS.....		
214	489-028	FACTORY INSTALLED BENDIX SMARTIRE TIRE P	OPT	6
6				
		RESSURE MONITORING SYSTEM WITH WHEEL RIM		
		MOUNTED SENSORS AND INTEGRATED IN DASH.		
215	50W-001	BENDIX SMARTIRE TIRE PRESSURE MONITORING	OPT	4
16				
		SYSTEM WHEEL/RIM MOUNTED SENSORS, TIRE		
		MOUNTER INSTALLED.....		
		FIFTH WHEEL & EQUIPMENT		
216	578-1JG	HOLLAND FW35 ILS 24.0 INCH AIR SLIDE FIF	OPT	
60				
		TH WHEEL - 2 INCH SLIDE INCREMENTS.....		
217	577-305	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF	OPT	
		SUSPENSION CENTERLINE.....		
218	582-076	168MM (6.62 INCH) FIFTH WHEEL HEIGHT....	OPT	
219	A01-99D	REQUESTED MIN UNLADEN 5TH WHEEL HEIGHT	45	IN
220	A02-99D	REQUESTED MAX UNLADEN 5TH WHEEL HEIGHT	47	IN
221	A03-99D	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.24	IN
222	570-001	OUTBOARD ANGLE - FIFTH WHEEL MOUNTING...	STD	
223	890-001	DASH MOUNTED CONTROL AND PLUMBING FOR FI	STD	
		FTH WHEEL.....		
224	579-005	LH FIFTH WHEEL RELEASE.....	STD	

REQUESTED BY:

PAGE 12

IOPSCN-1

EMAILED TO : [REDACTED]

*** TSO REPORT

*** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER: [REDACTED]
NUMBER.... [REDACTED]

SERIAL

DB	WEIGHTS (*)	ITEM CODE	SPECIFICATIONS	OPTION	STATUS	FRONT
----	-------------	-----------	----------------	--------	--------	-------

FUEL TANK(S) & EQUIPMENT

225	206-158	120 GALLON/453 LITER ALUMINUM FUEL TANK	OPT	5
		- RH.....		
226	204-158	120 GALLON/453 LITER ALUMINUM FUEL TANK	OPT	10
		- LH.....		
227	218-006	25 INCH DIAMETER FUEL TANK(S).....	STD	
228	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU	STD	
		LIC TANK(S) WITH PAINTED BANDS.....		
229	212-008	FUEL TANK(S) AFT.....	STD	
230	664-001	PLAIN STEP FINISH.....	STD	
231	207-005	FUEL TANK FILLER NECK ANTI-SIPHON INSERT	OPT	
232	205-001	FUEL TANK CAP(S).....	STD	
233	122-1J5	DAVCO 485 FUEL/WATER SEPARATOR WITH 12 V	OPT	10
		OLT AND 120 VOLT PREHEATER W/ESOC.....		
234	216-020	EQUIFLO INBOARD FUEL SYSTEM.....	STD	
235	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL L	STD	
		INE.....		

TIRES

236	093-1JP	BRIDGESTONE ECOPIA R283A 295/75R22.5 14	OPT	2
		PLY RADIAL FRONT TIRES.....		
237	094-2ED	BRIDGESTONE M770 295/75R22.5 14 PLY RADI	OPT	
		176		
		AL REAR TIRES.....		

HUBS

238	418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRON	OPT	
		T HUBS.....		
239	450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR	OPT	
		HUBS.....		

WHEELS

240	502-1F7	ACCURIDE 41644 ACCU-LITE 22.5X8.25 10-HU	OPT	-50
		B PILOT 5.72 INSET ALUMINUM DISC FRONT W		

HEELS.....
 241 505-1F7 ACCURIDE 41644 ACCU-LITE 22.5X8.25 10-HU OPT
 -200
 B PILOT ALUMINUM DISC REAR WHEELS.....
 242 50U-011 FLOW BELOW MOLD IN COLOR GRANITE GRAY AE OPT
 16
 RODYNAMIC REAR AXLE WHEEL COVERS.....
 243 496-011 FRONT WHEEL MOUNTING NUTS..... STD

REQUESTED BY: IOPSCN-1
 PAGE 13
 EMAILED TO : [REDACTED]

01/07/20 *** TSO REPORT *** DATE:
 15:59:49 TIME:
 CUSTOMER: [REDACTED] SERIAL
 NUMBER.... [REDACTED]

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
	244 497-011	REAR WHEEL MOUNTING NUTS.....	STD		
	245 498-1AX	HALTEC DS1 DOUBLE SEAL CAPS, FRONT AND R EAR AND NYLON WHEEL GUARDS, FRONT AND RE AR ALL INTERFACES.....	OPT		
		CAB EXTERIOR			
	246 829-111	126" BBC ALUMINUM CONVENTIONAL CAB.....	STD		
	247 825-002	STANDARD DENSITY COMPOSITE CAB ROOF.....	STD		
	248 653-004	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP.	STD		
	249 651-004	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP.	STD		
	250 682-077	72 INCH RAISED ROOF SLEEPERCAB.....	STD		
	251 784-074	RAISED ROOF AERODYNAMIC SPOILER.....	STD		
	252 783-015	24 INCH CAB/SLEEPERCAB SIDE EXTENDERS WI	OPT		25
		TH BLACK FLEXIBLE ENDS AND CHASSIS FAIRI NG GAP FILLER PANEL.....			
	253 82A-011	UNDER CAB VANITY PANELS.....	OPT		
	254 782-026	PAINTED FRAME SIDE FAIRINGS TO BACK OF S	OPT		125
		IDE EXTENDERS.....			
	255 78H-998	NO DRIVE WHEEL FAIRINGS - CHASSIS.....	STD		
	256 770-001	AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS..	OPT		
	257 779-001	LATCHED FRONT LEFT SIDE FAIRING PANEL FO R BATTERY ACCESS.....	OPT		
	258 704-036	LH BAGGAGE DOOR.....	STD		
	259 650-008	AIR CAB MOUNTING.....	STD		
	260 648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR	STD		

ILLE.....
 261 678-053 INTERIOR GRAB HANDLES WITH ADDED LOWER L STD
 H AND RH A PILLAR GRAB HANDLES.....
 262 646-010 CHROME GRILLE WITH INTEGRAL SURROUND.... OPT
 263 644-001 AERODYNAMIC HOOD..... STD
 264 690-010 ENGINE COMPARTMENT PREMIUM NOISE ABATEME STD
 NT AND INSULATION.....
 265 727-1AY SINGLE AIR HORN UNDER LH DECK..... STD
 266 726-001 SINGLE ELECTRIC HORN..... STD
 267 657-1CV DOOR LOCKS AND IGNITION SWITCH KEYED THE OPT
 SAME WITH (4) KEYS.....
 268 575-001 REAR LICENSE PLATE MOUNT END OF FRAME... STD
 269 312-075 LED LOW BEAM AND HIGH BEAM HEADLIGHTS... STD
 270 302-072 ROOF MOUNTED LED MARKER LIGHTS..... STD
 271 311-019 HEADLIGHTS ON WITH WIPERS, WITH DAYTIME OPT
 RUNNING LIGHTS.....

REQUESTED BY:
 PAGE 14
 EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER:
 NUMBER.....

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
	272 294-1A0	FREIGHTLINER LED FLANGE MOUNTED STOP/TAI	OPT		
	5	L/TURN LIGHTS WITH SEPARATE LED BACKUP L			
		IGHTS AND SWIFT-STYLE BRACKET.....			
	273 300-043	LED SIDE TURN SIGNAL.....	STD		
	274 318-1D7	(2) FLUSH LED UTILITY LIGHTS MOUNTED BAC	OPT		
		K OF CAB/SLEEPER.....			
	275 744-1E4	DUAL BLACK HEATED AERODYNAMIC MIRRORS WI	STD		
		TH INTEGRAL CONVEX AND LH AND RH REMOTE.			
	276 797-001	DOOR MOUNTED MIRRORS.....	STD		
	277 796-001	102 INCH EQUIPMENT WIDTH.....	OPT		
	278 74A-001	RH DOWN VIEW MIRROR.....	STD		
	279 74B-1B7	RH AND LH HEATED BLACK HOOD/FENDER MOUNT	OPT		8
		ED MIRRORS.....			
	280 713-009	5X12 INCH STAINLESS STEEL PERMIT PLAQUES	OPT		4
	281 729-001	STANDARD SIDE/REAR REFLECTORS.....	STD		
	282 73A-002	REAR REFLECTIVE DEVICE.....	STD		
	283 677-998	NO CAB MOUNTED STEPS.....	OPT		
	284 275-061	ELECTRIC HORN WARNING SYSTEM FOR PARK BR	OPT		

AKE NOT SET WITH DOOR OPEN AND ALL IGNIT
 ION KEY POSITIONS.....

285	776-998	NO SLEEPER VENT.....	OPT	-10
286	661-016	SOLAR TINTED DOOR GLASS LH AND RH WITH T INTED FORWARD SIDE GLASS.....	STD	
287	654-011	RH AND LH ELECTRIC POWERED WINDOWS.....	STD	
288	76Z-007	LH AND RH SOLAR TINTED AND SCREENED CRAN K OUT SLEEPER CAP WINDOWS.....	OPT	
289	767-053	LH AND RH TINTED AND SCREENED SLIDING WI 4 NDOWS.....	OPT	4
290	663-019	1-PIECE TINTED ROPED-IN WINDSHIELD.....	STD	
291	659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR.	STD	

CAB INTERIOR

292	707-1D7	SLATE GRAY BASE LEVEL INTERIOR.....	STD	
293	70K-010	SLATE GRAY WITH TECH HARD TRIM.....	STD	
294	706-034	STANDARD LH DOOR TRIM.....	STD	
295	708-034	STANDARD RH DOOR TRIM.....	STD	
296	772-001	BLACK MATS.....	STD	
297	773-018	BLACK MAT IN SLEEPER AREA.....	STD	
298	771-001	BLACK MATS IN BAGGAGE COMPARTMENT.....	STD	
299	785-015	(1) DASH MOUNTED POWER OUTLET, LIGHTER A ND ASH TRAY.....	OPT	

REQUESTED BY: IOPSCN-1
 PAGE 15
 EMAILED TO : [REDACTED]

01/07/20
 15:59:49
 CUSTOMER: [REDACTED] SERIAL
 NUMBER.... [REDACTED]

*** TSO REPORT ***

*** DATE:
TIME:

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
300	64D-011	SLEEPER TALL CLOSET WITH WRITING SURFACE AND UPPER STORAGE.....	STD	
301	64E-010	MICROWAVE SHELF WITH UPPER STORAGE AND C USTOMER FURNISHED FRIDGE/COOLER.....	STD	
302	691-006	FORWARD ROOF MOUNTED CONSOLE WITH DOORS RH AND LH.....	OPT	2
303	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATE D INTO MOLDED DOOR PANELS.....	STD	
304	741-020	STORAGE POCKET(S) MOUNTED INSIDE CABINET DOOR(S).....	STD	

305	826-012	40 INCH WIDE LIFTABLE LOWER BUNK.....	STD	
306	745-001	FOLDABLE UPPER BUNK.....	OPT	
307	666-006	BLANKET STYLE UPPER BUNK RESTRAINT, TENT STYLE LOWER BUNK RESTRAINT.....	OPT	
308	742-998	NO CUP/THERMOS HOLDER.....	STD	
309	680-036	WING DASH WITH E-VAULT.....	STD	
310	720-001	2-1/2 LB. FIRE EXTINGUISHER MOUNTED OUTB OARD OF DRIVER SEAT.....	OPT	5
311	700-014	HEATER, DEFROSTER AND AIR CONDITIONER WI TH CONSTANT OUTLET TEMPERATURE CONTROL..	STD	
312	701-002	HVAC DUCTING WITH MAIN FRESH AIR FILTER.	STD	
313	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH.....	STD	
314	689-076	AUXILIARY HVAC W/CONSTANT TEMP CONTROL, ESPAR D2 FUEL HEATER AND ESPAR DIGI CONT ROLLER WITH TIMER, ENABLE WITH KEY OFF W /O OPT IDLE OR W/PARK BRAKE W/OPT IDLE..	OPT	15
315	170-015	STANDARD HEATER PLUMBING.....	STD	
316	724-001	AUXILIARY HEATER PLUMBING.....	STD	
317	130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRES SOR.....	STD	
318	698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENS ER.....	STD	
319	702-002	BINARY CONTROL, R-134A.....	STD	
320	739-034	PREMIUM INSULATION.....	OPT	
321	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES	STD	
322	96R-002	STANDARD ELECTRICAL PROTECTIVE COATING, GREASE ON BATTERY TERMINALS AND RED ENAM EL PAINT IN ENGINE COMPARTMENT AND ON CH ASSIS CONNECTIONS.....	OPT	
323	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM...	STD	
324	322-038	DOOR AND BUNK ACTIVATED LH AND RH BUNK M OUNTED LED BAGGAGE COMPARTMENT LIGHTS...	STD	

REQUESTED BY: IOPSCN-1
PAGE 16
EMAILED TO : [REDACTED]

01/07/20 *** TSO REPORT *** DATE:
15:59:49 TIME:
CUSTOMER: [REDACTED] SERIAL
NUMBER.... [REDACTED]

DB	OPTION			
WEIGHTS (*)				
ITEM CODE	SPECIFICATIONS	STATUS	FRONT	
REAR				
325	324-1B3	STANDARD LED CAB LIGHTING.....	STD	
326	325-1B3	STANDARD LED SLEEPER LIGHTING.....	STD	
327	655-005	LH AND RH ELECTRIC DOOR LOCKS.....	OPT	

328	64C-003	BLACK DOOR HANDLES.....	STD	
329	740-024	QUILTED SPRING MATTRESS IN LOWER BUNK AN	OPT	15
		D FLAT FOAM MATTRESS IN UPPER BUNK.....		
330	284-075	(2) 12 VOLT POWER OUTLETS AT BASE OF BUN	OPT	
		K.....		
331	710-001	CAB PRIVACY CURTAIN.....	OPT	5
332	722-002	TRIANGULAR REFLECTORS WITHOUT FLARES....	OPT	10
333	756-1J7	ELITE 2.0 HIGH BACK AIR SUSPENSION DRIVE	OPT	10
		R SEAT W/2 AIR LUMBAR, ACTIVE BOLSTER, INT		
		TEGRATED CUSHION EXTENSION, TILT, ADJUSTAB		
		LE SHOCK, MAP POCKET, HEAT & VENTILATION		
334	760-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION PAS	OPT	
		SENGER SEAT WITH 2 AIR LUMBAR, INTEGRATE		
		D CUSHION EXTENSION, TILT AND ADJUSTABLE		
		SHOCK.....		
335	757-001	BLACK SUSPENSION COVER FOR AIR DRIVER SE	OPT	2
		AT.....		
336	759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS.	OPT	8
337	758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER...	OPT	
338	761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER	OPT	
339	763-1AE	3 POINT HIGH VISIBILITY ORANGE ADJUSTABL	OPT	
		E D-RING RETRACTOR DRIVER AND FIXED D-RI		
		NG PASSENGER SEAT BELTS WITH DRIVER STAT		
		US INDICATOR LIGHT AND AUDIBLE ALARM....		
340	709-006	SLEEPER CURTAIN.....	STD	
341	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING	STD	
		COLUMN.....		
342	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING W	STD	
		HEEL WITH SWITCHES.....		
343	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS	STD	
		CONTROLS & INSTRUMENTS		
344	870-001	BLACK GAUGE BEZELS.....	STD	
345	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUD	STD	
		IBLE ALARM.....		
346	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PR	STD	
		ESSURE GAUGE.....		
347	198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR	OPT	
		WITH GRADUATIONS.....		

REQUESTED BY:
PAGE 17
EMAILED TO :

IOPSCN-1



*** TSO REPORT

DATE:

01/07/20

TIME:

15:59:49

CUSTOMER:
NUMBER....



SERIAL

DB	WEIGHTS (*)		OPTION	
ITEM CODE		SPECIFICATIONS	STATUS	FRONT
REAR				
348	721-003	PRECO/ECCO 1040 87 DECIBELS TO 112 DECIBELS	OPT	
3		ELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM.....		
349	149-045	ELECTRONIC CRUISE CONTROL WITH INTELLIGENT POWERTRAIN MANAGEMENT AND CONTROLS ON STEERING WHEEL SPOKES.....	STD	
350	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY.....	STD	
351	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY.....	STD	
352	160-039	(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH.....	OPT	
353	844-001	2 INCH ELECTRIC FUEL GAUGE.....	STD	
354	845-011	FUEL FILTER RESTRICTION INDICATOR.....	STD	
355	148-085	EMISSIONS LIMITED IDLE ADJUST.....	STD	
356	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE.....	STD	
357	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER.....	STD	
358	830-031	ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY.....	STD	
359	736-1A2	DETROIT ASSURANCE COLLISION WARNING, ADAPTIVE CRUISE CONTROL AND ACTIVE BRAKE ASSIST 4 WITH FIXED HEADWAY CONTROL.....	OPT	20
360	49B-004	ELECTRONIC STABILITY CONTROL.....	OPT	
361	73B-998	NO LANE DEPARTURE WARNING SYSTEM.....	STD	
362	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE.....	STD	
363	786-111	RYDESMART SYSTEM PREWIRE (CONSTANT BATTERY POWER/IGNITION/GROUND/J1939-250K); RP 1226 TYPE CONNECTOR AT PASSENGER SIDE OF DASH FOR CUSTOMER INSTALLATION.....	OPT	5
364	79H-998	NO GPS ANTENNA.....	STD	
365	746-116	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, CD PLAYER, BLUETOOTH, IPOD INTERFACE AND USB AND AUXILIARY INPUTS, J1939.....	OPT	10
366	753-046	AM/FM/WB INTEGRATED AERO-ROOF ANTENNA...	STD	
367	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD.....	STD	
368	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION	STD	
369	752-050	INTEGRATED AERO-ROOF CB ANTENNA.....	STD	

REQUESTED BY:
PAGE 18
EMAILED TO :

IOPSCN-1

01/07/20

TIME:

15:59:49

CUSTOMER: [REDACTED]
NUMBER.... [REDACTED]

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
	REAR			
370	78C-003	INTEROPERABLE SDAR ANTENNA.....	OPT	
371	737-001	TELEVISION ANTENNA.....	OPT	2
372	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDAR Y KPH SCALE, WITHOUT ODOMETER.....	STD	
373	817-001	STANDARD VEHICLE SPEED SENSOR.....	STD	
374	812-032	ELECTRONIC 2500 RPM TACHOMETER.....	STD	
375	813-1C8	DETROIT CONNECT PLATFORM HARDWARE.....	STD	
376	8D1-105	5 YEARS DETROIT CONNECT BASE PACKAGE (FE ATURES VARY BY MODEL) DETROIT CONNECT PL ATFORM.....	OPT	
377	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY.....	OPT	
378	80K-998	NO SHUTDOWN OVERRIDE.....	STD	
379	80L-998	NO REGEN SYSTEM TAILORING.....	STD	
380	80M-998	NO ALTERNATE PTO SPEED.....	STD	
381	80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE..	STD	
382	80P-026	RYDER FLEET SPEC FOR FUEL ECONOMY.....	OPT	
383	80Q-998	NO VEHICLE SPEED LIMIT - GHG.....	STD	
384	162-001	IDLE LIMITER, ELECTRONIC ENGINE, PARK BR AKE ACTIVATED.....	OPT	
385	264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CON TROL.....	STD	
386	482-001	BW TRACTOR PROTECTION VALVE.....	STD	
387	883-001	TRAILER HAND CONTROL BRAKE VALVE.....	STD	
388	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR IVER DISPLAY.....	STD	
389	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W ITH DELAY.....	STD	
390	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE ADLIGHTS SWITCH WITH PULL OUT FOR OPTION AL FOG/ROAD LAMPS.....	STD	
391	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIV ER DISPLAY.....	STD	
392	882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING I NDICATOR.....	STD	
393	299-028	MANUAL TURN SIGNAL SWITCH WITH DIMMER, H EADLAMP FLASH, WASH/WIPE/INTERMITTENT...	STD	
394	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LA MP CAPACITY.....	STD	

REQUESTED BY:
PAGE 19
EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER:

SERIAL

NUMBER....

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
----	-------------	----------------	--------	--------	-------

		PAINT			
395	065-000	PAINT: ONE SOLID COLOR.....	OPT		
396	980-5F0	CAB COLOR A: L0303EB WHITE ELITE BC.....	OPT		
397	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT.....	STD		
398	962-998	PAINT-FRT WHEEL COLOR: NONE.....	OPT		
399	966-998	PAINT-RR WHEEL COLOR: NONE.....	OPT		
400	964-998	NO BUMPER PAINT.....	STD		
401	969-005	PDI INSTALLED RYDER LEASE DECALS WITH BL ACK UNIT NUMBERS.....	OPT		

ADDITIONAL SPECIFICATIONS

402	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY....	OPT		
403	958-001	PDI PERFORMED INITIAL FEDERAL FMCSR 396. 11A DOT INSPECTION.....	OPT		
404	999-063	DEALER ADVISED/ACCEPTS ESC ON END OF FRA ME TOWING FOR TRACTOR FOR YARD HAUL USE.	OPT		
405	FGB-002	REF RYDER QUOTE #.....			
406		REF. [REDACTED]			
407	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES C ABS AND GLIDER KITS.....	STD		
408	RDS-001	DISCOUNT.....	OPT		
409	WAI-4V3	EW2: SP DD15 HWY \$0 DED 5 YEARS/500,000 MILES/805,000 KM LESS HARNESS/CONN, SEAL S, ATS, ATS HANGON. FEX APPLIES.....	OPT		
410	WBF-041	CLIMATE CONTROL LESS PARKSMART:SP HD STA NDARD 3 YEARS/250,000 MILES/402,500 KM E XTENDED COVERAGE.....	OPT		
411	WAD-069	COOLING:SP HD STANDARD 3 YEARS/250,000 M ILES/402,500 KM EXTENDED COVERAGE.....	OPT		
412	MWT-002	DETROIT TRANSMISSION COVERAGE 5 YRS/500,	OPT		

000 MILES/800,000 KM MY2018 AND LATER UN
ITS WITH DT12 ABOVE 110K LBS GCW. INCLUD
ES FACTORY INSTALLED PTO OPTION.....

413	PFA-1AD	DT12 TRANSMISSION DISCOUNT.....	OPT
414	RCD-900	PRICE CONCESSION - DIRECT.....	OPT
415	RFT-1AA	RYDER APU NET PRICE.....	OPT
416	RGS-1AA	RYDER APU NET ADJUSTMENT.....	OPT
417	P73-016	RYDER FREIGHT.....	OPT
418	PMU-017	2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR..	OPT

REQUESTED BY: IOPSCN-1
PAGE 20
EMAILED TO : [REDACTED]

*** TSO REPORT *** DATE:

01/07/20

TIME:

15:59:49

CUSTOMER: [REDACTED] SERIAL
NUMBER.... [REDACTED]

DB			OPTION
WEIGHTS (*)			
ITEM CODE	SPECIFICATIONS	STATUS	FRONT
REAR			

[REDACTED]	RNT-001	[REDACTED]	[REDACTED]
	TOTAL		10,232

8,277

TOTAL WEIGHT
18,509

(*) WEIGHTS SHOWN ARE ESTIMATES ONLY. FOR GUARANTEED
WEIGHTS PLUS OR MINUS 1 1/2%, CONTACT THE FACTORY.

EMAILED TO :

