



Vehicle Attachment 7 – Specifications for the 2011 Buick Enclave

**MULTIPLE VEHICLE ACCIDENT
Cranbury, NJ**

HWY14MH012

(3 pages)

2011 BUICK ENCLAVE 4DR SUV AWD CX/CXL

A	Longitudinal distance between the center of the front bumper and the center of the base of the windshield	42.6 in
B	Passenger Car Longitudinal distance between the center of the rear bumper and the center of the base of the backlight Station Wagon and Vans Longitudinal distance between the backlight top moulding and the front door latch pillar Pick-ups Longitudinal distance between the rearmost projection and the front door latch pillar	80.8 in
C	The maximum vertical height of the side glass	16.2 in
D	Vertical distance between the base of the side glass and the lower edge of the rocker panel	34.7 in
E	Distance between side rails or maximum width of top	41.4 in
F	Front overhang	39.4 in
G	Rear overhang	44.1 in
OL	Overall length	202.1 in
OW	Overall width	79.2 in
OH	Overall height	72.9 in
WB	Wheelbase	119.0 in
TWF	Front track width	67.4 in
TWR	Rear track width	67.0 in
CW	Curb weight	4974 lb
WD	Weight distribution (Front/Rear)	55/45

Measurements obtained in year: 07

2011 Buick Enclave CXL-2 AWD

General	Equipment	Colors	Recalls
Trim Level	CXL-2 AWD	Manufactured in	UNITED STATES
Body Style	SPORT UTILITY 4-DR	Engine Type	3.6L V6 DOHC 24V
Driveline	AWD	Tank	22.00 gallon
City MPG	16 miles/gallon	Highway MPG	22 miles/gallon
Anti-Brake System	4-Wheel ABS	Steering Type	R&P
Front Brake Type	Disc	Rear Brake Type	Disc
Turning Diameter	40.40 in.	Front Suspension	Ind
Rear Suspension	Ind	Front Spring Type	—
Rear Spring Type	—	Tires	255/60R19
Front Headroom	40.40 in.	Rear Headroom	39.00 in.
Front Legroom	41.30 in.	Rear Legroom	36.90 in.
Front Shoulder Room	62.00 in.	Rear Shoulder Room	61.40 in.
Front Hip Room	57.40 in.	Rear Hip Room	57.00 in.
Curb Weight	4980 lbs	Curb Weight	—
Overall Length	201.80 in.	Overall Width	79.00 in.
Overall Height	69.60 in.	Wheelbase	118.90 in.
Ground Clearance	8.40 in.	Track Front	67.30 in.
Track Rear	67.30 in.	Cargo Length	—
Width at Wheelwell	—	Width at Wall	—
Depth	—	Standard Seating	7
Optional Seating	8	Passenger Volume	—
Cargo Volume	23.30 cu.ft.	Standard Towing	2000 lbs
Maximum Towing	4500 lbs	Standard Payload	1479 lbs
Maximum Payload	1479 lbs	Standard GVWR	6459 lbs
Maximum GVWR	6459 lbs	Warranty Duration	48 month
Warranty Distance	50,000 mile	Powertrain Warranty Duration	60 month
Powertrain Warranty Distance	100,000 mile	Rust-duration	72 month
Rust-distance	100,000 mile	MSRP	\$44,095 USD
Dealer Invoice	\$41,890 USD	Destination Charge	\$775 USD
Child Safety Door Locks	Standard	Locking Pickup Truck Tailgate	—
Power Door Locks	Standard	Vehicle Anti-Theft	Standard
4WD/AWD	Standard	ABS Brakes	Standard
Automatic Load-Leveling	—	Electronic Brake Assistance	Standard
Limited Slip Differential	—	Locking Differential	—
Traction Control	Standard	Vehicle Stability Control System	Standard

¹ Source: <http://www.decodethis.com/VIN-Decoded/vin/5GAKVCE5BJxxxxxx>