



**Vehicle Attachment 8 – Specifications for the 2011 Ford F-150**

**MULTIPLE VEHICLE ACCIDENT  
Cranbury, NJ**

**HWY14MH012**

(3 pages)

**2011 FORD F-150 P/U SUPER CREW 6.5-FT BOX 4X4**

A	Longitudinal distance between the center of the front bumper and the center of the base of the windshield	52.0 in
B	Passenger Car Longitudinal distance between the center of the rear bumper and the center of the base of the backlight  Station Wagon and Vans Longitudinal distance between the backlight top moulding and the front door latch pillar  Pick-ups Longitudinal distance between the rearmost projection and the front door latch pillar	127.3 in
C	The maximum vertical height of the side glass	17.3 in
D	Vertical distance between the base of the side glass and the lower edge of the rocker panel	37.8 in
E	Distance between side rails or maximum width of top	53.6 in
F	Front overhang	38.6 in
G	Rear overhang	45.7 in
OL	Overall length	240.7 in
OW	Overall width	78.8 in
OH	Overall height	76.4 in
WB	Wheelbase	156.8 in
TWF	Front track width	67.0 in
TWR	Rear track width	67.0 in
CW	Curb weight	5689 lb
WD	Weight distribution (Front/Rear)	N/A

Measurements obtained in year: 09

# 2011 Ford F-150 XLT SuperCrew 6.5-ft. Bed 4WD

[View Ford Factory Window Sticker \(NEW!\)](#)

<a href="#">General</a>	<a href="#">Equipment</a>	<a href="#">Colors</a>	<a href="#">Recalls</a>
Trim Level	XLT SuperCrew 6.5-ft. Bed 4WD	Manufactured in	UNITED STATES
Body Style	CREW CAB PICKUP 4-DR	Engine Type	5.0L V8
Driveline	4WD	Tank	36.00 gallon
City MPG	—	Highway MPG	—
Anti-Brake System	4-Wheel ABS	Steering Type	R&P
Front Brake Type	Disc	Rear Brake Type	Disc
Turning Diameter	50.40 in.	Front Suspension	Ind
Rear Suspension	Live	Front Spring Type	Coil
Rear Spring Type	Leaf	Tires	265/70R17
Front Headroom	41.00 in.	Rear Headroom	40.30 in.
Front Legroom	41.40 in.	Rear Legroom	43.50 in.
Front Shoulder Room	65.90 in.	Rear Shoulder Room	65.50 in.
Front Hip Room	60.50 in.	Rear Hip Room	64.60 in.
Curb Weight	5716 lbs	Curb Weight	—
Overall Length	243.70 in.	Overall Width	78.90 in.
Overall Height	76.40 in.	Wheelbase	156.60 in.
Ground Clearance	—	Track Front	67.00 in.
Track Rear	67.00 in.	Cargo Length	78.80 in.
Width at Wheelwell	50.00 in.	Width at Wall	—
Depth	22.40 in.	Standard Seating	6
Optional Seating	5	Passenger Volume	—
Cargo Volume	—	Standard Towing	—
Maximum Towing	—	Standard Payload	1560 lbs
Maximum Payload	1900 lbs	Standard GVWR	7350 lbs
Maximum GVWR	7700 lbs	Warranty Duration	36 month
Warranty Distance	36,000 mile	Powertrain Warranty Duration	60 month
Powertrain Warranty Distance	60,000 mile	Rust-duration	60 month
Rust-distance	Unlimited mile	MSRP	\$36,195 USD
Dealer Invoice	\$32,833 USD	Destination Charge	\$975 USD
Child Safety Door Locks	—	Locking Pickup Truck Tailgate	Standard
Power Door Locks	Standard	Vehicle Anti-Theft	Standard
4WD/AWD	Standard	ABS Brakes	Standard
Automatic Load-Leveling	—	Electronic Brake Assistance	—
Limited Slip Differential	Optional	Locking Differential	Optional
Traction Control	Standard	Vehicle Stability Control System	Standard

1

<sup>1</sup> Source: <http://www.decodethis.com/VIN-Decoded/vin/1FTFW1EF0BKxxxxxx>