

#YY	MM	DD	hh	mm	WDIR	WSPD	GST	WVHT	DPD	APD	MWD	PRES	ATMP	WTMP	DEWP	VIS	PTDY	TIDE
#yr	mo	dy	hr	mn	degT	m/s	m/s	m	sec	sec	degT	hPa	degC	degC	degC	nmi	hPa	ft
2022	09	27	19	48	350	2.6	4.1	MM	MM	MM	MM	1012.7	26.8	26.8	MM	MM	MM	MM
2022	09	27	19	42	340	2.1	3.1	MM	MM	MM	MM	1012.8	27.0	26.7	MM	MM	MM	MM
2022	09	27	19	36	360	2.6	3.1	MM	MM	MM	MM	1012.8	27.0	26.7	MM	MM	MM	MM
2022	09	27	19	30	360	2.6	3.1	MM	MM	MM	MM	1012.8	27.2	26.7	MM	MM	MM	MM
2022	09	27	19	24	360	2.1	3.1	MM	MM	MM	MM	1012.8	27.0	26.7	MM	MM	MM	MM
2022	09	27	19	18	360	1.5	3.1	MM	MM	MM	MM	1012.8	26.8	26.7	MM	MM	MM	MM
2022	09	27	19	12	360	2.6	3.1	MM	MM	MM	MM	1012.9	26.8	26.7	MM	MM	MM	MM
2022	09	27	19	06	30	1.5	2.6	MM	MM	MM	MM	1013.0	26.1	26.6	MM	MM	MM	MM
2022	09	27	19	00	20	1.0	2.6	MM	MM	MM	MM	1013.1	26.1	26.6	MM	MM	-0.3	MM
2022	09	27	18	54	10	1.0	1.5	MM	MM	MM	MM	1013.0	25.9	26.7	MM	MM	MM	MM
2022	09	27	18	48	30	1.5	2.1	MM	MM	MM	MM	1013.0	25.7	26.7	MM	MM	MM	MM
2022	09	27	18	42	10	1.5	2.1	MM	MM	MM	MM	1013.1	25.9	26.7	MM	MM	MM	MM
2022	09	27	18	36	10	1.5	2.1	MM	MM	MM	MM	1013.2	26.1	26.7	MM	MM	MM	MM
2022	09	27	18	30	360	1.5	2.1	MM	MM	MM	MM	1013.2	26.3	26.6	MM	MM	MM	MM
2022	09	27	18	24	20	1.5	2.6	MM	MM	MM	MM	1013.2	25.8	26.6	MM	MM	MM	MM
2022	09	27	18	18	20	1.5	2.1	MM	MM	MM	MM	1013.4	25.9	26.6	MM	MM	MM	MM
2022	09	27	18	12	10	2.1	2.6	MM	MM	MM	MM	1013.4	26.3	26.6	MM	MM	MM	MM
2022	09	27	18	06	360	2.1	3.1	MM	MM	MM	MM	1013.4	26.2	26.6	MM	MM	MM	MM
2022	09	27	18	00	10	2.6	3.1	MM	MM	MM	MM	1013.4	25.9	26.5	MM	MM	+0.0	MM
2022	09	27	17	54	360	2.6	3.1	MM	MM	MM	MM	1013.4	26.2	26.6	MM	MM	MM	MM
2022	09	27	17	48	360	2.6	3.6	MM	MM	MM	MM	1013.4	26.2	26.6	MM	MM	MM	MM
2022	09	27	17	42	360	2.6	3.6	MM	MM	MM	MM	1013.4	26.3	26.5	MM	MM	MM	MM
2022	09	27	17	36	360	3.1	3.6	MM	MM	MM	MM	1013.4	26.3	26.5	MM	MM	MM	MM
2022	09	27	17	30	360	3.1	3.6	MM	MM	MM	MM	1013.4	26.2	26.5	MM	MM	MM	MM
2022	09	27	17	24	10	2.6	3.6	MM	MM	MM	MM	1013.5	26.2	26.6	MM	MM	MM	MM
2022	09	27	17	18	10	2.6	4.1	MM	MM	MM	MM	1013.5	25.8	26.6	MM	MM	MM	MM
2022	09	27	17	12	360	2.6	4.6	MM	MM	MM	MM	1013.6	25.6	26.5	MM	MM	MM	MM
2022	09	27	17	06	10	4.1	5.7	MM	MM	MM	MM	1013.5	25.5	26.5	MM	MM	MM	MM
2022	09	27	17	00	10	3.1	4.1	MM	MM	MM	MM	1013.5	25.6	26.5	MM	MM	+0.0	MM
2022	09	27	16	54	10	3.6	5.1	MM	MM	MM	MM	1013.5	25.5	26.5	MM	MM	MM	MM
2022	09	27	16	48	20	4.1	4.6	MM	MM	MM	MM	1013.5	25.3	26.5	MM	MM	MM	MM
2022	09	27	16	42	360	3.6	5.1	MM	MM	MM	MM	1013.5	25.7	26.5	MM	MM	MM	MM
2022	09	27	16	36	360	3.1	5.1	MM	MM	MM	MM	1013.5	25.4	26.5	MM	MM	MM	MM
2022	09	27	16	30	360	3.6	4.6	MM	MM	MM	MM	1013.5	25.3	26.5	MM	MM	MM	MM
2022	09	27	16	24	360	2.6	4.6	MM	MM	MM	MM	1013.6	25.4	26.5	MM	MM	MM	MM
2022	09	27	16	18	360	3.1	4.6	MM	MM	MM	MM	1013.5	25.5	26.5	MM	MM	MM	MM
2022	09	27	16	12	360	2.6	4.6	MM	MM	MM	MM	1013.5	25.3	26.5	MM	MM	MM	MM
2022	09	27	16	06	350	2.6	5.1	MM	MM	MM	MM	1013.4	25.5	26.5	MM	MM	MM	MM
2022	09	27	16	00	360	3.1	4.6	MM	MM	MM	MM	1013.4	25.6	26.5	MM	MM	+0.8	MM
2022	09	27	15	54	350	3.1	5.1	MM	MM	MM	MM	1013.4	25.4	26.5	MM	MM	MM	MM
2022	09	27	15	48	360	4.1	5.1	MM	MM	MM	MM	1013.4	25.1	26.5	MM	MM	MM	MM
2022	09	27	15	42	360	4.6	5.7	MM	MM	MM	MM	1013.4	24.9	26.5	MM	MM	MM	MM
2022	09	27	15	36	360	4.6	5.7	MM	MM	MM	MM	1013.4	24.8	26.5	MM	MM	MM	MM
2022	09	27	15	30	360	3.6	5.1	MM	MM	MM	MM	1013.4	25.0	26.5	MM	MM	MM	MM
2022	09	27	15	24	360	4.1	5.1	MM	MM	MM	MM	1013.4	25.0	26.5	MM	MM	MM	MM
2022	09	27	15	18	10	4.6	5.7	MM	MM	MM	MM	1013.4	24.7	26.5	MM	MM	MM	MM
2022	09	27	15	12	360	5.1	6.7	MM	MM	MM	MM	1013.4	24.7	26.5	MM	MM	MM	MM
2022	09	27	15	06	10	4.6	7.2	MM	MM	MM	MM	1013.4	24.7	26.5	MM	MM	MM	MM
2022	09	27	15	00	360	5.1	7.7	MM	MM	MM	MM	1013.4	24.7	26.5	MM	MM	+1.4	MM
2022	09	27	14	54	10	6.2	7.7	MM	MM	MM	MM	1013.3	24.4	26.5	MM	MM	MM	MM
2022	09	27	14	48	10	6.2	7.2	MM	MM	MM	MM	1013.4	24.2	26.5	MM	MM	MM	MM
2022	09	27	14	42	360	5.1	7.2	MM	MM	MM	MM	1013.4	24.5	26.4	MM	MM	MM	MM
2022	09	27	14	36	360	4.1	6.2	MM	MM	MM	MM	1013.5	24.7	26.4	MM	MM	MM	MM
2022	09	27	14	30	10	5.1	6.7	MM	MM	MM	MM	1013.4	24.4	26.4	MM	MM	MM	MM
2022	09	27	14	24	10	5.1	6.2	MM	MM	MM	MM	1013.4	23.9	26.4	MM	MM	MM	MM
2022	09	27	14	18	360	4.6	7.7	MM	MM	MM	MM	1013.4	23.9	26.5	MM	MM	MM	MM
2022	09	27	14	12	360	5.1	6.2	MM	MM	MM	MM	1013.3	23.8	26.4	MM	MM	MM	MM
2022	09	27	14	06	360	5.7	7.7	MM	MM	MM	MM	1013.2	23.6	26.5	MM	MM	MM	MM
2022	09	27	14	00	360	4.6	7.2	MM	MM	MM	MM	1013.3	23.6	26.5	MM	MM	+1.9	MM
2022	09	27	13	54	360	4.6	7.2	MM	MM	MM	MM	1013.3	23.4	26.5	MM	MM	MM	MM
2022	09	27	13	48	360	4.6	7.2	MM	MM	MM	MM	1013.2	23.2	26.5	MM	MM	MM	MM
2022	09	27	13	42	350	4.6	6.2	MM	MM	MM	MM	1013.1	23.3	26.5	MM	MM	MM	MM

2022	09	05	18	00	150	3.6	5.1	MM	MM	MM	MM	1015.7	28.5	29.1	MM	MM	-0.6	MM
2022	09	05	17	54	140	4.6	5.1	MM	MM	MM	MM	1015.6	28.4	29.1	MM	MM	MM	MM
2022	09	05	17	48	140	4.1	5.7	MM	MM	MM	MM	1015.6	28.2	29.1	MM	MM	MM	MM
2022	09	05	17	42	140	4.6	5.7	MM	MM	MM	MM	1015.7	28.1	29.1	MM	MM	MM	MM
2022	09	05	17	36	140	5.1	6.2	MM	MM	MM	MM	1015.8	28.3	29.0	MM	MM	MM	MM
2022	09	05	17	30	140	5.1	6.2	MM	MM	MM	MM	1015.8	28.2	29.0	MM	MM	MM	MM
2022	09	05	17	24	140	5.1	6.2	MM	MM	MM	MM	1015.8	28.1	29.0	MM	MM	MM	MM
2022	09	05	17	18	140	5.7	6.2	MM	MM	MM	MM	1015.8	27.9	29.0	MM	MM	MM	MM
2022	09	05	17	12	140	5.1	6.7	MM	MM	MM	MM	1015.9	27.8	29.0	MM	MM	MM	MM
2022	09	05	17	06	130	5.1	5.7	MM	MM	MM	MM	1015.9	27.9	29.0	MM	MM	MM	MM
2022	09	05	17	00	140	5.7	6.2	MM	MM	MM	MM	1016.0	27.9	29.0	MM	MM	-0.3	MM
2022	09	05	16	54	130	5.1	6.2	MM	MM	MM	MM	1016.0	27.9	29.0	MM	MM	MM	MM
2022	09	05	16	48	130	5.1	6.2	MM	MM	MM	MM	1016.1	28.0	29.0	MM	MM	MM	MM
2022	09	05	16	42	130	4.6	6.2	MM	MM	MM	MM	1016.1	27.9	29.0	MM	MM	MM	MM
2022	09	05	16	36	120	5.7	6.2	MM	MM	MM	MM	1016.1	27.9	28.8	MM	MM	MM	MM
2022	09	05	16	30	140	5.1	6.2	MM	MM	MM	MM	1016.1	28.1	28.7	MM	MM	MM	MM
2022	09	05	16	24	130	5.1	6.2	MM	MM	MM	MM	1016.1	27.9	28.7	MM	MM	MM	MM
2022	09	05	16	18	140	4.6	6.2	MM	MM	MM	MM	1016.1	28.0	28.7	MM	MM	MM	MM
2022	09	05	16	12	150	4.1	5.1	MM	MM	MM	MM	1016.2	28.2	28.7	MM	MM	MM	MM
2022	09	05	16	06	150	4.1	5.7	MM	MM	MM	MM	1016.3	28.3	28.7	MM	MM	MM	MM
2022	09	05	16	00	140	4.6	5.7	MM	MM	MM	MM	1016.3	28.2	28.7	MM	MM	+0.0	MM
2022	09	05	15	54	150	4.1	5.7	MM	MM	MM	MM	1016.4	28.3	28.7	MM	MM	MM	MM
2022	09	05	15	48	140	5.7	6.2	MM	MM	MM	MM	1016.4	28.3	28.7	MM	MM	MM	MM
2022	09	05	15	42	130	4.6	5.1	MM	MM	MM	MM	1016.5	28.1	28.6	MM	MM	MM	MM
2022	09	05	15	36	140	3.6	4.1	MM	MM	MM	MM	1016.7	28.2	28.7	MM	MM	MM	MM
2022	09	05	15	30	140	3.6	4.6	MM	MM	MM	MM	1016.7	28.0	28.7	MM	MM	MM	MM
2022	09	05	15	24	130	4.1	4.6	MM	MM	MM	MM	1016.6	28.1	28.7	MM	MM	MM	MM
2022	09	05	15	18	140	5.1	5.7	MM	MM	MM	MM	1016.6	27.9	28.6	MM	MM	MM	MM
2022	09	05	15	12	140	5.1	6.2	MM	MM	MM	MM	1016.5	27.7	28.6	MM	MM	MM	MM
2022	09	05	15	06	140	5.1	5.7	MM	MM	MM	MM	1016.3	27.8	28.6	MM	MM	MM	MM
2022	09	05	15	00	140	4.1	5.1	MM	MM	MM	MM	1016.3	27.8	28.6	MM	MM	+0.8	MM
2022	09	05	14	54	150	4.1	5.1	MM	MM	MM	MM	1016.3	27.6	28.6	MM	MM	MM	MM
2022	09	05	14	48	140	4.6	6.2	MM	MM	MM	MM	1016.3	27.7	28.6	MM	MM	MM	MM
2022	09	05	14	42	140	5.1	6.7	MM	MM	MM	MM	1016.3	27.6	28.7	MM	MM	MM	MM
2022	09	05	14	36	140	5.7	6.7	MM	MM	MM	MM	1016.3	27.7	28.5	MM	MM	MM	MM
2022	09	05	14	30	140	6.2	7.2	MM	MM	MM	MM	1016.4	27.8	28.6	MM	MM	MM	MM
2022	09	05	14	24	150	6.2	6.7	MM	MM	MM	MM	1016.4	28.1	28.6	MM	MM	MM	MM
2022	09	05	14	18	140	5.7	6.2	MM	MM	MM	MM	1016.4	28.1	28.6	MM	MM	MM	MM
2022	09	05	14	12	140	5.7	6.7	MM	MM	MM	MM	1016.4	28.0	28.6	MM	MM	MM	MM
2022	09	05	14	06	130	4.6	5.7	MM	MM	MM	MM	1016.4	28.1	28.6	MM	MM	MM	MM
2022	09	05	14	00	140	4.1	5.1	MM	MM	MM	MM	1016.3	28.0	28.6	MM	MM	+1.1	MM
2022	09	05	13	54	130	3.6	4.1	MM	MM	MM	MM	1016.3	28.2	28.6	MM	MM	MM	MM
2022	09	05	13	48	140	3.6	4.1	MM	MM	MM	MM	1016.2	28.3	28.5	MM	MM	MM	MM
2022	09	05	13	42	130	4.1	4.6	MM	MM	MM	MM	1016.2	28.2	28.5	MM	MM	MM	MM
2022	09	05	13	36	140	4.1	4.6	MM	MM	MM	MM	1016.2	28.1	28.5	MM	MM	MM	MM
2022	09	05	13	30	130	4.1	5.1	MM	MM	MM	MM	1016.2	28.0	28.5	MM	MM	MM	MM
2022	09	05	13	24	150	4.6	5.7	MM	MM	MM	MM	1016.2	28.1	28.5	MM	MM	MM	MM
2022	09	05	13	18	130	4.1	5.1	MM	MM	MM	MM	1016.3	28.1	28.4	MM	MM	MM	MM
2022	09	05	13	12	130	4.1	4.6	MM	MM	MM	MM	1016.2	28.2	28.4	MM	MM	MM	MM
2022	09	05	13	06	130	4.6	5.1	MM	MM	MM	MM	1016.1	28.2	28.4	MM	MM	MM	MM
2022	09	05	13	00	130	4.1	4.6	MM	MM	MM	MM	1016.1	28.2	28.3	MM	MM	+1.3	MM
2022	09	05	12	54	120	4.1	4.1	MM	MM	MM	MM	1016.0	28.1	28.2	MM	MM	MM	MM
2022	09	05	12	48	120	3.6	4.6	MM	MM	MM	MM	1016.0	28.1	28.1	MM	MM	MM	MM
2022	09	05	12	42	120	3.6	4.1	MM	MM	MM	MM	1015.9	28.2	28.2	MM	MM	MM	MM
2022	09	05	12	36	120	4.1	4.6	MM	MM	MM	MM	1015.9	28.0	28.2	MM	MM	MM	MM
2022	09	05	12	30	130	4.1	4.1	MM	MM	MM	MM	1015.8	28.0	28.2	MM	MM	MM	MM
2022	09	05	12	24	140	3.1	4.1	MM	MM	MM	MM	1015.8	28.2	28.2	MM	MM	MM	MM
2022	09	05	12	18	140	3.1	4.1	MM	MM	MM	MM	1015.7	28.2	28.4	MM	MM	MM	MM
2022	09	05	12	12	150	3.1	4.1	MM	MM	MM	MM	1015.6	27.9	28.4	MM	MM	MM	MM
2022	09	05	12	06	140	3.1	4.1	MM	MM	MM	MM	1015.5	27.9	28.5	MM	MM	MM	MM
2022	09	05	12	00	130	3.6	4.1	MM	MM	MM	MM	1015.5	27.8	28.5	MM	MM	+1.0	MM
2022	09	05	11	54	140	3.1	3.6	MM	MM	MM	MM	1015.5	27.8	28.5	MM	MM	MM	MM
2022	09	05	11	48	140	2.6	3.1	MM	MM	MM	MM	1015.4	27.7	28.5	MM	MM	MM	MM
2022	09	05	11	42	140	2.6	3.6	MM	MM	MM	MM	1015.4	27.7	28.6	MM	MM	MM	MM
2022	09	05	11	36	140	3.1	3.6	MM	MM	MM	MM	1015.4	27.6	28.6	MM	MM	MM	MM

2022	09	05	11	30	150	3.1	3.6	MM	MM	MM	MM	1015.4	27.5	28.6	MM	MM	MM	MM
2022	09	05	11	24	150	3.1	3.6	MM	MM	MM	MM	1015.4	27.5	28.6	MM	MM	MM	MM
2022	09	05	11	18	130	3.1	3.6	MM	MM	MM	MM	1015.4	27.4	28.5	MM	MM	MM	MM
2022	09	05	11	12	140	3.1	3.6	MM	MM	MM	MM	1015.4	27.3	28.5	MM	MM	MM	MM
2022	09	05	11	06	140	2.6	3.6	MM	MM	MM	MM	1015.2	27.3	28.5	MM	MM	MM	MM
2022	09	05	11	00	150	3.1	3.6	MM	MM	MM	MM	1015.2	27.3	28.6	MM	MM	+0.4	MM
2022	09	05	10	54	150	3.1	4.1	MM	MM	MM	MM	1015.1	27.2	28.6	MM	MM	MM	MM
2022	09	05	10	48	150	2.6	3.6	MM	MM	MM	MM	1015.0	27.2	28.6	MM	MM	MM	MM
2022	09	05	10	42	140	2.6	3.6	MM	MM	MM	MM	1015.0	27.2	28.6	MM	MM	MM	MM
2022	09	05	10	36	150	3.1	3.6	MM	MM	MM	MM	1014.9	27.1	28.5	MM	MM	MM	MM
2022	09	05	10	30	160	3.6	3.6	MM	MM	MM	MM	1014.9	27.0	28.6	MM	MM	MM	MM
2022	09	05	10	24	150	3.1	3.6	MM	MM	MM	MM	1014.8	27.0	28.6	MM	MM	MM	MM
2022	09	05	10	18	160	2.6	3.6	MM	MM	MM	MM	1014.8	27.0	28.6	MM	MM	MM	MM
2022	09	05	10	12	160	3.1	3.1	MM	MM	MM	MM	1014.8	26.9	28.6	MM	MM	MM	MM
2022	09	05	10	06	160	2.6	3.1	MM	MM	MM	MM	1014.8	27.0	28.6	MM	MM	MM	MM
2022	09	05	10	00	160	2.6	3.1	MM	MM	MM	MM	1014.8	26.9	28.6	MM	MM	-0.0	MM
2022	09	05	09	54	160	2.6	3.6	MM	MM	MM	MM	1014.8	26.9	28.6	MM	MM	MM	MM
2022	09	05	09	48	160	2.6	3.6	MM	MM	MM	MM	1014.7	26.9	28.6	MM	MM	MM	MM
2022	09	05	09	42	170	3.1	3.6	MM	MM	MM	MM	1014.7	26.9	28.6	MM	MM	MM	MM
2022	09	05	09	36	170	3.1	3.6	MM	MM	MM	MM	1014.7	26.9	28.6	MM	MM	MM	MM
2022	09	05	09	30	170	3.1	4.1	MM	MM	MM	MM	1014.6	26.9	28.6	MM	MM	MM	MM
2022	09	05	09	24	170	3.1	4.1	MM	MM	MM	MM	1014.6	27.0	28.6	MM	MM	MM	MM
2022	09	05	09	18	180	3.6	4.1	MM	MM	MM	MM	1014.6	27.1	28.7	MM	MM	MM	MM
2022	09	05	09	12	180	3.6	4.6	MM	MM	MM	MM	1014.6	27.1	28.7	MM	MM	MM	MM
2022	09	05	09	06	170	4.6	5.1	MM	MM	MM	MM	1014.5	27.1	28.7	MM	MM	MM	MM
2022	09	05	09	00	170	4.6	5.7	MM	MM	MM	MM	1014.5	27.1	28.7	MM	MM	-0.6	MM
2022	09	05	08	54	170	4.1	5.7	MM	MM	MM	MM	1014.5	27.3	28.7	MM	MM	MM	MM
2022	09	05	08	48	170	4.1	5.7	MM	MM	MM	MM	1014.6	27.4	28.7	MM	MM	MM	MM
2022	09	05	08	42	170	4.1	5.1	MM	MM	MM	MM	1014.6	27.3	28.7	MM	MM	MM	MM
2022	09	05	08	36	170	4.1	4.6	MM	MM	MM	MM	1014.7	27.4	28.7	MM	MM	MM	MM
2022	09	05	08	30	160	4.1	4.6	MM	MM	MM	MM	1014.8	27.5	28.7	MM	MM	MM	MM
2022	09	05	08	24	160	4.6	5.1	MM	MM	MM	MM	1014.8	27.5	28.7	MM	MM	MM	MM
2022	09	05	08	18	150	4.1	5.1	MM	MM	MM	MM	1014.9	27.5	28.7	MM	MM	MM	MM
2022	09	05	08	12	150	3.6	4.1	MM	MM	MM	MM	1014.9	27.4	28.7	MM	MM	MM	MM
2022	09	05	08	06	160	3.6	4.1	MM	MM	MM	MM	1014.8	27.4	28.7	MM	MM	MM	MM
2022	09	05	08	00	150	3.6	4.6	MM	MM	MM	MM	1014.8	27.5	28.7	MM	MM	-1.0	MM
2022	09	05	07	54	150	3.6	3.6	MM	MM	MM	MM	1014.7	27.5	28.7	MM	MM	MM	MM
2022	09	05	07	48	140	3.1	4.1	MM	MM	MM	MM	1014.7	27.5	28.7	MM	MM	MM	MM
2022	09	05	07	42	150	3.6	4.6	MM	MM	MM	MM	1014.7	27.4	28.7	MM	MM	MM	MM
2022	09	05	07	36	140	4.1	4.6	MM	MM	MM	MM	1014.7	27.4	28.7	MM	MM	MM	MM
2022	09	05	07	30	140	4.1	4.6	MM	MM	MM	MM	1014.6	27.3	28.7	MM	MM	MM	MM
2022	09	05	07	24	140	4.1	5.1	MM	MM	MM	MM	1014.6	27.3	28.7	MM	MM	MM	MM
2022	09	05	07	18	140	4.6	5.7	MM	MM	MM	MM	1014.5	27.2	28.7	MM	MM	MM	MM
2022	09	05	07	12	140	4.6	5.1	MM	MM	MM	MM	1014.5	27.1	28.7	MM	MM	MM	MM
2022	09	05	07	06	140	4.1	4.6	MM	MM	MM	MM	1014.6	27.0	28.7	MM	MM	MM	MM
2022	09	05	07	00	150	4.1	4.6	MM	MM	MM	MM	1014.7	27.0	28.7	MM	MM	-1.1	MM
2022	09	05	06	54	150	4.1	4.6	MM	MM	MM	MM	1014.8	26.9	28.7	MM	MM	MM	MM
2022	09	05	06	48	150	4.1	5.1	MM	MM	MM	MM	1014.9	26.9	28.6	MM	MM	MM	MM
2022	09	05	06	42	160	5.1	5.7	MM	MM	MM	MM	1015.0	26.9	28.6	MM	MM	MM	MM
2022	09	05	06	36	160	5.1	6.7	MM	MM	MM	MM	1015.0	27.0	28.6	MM	MM	MM	MM
2022	09	05	06	30	160	5.1	6.2	MM	MM	MM	MM	1015.1	27.3	28.6	MM	MM	MM	MM
2022	09	05	06	24	160	4.6	6.2	MM	MM	MM	MM	1015.1	27.5	28.6	MM	MM	MM	MM
2022	09	05	06	18	140	5.1	6.2	MM	MM	MM	MM	1015.0	27.8	28.6	MM	MM	MM	MM
2022	09	05	06	12	140	4.6	6.2	MM	MM	MM	MM	1015.1	27.8	28.6	MM	MM	MM	MM
2022	09	05	06	06	140	5.1	6.7	MM	MM	MM	MM	1015.1	27.8	28.7	MM	MM	MM	MM
2022	09	05	06	00	130	5.1	6.2	MM	MM	MM	MM	1015.1	27.9	28.6	MM	MM	-0.8	MM
2022	09	05	05	54	130	6.2	6.7	MM	MM	MM	MM	1015.2	27.9	28.6	MM	MM	MM	MM
2022	09	05	05	48	130	4.6	6.2	MM	MM	MM	MM	1015.2	27.8	28.6	MM	MM	MM	MM
2022	09	05	05	42	140	5.1	6.2	MM	MM	MM	MM	1015.3	27.8	28.6	MM	MM	MM	MM
2022	09	05	05	36	140	5.1	6.2	MM	MM	MM	MM	1015.4	27.7	28.6	MM	MM	MM	MM
2022	09	05	05	30	140	5.1	6.2	MM	MM	MM	MM	1015.5	27.6	28.6	MM	MM	MM	MM
2022	09	05	05	24	140	5.7	6.2	MM	MM	MM	MM	1015.6	27.7	28.6	MM	MM	MM	MM
2022	09	05	05	18	140	5.1	6.2	MM	MM	MM	MM	1015.7	27.6	28.6	MM	MM	MM	MM
2022	09	05	05	12	130	5.1	6.2	MM	MM	MM	MM	1015.7	27.7	28.6	MM	MM	MM	MM
2022	09	05	05	06	130	5.7	6.2	MM	MM	MM	MM	1015.7	27.8	28.6	MM	MM	MM	MM



## National Water Information System: Web Interface

USGS Water Resources

Data Category:  Geographic Area:

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

**!** We're replacing this page with a [Next Generation Monitoring Location Page](#). We're modernizing Water Data for the Nation delivery. [Find out what this means for you.](#) This page will be discontinued July 2023.

# USGS 021720508 COOPER RIVER ABOVE GOOSE CREEK, SC

## PROVISIONAL DATA SUBJECT TO REVISION

Available data for this site

This station managed by the South Atlantic WSC Charleston Field Office.

### Available Parameters

All 4 Available Parameters for this site

- 00010 Temperature, water
- 00065 Gage height
- 00095 Specific cond at 25C
- 63160 Stream level, NAVD88

### Available Period

2016-06-21 2022-09-28  
 2016-06-03 2022-09-28  
 2016-06-21 2022-09-28  
 2021-11-22 2022-09-28

### Output format

- Graph
- Graph w/ stats
- Graph w/o stats
- Graph w/ (up to 3) parms
- Table
- Tab-separated

Days (0) [Summary of all available data for this site](#)   
[Instantaneous-data availability statement](#)

-- or --


### Begin date

**Temperature, water, degrees Celsius**

### End date

Most recent instantaneous value: 25.4 09-28-2022 11:00 EDT

USGS 021720508 COOPER RIVER ABOVE GOOSE CREEK, SC



----- Provisional Data Subject to Revision -----

Add up to 2 more sites and replot for "Temperature, water, degrees Celsius"

?

Add site numbers

[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) / [stand-alone](#) graph. Subscribe to

?

[WaterAlert](#)

See this graph on the [Monitoring Location Pages](#)


[Share this graph](#) |

---

### Gage height, feet

Most recent instantaneous value: 9.68 09-28-2022 11:00 EDT

USGS 021720508 COOPER RIVER ABOVE GOOSE CREEK, SC



---- Provisional Data Subject to Revision ----

Add up to 2 more sites and replot for "Gage height, feet"

?

Add site numbers

[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) / [stand-alone](#) graph. Subscribe to

?

[WaterAlert](#)

See this graph on the [Monitoring Location Pages](#)


[Share this graph](#) |

---

**Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius**

Most recent instantaneous value: 282 09-28-2022 11:00 EDT

USGS 021720508 COOPER RIVER ABOVE GOOSE CREEK, SC



Add up to 2 more sites and replot for "Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius"

?  
Add site numbers  
[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) / [stand-alone](#) graph. Subscribe to ?  
[WaterAlert](#)

See this graph on the [Monitoring Location Pages](#)


[Share this graph](#) |

---

**Stream water level elevation above NAVD 1988, in feet**

Most recent instantaneous value: 2.97 09-28-2022 11:00 EDT

USGS 021720508 COOPER RIVER ABOVE GOOSE CREEK, SC



----- Provisional Data Subject to Revision -----

Add up to 2 more sites and replot for "Stream water level elevation above NAVD 1988, in feet"

?

Add site numbers

[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) / [stand-alone](#) graph. Subscribe to

?

[WaterAlert](#)

See this graph on the [Monitoring Location Pages](#)

[Share this graph](#) |

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)  
[News](#)

[Accessibility](#)   [FOIA](#)   [Privacy](#)   [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

**Title: USGS Current Conditions for the Nation**

**URL: <https://waterdata.usgs.gov/nwis/uv?>**



Page Contact Information: [South Carolina Water Data Support Team](#)


Page Last Modified: 2022-09-28 11:28:47 EDT

2.43 2.26 caww01



Home / Products / Water Levels / 8665530 Charleston, SC

Station Info Tides/Water Levels Meteorological Obs. Phys. Oceanography PORTS®



Options for  
8665530 Charleston, SC

From:  
Sep 5 2022

To:  
Sep 5 2022

Units  
Standa

Timezone  
GMT

Datum  
MLLW

Shift dates  
Back 1 Day Forward 1 Day

Interval  
6 min 1 hr HIL Day Month

Update  
Plot Data Only

Show Data Listing