

# Signal Inspection Reporting (Unrestricted) Tests (Long-Term)

Page Generated: 09/08/2022 10:30

▼ Your selection criteria (Click the arrow to hide/unhide this section)

**Subdivision:** YUMA SUB **MP:** 646.07 **Segment:** 6692 **ENM Sys No:** 2104836 **Street:** SP646 **County:** IMPERIAL  
**State:** CA **Asset Type:** CP/SIGNAL **Asset Desc:** ABSOLUTE (CONTROLLED) **From:** 09/08/2012 **To:** 09/08/2022  
**Frequency:** ALL **Include Unscheduled:** Yes

▼ Result Code legend (Click the arrow to hide/unhide this section)

**Test Result Codes**
















- C** - Test complete. Equipment in satisfactory condition.
- A** - Adjustment made and test complete. Equipment in satisfactory condition.
- R** - Repairs or replacement needed.
- S** - Repairs or replacement made. Equipment in satisfactory condition.
- O** - Out of service.

**Other Codes**

- u** - Unscheduled Test

40 Records found, Displaying 1 - 40  
 ( All 1 2 3 4 )

No.	Test Date	Device Type	Test Freq.	Test Type	Device Name	Mfr. Name	Model Name	Serial No.	Entering Signal	Opposing Signal	Locking Test Description	Wire Count	FRA Rule	Test Result	Test Comment	Tested By
1	10/02/2018	ECP	4 Year	Baseline	Electronic CP Test									C		
2	10/02/2018	Locking	2 Year	IND				2EA	2WA	1SW Normal		236.380		C		
3	10/02/2018	Locking	2 Year	IND				2EA (CO)	2WA	1SW Normal		236.380		C		
4	10/02/2018	Locking	2 Year	IND				2EB	2WC	1SW Reverse		236.380		C		
5	10/02/2018	Locking	2 Year	IND				2EB (CO)	2WC	1SW Reverse		236.380		C		
6	10/02/2018	Locking	2 Year	IND				2WA	2EA	1SW Normal		236.380		C		
7	10/02/2018	Locking	2 Year	IND				2WA (CO)	2EA	1SW Normal		236.380		C		
8	10/02/2018	Locking	2 Year	IND				2WC	2EB	1SW Reverse		236.380		C		
9	10/02/2018	Locking	2 Year	IND				2WC (CO)	2EB	1SW Reverse		236.380		C		
10	10/02/2018	Locking	2 Year	RTE				2EA	2WA	1SW Normal		236.379		C		
11	10/02/2018	Locking	2 Year	RTE				2EA (CO)	2WA	1SW Normal		236.379		C		
12	10/02/2018	Locking	2 Year	RTE				2EB	2WC	1SW Reverse		236.379		C		
13	10/02/2018	Locking	2 Year	RTE				2EB (CO)	2WC	1SW Reverse		236.379		C		
14	10/02/2018	Locking	2 Year	RTE				2WA	2EA	1SW Normal		236.379		C		
15	10/02/2018	Locking	2 Year	RTE				2WA (CO)	2EA	1SW Normal		236.379		C		
16	10/02/2018	Locking	2 Year	RTE				2WC	2EB	1SW Reverse		236.379		C		
17	10/02/2018	Locking	2 Year	RTE				2WC (CO)	2EB	1SW Reverse		236.379		C		
18	10/02/2018	Locking	2 Year	TIME				2EA	2WA	1SW Normal		236.378		C		
19	10/02/2018	Locking	2 Year	TIME				2EA (CO)	2WA	1SW Normal		236.378		C		
20	10/02/2018	Locking	2 Year	TIME				2EB	2WC	1SW Reverse		236.378		C		
21	10/02/2018	Locking	2 Year	TIME					2WC			236.378		C		

									2EB (CO)		1SW Reverse		
22	10/02/2018	Locking	2 Year	TIME					2WA	2EA	1SW Normal	236.378	C
23	10/02/2018	Locking	2 Year	TIME					2WA (CO)	2EA	1SW Normal	236.378	C
24	10/02/2018	Locking	2 Year	TIME					2WC	2EB	1SW Reverse	236.378	C
25	10/02/2018	Locking	2 Year	TIME					2WC (CO)	2EB	1SW Reverse	236.378	C
26	 10/01/2020	Relay	4 Year	LINE	1ENWTPR	SAFETRAN	400004	1220803				236.106	C
27	 10/01/2020	Relay	4 Year	LINE	1ERWPR	SAFETRAN	400004	1220802				236.106	C
28	 10/01/2020	Relay	4 Year	LINE	1EWLAR	SAFETRAN	400004	1220798				236.106	C
29	 10/01/2020	Relay	4 Year	LINE	1MLKVCOR	SAFETRAN	400502	1208284				236.106	C
30	 10/01/2020	Relay	4 Year	LINE	1W1E Sig Stop	SAFETRAN	400020	1201700				236.106	C
31	 10/01/2020	Relay	4 Year	LINE	1WCHR	SAFETRAN	400004	1220794				236.106	C
32	 10/01/2020	Relay	4 Year	LINE	2E2W Sig Stop	SAFETRAN	400020	1201685				236.106	C
33	 10/01/2020	Relay	4 Year	LINE	2E2W Sig Stop 1	SAFETRAN	400020	1201681				236.106	C
34	 10/01/2020	Relay	4 Year	LINE	2MLKVCOR	SAFETRAN	400502	1208281				236.106	C
35	 10/01/2020	Relay	4 Year	LINE	2WNR	GRS/ALSTOM	56001- 988-01	708244				236.106	C
36	 10/01/2020	Relay	4 Year	LINE	2WRR	GRS/ALSTOM	56001- 988-01	708266				236.106	C
37	 10/01/2020	Relay	4 Year	TRK	1ATR	SAFETRAN	400510	1127738				236.106	C
38	 10/01/2020	Relay	4 Year	TRK	2ATR	SAFETRAN	400510	1127737				236.106	C
39	 10/01/2020	Relay	4 Year	TRK	2TR	SAFETRAN	400510	1127725				236.106	C
40	 10/01/2020	Relay	4 Year	TRK	A1ATR	SAFETRAN	400510	1127707				236.106	C

Print

Back

c

## Signal Inspection Reporting (Unrestricted) Tests (Long-Term)

Page Generated: 09/08/2022 10:32

▼ Your selection criteria (Click the arrow to hide/unhide this section)

**Subdivision:** YUMA SUB **MP:** 646.10 **Segment:** 6692 **ENM Sys No:** 2104836 **Street:** SP646 **County:** IMPERIAL  
**State:** CA **Asset Type:** CP/SIGNAL **Asset Desc:** ABSOLUTE (CONTROLLED) **From:** 09/08/2012 **To:** 09/08/2022  
**Frequency:** ALL **Include Unscheduled:** Yes

▼ Result Code legend (Click the arrow to hide/unhide this section)

**Test Result Codes**

**C** - Test complete. Equipment in satisfactory condition.

**A** - Adjustment made and test complete. Equipment in satisfactory condition.

**R** - Repairs or replacement needed.

**S** - Repairs or replacement made. Equipment in satisfactory condition.

**O** - Out of service.



















**Other Codes**

**u** - Unscheduled Test

76 Records found, Displaying 1 - 76

( All 1 2 3 4 5 6 7 8 )

No.	Test Date	Device Type	Test Freq.	Test Type	Device Name	Mfr. Name	Model Name	Serial No.	Entering Signal	Opposing Signal	Locking Test Description	Wire Count	FRA Rule	Test Result	Test Comment	Tested By
1	11/19/2012	Locking	2 Year	IND					2EA	2WA	1SW Normal		236.380	C		
2	11/19/2012	Locking	2 Year	IND					2EA (CO)	2WA	1SW Normal		236.380	C		
3	11/19/2012	Locking	2 Year	IND					2EB	2WC	1SW Reverse		236.380	C		
4	11/19/2012	Locking	2 Year	IND					2EB (CO)	2WC	1SW Reverse		236.380	C		
5	11/19/2012	Locking	2 Year	IND					2WA	2EA	1SW Normal		236.380	C		
6	11/19/2012	Locking	2 Year	IND					2WA (CO)	2EA	1SW Normal		236.380	C		
7	11/19/2012	Locking	2 Year	IND					2WC	2EB	1SW Reverse		236.380	C		
8	11/19/2012	Locking	2 Year	IND					2WC (CO)	2EB	1SW Reverse		236.380	C		
9	11/19/2012	Locking	2 Year	RTE					2EA	2WA	1SW Normal		236.379	C		
10	11/19/2012	Locking	2 Year	RTE					2EA (CO)	2WA	1SW Normal		236.379	C		
11	11/19/2012	Locking	2 Year	RTE					2EB	2WC	1SW Reverse		236.379	C		
12	11/19/2012	Locking	2 Year	RTE					2EB (CO)	2WC	1SW Reverse		236.379	C		
13	11/19/2012	Locking	2 Year	RTE					2WA	2EA	1SW Normal		236.379	C		
14	11/19/2012	Locking	2 Year	RTE					2WA (CO)	2EA	1SW Normal		236.379	C		
15	11/19/2012	Locking	2 Year	RTE					2WC	2EB	1SW Reverse		236.379	C		
16	11/19/2012	Locking	2 Year	RTE					2WC (CO)	2EB	1SW Reverse		236.379	C		

17	11/19/2012	Locking	2 Year	TIME					2EA	2WA	1SW Normal	236.378	C
18	11/19/2012	Locking	2 Year	TIME					2EA (CO)	2WA	1SW Normal	236.378	C
19	11/19/2012	Locking	2 Year	TIME					2EB	2WC	1SW Reverse	236.378	C
20	11/19/2012	Locking	2 Year	TIME					2EB (CO)	2WC	1SW Reverse	236.378	C
21	11/19/2012	Locking	2 Year	TIME					2WA	2EA	1SW Normal	236.378	C
22	11/19/2012	Locking	2 Year	TIME					2WA (CO)	2EA	1SW Normal	236.378	C
23	11/19/2012	Locking	2 Year	TIME					2WC	2EB	1SW Reverse	236.378	C
24	11/19/2012	Locking	2 Year	TIME					2WC (CO)	2EB	1SW Reverse	236.378	C
25	 11/19/2012	Relay	4 Year	LINE	1ENWTPR	SAFETRAN	400004	1220803				236.106	C
26	 11/19/2012	Relay	4 Year	LINE	1ERWPR	SAFETRAN	400004	1220802				236.106	C
27	 11/19/2012	Relay	4 Year	LINE	1EWLAR	SAFETRAN	400004	1220798				236.106	C
28	 11/19/2012	Relay	4 Year	LINE	1MLKVCOR	SAFETRAN	400502	1208284				236.106	C
29	 11/19/2012	Relay	4 Year	LINE	1W1E Sig Stop	SAFETRAN	400020	1201700				236.106	C
30	 11/19/2012	Relay	4 Year	LINE	1WCHR	SAFETRAN	400004	1220794				236.106	C
31	 11/19/2012	Relay	4 Year	LINE	2E2W Sig Stop	SAFETRAN	400020	1201685				236.106	C
32	 11/19/2012	Relay	4 Year	LINE	2E2W Sig Stop 1	SAFETRAN	400020	1201681				236.106	C
33	 11/19/2012	Relay	4 Year	LINE	2MLKVCOR	SAFETRAN	400502	1208281				236.106	C
34	 11/19/2012	Relay	4 Year	LINE	2WNR	GRS/ALSTOM	56001-988-01	708244				236.106	C
35	 11/19/2012	Relay	4 Year	LINE	2WRR	GRS/ALSTOM	56001-988-01	708266				236.106	C
36	 11/19/2012	Relay	4 Year	TRK	1ATR	SAFETRAN	400510	1127738				236.106	C
37	 11/19/2012	Relay	4 Year	TRK	2ATR	SAFETRAN	400510	1127737				236.106	C
38	 11/19/2012	Relay	4 Year	TRK	2TR	SAFETRAN	400510	1127725				236.106	C
39	 11/19/2012	Relay	4 Year	TRK	A1ATR	SAFETRAN	400510	1127707				236.106	C
40	 12/03/2012	Cable	10 Year		Handthrow Switch to Derail 1A						7	236.108	C
41	 12/03/2012	Cable	10 Year		House to 1E(N) Handthrow Switch						7	236.108	C
42	 12/03/2012	Cable	10 Year		House to DED						7	236.108	C
43	12/03/2012	Cable	10 Year								5	236.108	C

44		12/03/2012	Cable	10 Year	House to Signal 1E (N)A				5	236.108	C
45		12/03/2012	Cable	10 Year	House to Signal 1E (N)B				5	236.108	C
46		12/03/2012	Cable	10 Year	House to Signal 1W (S)				5	236.108	C
47		12/03/2012	Cable	10 Year	House to Signal 1W (S)C				5	236.108	C
48		12/03/2012	Cable	10 Year	House to Signal 2E (N)A				5	236.108	C
49		12/03/2012	Cable	10 Year	House to Signal 2E (N)B				5	236.108	C
50		12/03/2012	Cable	10 Year	House to Signal 2W (S)A				5	236.108	C
51		12/03/2012	Cable	10 Year	House to Signal 2W (S)C				5	236.108	C
52		12/03/2012	Cable	10 Year	House to Switch 2				12	236.108	C
53		10/15/2014	Locking	2 Year	IND		2EA	2WA	1SW Normal	236.380	C
54		10/15/2014	Locking	2 Year	IND		2EA (CO)	2WA	1SW Normal	236.380	C
55		10/15/2014	Locking	2 Year	IND		2EB	2WC	1SW Reverse	236.380	C
56		10/15/2014	Locking	2 Year	IND		2EB (CO)	2WC	1SW Reverse	236.380	C
57		10/15/2014	Locking	2 Year	IND		2WA	2EA	1SW Normal	236.380	C
58		10/15/2014	Locking	2 Year	IND		2WA (CO)	2EA	1SW Normal	236.380	C
59		10/15/2014	Locking	2 Year	IND		2WC	2EB	1SW Reverse	236.380	C
60		10/15/2014	Locking	2 Year	IND		2WC (CO)	2EB	1SW Reverse	236.380	C
61		10/15/2014	Locking	2 Year	RTE		2EA	2WA	1SW Normal	236.379	C
62		10/15/2014	Locking	2 Year	RTE		2EA (CO)	2WA	1SW Normal	236.379	C
63		10/15/2014	Locking	2 Year	RTE		2EB	2WC	1SW Reverse	236.379	C
64		10/15/2014	Locking	2 Year	RTE		2EB (CO)	2WC	1SW Reverse	236.379	C
65		10/15/2014	Locking	2 Year	RTE		2WA	2EA	1SW Normal	236.379	C
66		10/15/2014	Locking	2 Year	RTE		2WA (CO)	2EA	1SW Normal	236.379	C
67		10/15/2014	Locking	2 Year	RTE		2WC	2EB	1SW Reverse	236.379	C
68		10/15/2014	Locking	2 Year	RTE		2WC (CO)	2EB	1SW Reverse	236.379	C
69		10/15/2014	Locking	2 Year	TIME		2EA	2WA	1SW Normal	236.378	C
70		10/15/2014	Locking	2 Year	TIME		2EA (CO)	2WA	1SW Normal	236.378	C
71		10/15/2014	Locking	2 Year	TIME		2EB	2WC	1SW Reverse	236.378	C

# Signal Inspection Reporting (Unrestricted): Tests (Long-Term)

72	10/15/2014	Locking	2 Year	TIME	2EB (CO)	2WC	1SW Reverse	236.378	C
73	10/15/2014	Locking	2 Year	TIME	2WA	2EA	1SW Normal	236.378	C
74	10/15/2014	Locking	2 Year	TIME	2WA (CO)	2EA	1SW Normal	236.378	C
75	10/15/2014	Locking	2 Year	TIME	2WC	2EB	1SW Reverse	236.378	C
76	10/15/2014	Locking	2 Year	TIME	2WC (CO)	2EB	1SW Reverse	236.378	C

Print

Back

c

## Signal Inspection Reporting (Unrestricted) Tests (Long-Term)

Page Generated: 09/08/2022 10:25

▼ Your selection criteria (Click the arrow to hide/unhide this section)

**Subdivision:** YUMA SUB **MP:** 646.07 **Segment:** 6692 **ENM Sys No:** 2104836 **Street:** SP646 **County:** IMPERIAL  
**State:** CA **Asset Type:** CP/SIGNAL **Asset Desc:** ABSOLUTE (CONTROLLED) **From:** 09/08/2012 **To:** 09/08/2022  
**Frequency:** ALL **Include Unscheduled:** Yes

▼ Result Code legend (Click the arrow to hide/unhide this section)

**Test Result Codes**
















**C** - Test complete. Equipment in satisfactory condition.  
**A** - Adjustment made and test complete. Equipment in satisfactory condition.  
**R** - Repairs or replacement needed.  
**S** - Repairs or replacement made. Equipment in satisfactory condition.  
**O** - Out of service.

**Other Codes**

**u** - Unscheduled Test

39 Records found, Displaying 1 - 39  
 ( All 1 2 3 4 )

No.	Test Date	Device Type	Test Freq.	Test Type	Device Name	Mfr. Name	Model Name	Serial No.	Entering Signal	Opposing Signal	Locking Test Description	Wire Count	FRA Rule	Test Result	Test Comment	Tested By
1	10/10/2016	Locking	2 Year	IND					2EA	2WA	1SW Normal	236.380		C		ARMANDO TORRES (eng1984)
2	10/10/2016	Locking	2 Year	IND					2EA (CO)	2WA	1SW Normal	236.380		C		ARMANDO TORRES (eng1984)
3	10/10/2016	Locking	2 Year	IND					2EB	2WC	1SW Reverse	236.380		C		ARMANDO TORRES (eng1984)
4	10/10/2016	Locking	2 Year	IND					2EB (CO)	2WC	1SW Reverse	236.380		C		ARMANDO TORRES (eng1984)
5	10/10/2016	Locking	2 Year	IND					2WA	2EA	1SW Normal	236.380		C		ARMANDO TORRES (eng1984)
6	10/10/2016	Locking	2 Year	IND					2WA (CO)	2EA	1SW Normal	236.380		C		ARMANDO TORRES (eng1984)
7	10/10/2016	Locking	2 Year	IND					2WC	2EB	1SW Reverse	236.380		C		ARMANDO TORRES (eng1984)
8	10/10/2016	Locking	2 Year	IND					2WC (CO)	2EB	1SW Reverse	236.380		C		ARMANDO TORRES (eng1984)
9	10/10/2016	Locking	2 Year	RTE					2EA	2WA	1SW Normal	236.379		C		ARMANDO TORRES (eng1984)
10	10/10/2016	Locking	2 Year	RTE					2EA (CO)	2WA	1SW Normal	236.379		C		ARMANDO TORRES (eng1984)
11	10/10/2016	Locking	2 Year	RTE					2EB	2WC	1SW Reverse	236.379		C		ARMANDO TORRES (eng1984)
12	10/10/2016	Locking	2 Year	RTE					2EB (CO)	2WC	1SW Reverse	236.379		C		ARMANDO TORRES (eng1984)
13	10/10/2016	Locking	2 Year	RTE					2WA	2EA	1SW Normal	236.379		C		ARMANDO TORRES (eng1984)
14	10/10/2016	Locking	2 Year	RTE					2WA (CO)	2EA	1SW Normal	236.379		C		ARMANDO TORRES (eng1984)
15	10/10/2016	Locking	2 Year	RTE					2WC	2EB	1SW Reverse	236.379		C		ARMANDO TORRES (eng1984)
16	10/10/2016	Locking	2 Year	RTE					2WC (CO)	2EB	1SW Reverse	236.379		C		ARMANDO TORRES (eng1984)
17	10/10/2016	Locking	2 Year	TIME					2EA	2WA	1SW Normal	236.378		C		ARMANDO TORRES (eng1984)
18	10/10/2016	Locking	2 Year	TIME					2EA (CO)	2WA	1SW Normal	236.378		C		ARMANDO TORRES (eng1984)
19	10/10/2016	Locking	2 Year	TIME					2EB	2WC	1SW Reverse	236.378		C		ARMANDO TORRES (eng1984)
20	10/10/2016	Locking	2 Year	TIME					2EB (CO)	2WC	1SW Reverse	236.378		C		ARMANDO TORRES (eng1984)

21	10/10/2016	Locking	2 Year	TIME						2WA	2EA	1SW Normal	236.378	C	ARMANDO . TORRES (eng1984)
22	10/10/2016	Locking	2 Year	TIME						2WA (CO)	2EA	1SW Normal	236.378	C	ARMANDO . TORRES (eng1984)
23	10/10/2016	Locking	2 Year	TIME						2WC	2EB	1SW Reverse	236.378	C	ARMANDO . TORRES (eng1984)
24	10/10/2016	Locking	2 Year	TIME						2WC (CO)	2EB	1SW Reverse	236.378	C	ARMANDO . TORRES (eng1984)
25	 11/03/2016	Relay	4 Year	LINE	1ENWTPR	SAFETRAN	400004	1220803					236.106	C	ARMANDO . TORRES (eng1984)
26	 11/03/2016	Relay	4 Year	LINE	1ERWPR	SAFETRAN	400004	1220802					236.106	C	ARMANDO . TORRES (eng1984)
27	 11/03/2016	Relay	4 Year	LINE	1EWLAR	SAFETRAN	400004	1220798					236.106	C	ARMANDO . TORRES (eng1984)
28	 11/03/2016	Relay	4 Year	LINE	1MLKVCOR	SAFETRAN	400502	1208284					236.106	C	ARMANDO . TORRES (eng1984)
29	 11/03/2016	Relay	4 Year	LINE	1W1E Sig Stop	SAFETRAN	400020	1201700					236.106	C	ARMANDO . TORRES (eng1984)
30	 11/03/2016	Relay	4 Year	LINE	1WCHR	SAFETRAN	400004	1220794					236.106	C	ARMANDO . TORRES (eng1984)
31	 11/03/2016	Relay	4 Year	LINE	2E2W Sig Stop	SAFETRAN	400020	1201685					236.106	C	ARMANDO . TORRES (eng1984)
32	 11/03/2016	Relay	4 Year	LINE	2E2W Sig Stop 1	SAFETRAN	400020	1201681					236.106	C	ARMANDO . TORRES (eng1984)
33	 11/03/2016	Relay	4 Year	LINE	2MLKVCOR	SAFETRAN	400502	1208281					236.106	C	ARMANDO . TORRES (eng1984)
34	 11/03/2016	Relay	4 Year	LINE	2WNR	GRS/ALSTOM	56001- 988-01	708244					236.106	C	ARMANDO . TORRES (eng1984)
35	 11/03/2016	Relay	4 Year	LINE	2WRR	GRS/ALSTOM	56001- 988-01	708266					236.106	C	ARMANDO . TORRES (eng1984)
36	 11/03/2016	Relay	4 Year	TRK	1ATR	SAFETRAN	400510	1127738					236.106	C	ARMANDO . TORRES (eng1984)
37	 11/03/2016	Relay	4 Year	TRK	2ATR	SAFETRAN	400510	1127737					236.106	C	ARMANDO . TORRES (eng1984)
38	 11/03/2016	Relay	4 Year	TRK	2TR	SAFETRAN	400510	1127725					236.106	C	ARMANDO . TORRES (eng1984)
39	 11/03/2016	Relay	4 Year	TRK	A1ATR	SAFETRAN	400510	1127707					236.106	C	ARMANDO . TORRES (eng1984)

Print

Back