

Data Log 07-05-24 17:13:56

CARR342.90_ge-elx-1

APPLICATION INFORMATION

NAME eos_soo_vlc_01.0048A0
EPT CRC 48A0
EPT Checksum 17C1

EXECUTIVE INFORMATION

PN 083025-633
VER 6.33 Bld0244I

07-05-24 16:35:18 Vital Recorder Entry

NWZP =F

07-05-24 16:35:18 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 16:35:16 Vital Recorder Entry

NWZP =T

07-05-24 16:35:16 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 16:35:16 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T

07-05-24 16:35:10 Vital Recorder Entry

NWZP =F

07-05-24 16:35:10 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 16:35:08 Vital Recorder Entry

NWZP =T

07-05-24 16:35:08 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 16:35:08 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T

07-05-24 14:32:31 Vital Recorder Entry

NWZP =F

07-05-24 14:32:31 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 14:32:29 Vital Recorder Entry

NWZP =T

07-05-24 14:32:29 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 14:32:29 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T

07-05-24 14:02:53 Vital Recorder Entry

NWZP =F

07-05-24 14:02:53 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 14:02:51 Vital Recorder Entry

NWZP =T

07-05-24 14:02:51 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 14:02:51 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T

07-05-24 12:18:59 Vital Recorder Entry

NWZP =F

07-05-24 12:18:58 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 12:18:57 Vital Recorder Entry

NWZP =T

07-05-24 12:18:56 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 12:18:56 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T

FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T

07-05-24 12:13:50 Non-Vital Recorder Entry

LK =F TK =F

07-05-24 12:13:50 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T

07-05-24 12:13:50 Vital Recorder Entry

OST_TE =T

07-05-24 12:13:34 Vital Recorder Entry

OST_TEN =T

07-05-24 12:13:34 Vital Recorder Entry

OST =T

07-05-24 10:05:59 Vital Recorder Entry

NWZP =F

07-05-24 10:05:58 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 10:05:58 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 10:05:58 Non-Vital Recorder Entry

DELIVERY =T

07-05-24 10:05:57 Vital Recorder Entry

NWZP =T

07-05-24 10:05:57 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 10:05:56 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CFPTBZON =T CFPTBZOFF =F CTPMTBZON =T
CTPMTBZOFF =F CTPSTBZON =T CTPSTBZOFF =F FPTBLKON =T
FPTBLKOFF =F TPMTBLKON =T TPMTBLKOFF =F TPSTBLKON =T
TPSTBLKOFF =F

07-05-24 10:05:37 Vital Recorder Entry

NWZP =F

07-05-24 10:05:37 Non-Vital Recorder Entry

VLDCTRL =F FPTBZOFF_T =F WBZOFF_T =F TPMTBZOFF_T =F
TPSTBZOFF_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 10:05:36 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 10:05:36 Non-Vital Recorder Entry

DELIVERY =T

07-05-24 10:05:35 Vital Recorder Entry

NWZP =T

07-05-24 10:05:35 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 10:05:35 Non-Vital Recorder Entry

VLDCTRL =T FPTBZOFF_T =T WBZOFF_T =T TPMTBZOFF_T =T

TPSTBZOFF_T=T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CFPTBZON =F CFPTBZOFF =T FPTBLKON =F
FPTBLKOFF =T

07-05-24 10:05:07 Vital Recorder Entry

NWZP =F

07-05-24 10:05:07 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZOFF_T=F TPSTBZOFF_T=F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 10:05:05 Vital Recorder Entry

NWZP =T

07-05-24 10:05:05 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 10:05:05 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZOFF_T=T TPSTBZOFF_T=T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CFPTBZON =T CFPTBZOFF =F FPTBLKON =T
FPTBLKOFF =F

07-05-24 10:04:33 Vital Recorder Entry

NWZP =F

07-05-24 10:04:33 Non-Vital Recorder Entry

VLDCTRL =F FPTBZOFF_T =F WBZOFF_T =F TPMTBZOFF_T=F
TPSTBZOFF_T=F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 10:04:31 Vital Recorder Entry

NWZP =T

07-05-24 10:04:31 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 10:04:31 Non-Vital Recorder Entry

VLDCTRL =T FPTBZOFF_T =T WBZOFF_T =T TPMTBZOFF_T =T
TPSTBZOFF_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CFPTBZON =F CFPTBZOFF =T CTPMTBZON =F
CTPMTBZOFF =T CTPSTBZON =F CTPSTBZOFF =T FPTBLKON =F
FPTBLKOFF =T TPMTBLKON =F TPMTBLKOFF =T TPSTBLKON =F
TPSTBLKOFF =T

07-05-24 09:06:59 Vital Recorder Entry

NWZP =F

07-05-24 09:06:59 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-05-24 09:06:58 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 09:06:58 Non-Vital Recorder Entry

DELIVERY =T

07-05-24 09:06:57 Vital Recorder Entry

NWZP =T

07-05-24 09:06:57 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 09:06:57 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CFPZGZ =F CFPTBZON =T CFPTBZOFF =F
CTPMTBZON =T CTPMTBZOFF =F CTPSTBZON =T CTPSTBZOFF =F

FPTBLKON =T FPTBLKOFF =F TPMTBLKON =T TPMTBLKOFF =F
TPSTBLKON =T TPSTBLKOFF =F

07-05-24 08:37:02 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-05-24 08:37:02 Vital Recorder Entry

TPMHD =F TPMTP =F FPAS =T

07-05-24 08:37:02 Non-Vital Recorder Entry

TPMTK =T

07-05-24 08:37:02 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-05-24 08:36:52 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-05-24 08:36:52 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-05-24 08:36:51 Non-Vital Recorder Entry

FPGK =F TK =T

07-05-24 08:36:51 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F
OSTP =F TPMCS =T FPAG =F FPMHZ =F
FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F
FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F
FPARE =T

07-05-24 08:36:50 Vital Recorder Entry

OST =F

07-05-24 08:31:51 Vital Recorder Entry

FPTP =F

07-05-24 08:31:51 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-05-24 08:31:51 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-05-24 08:26:41 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-05-24 08:14:38 Vital Recorder Entry

FPTP =T

07-05-24 08:14:38 Vital Recorder Entry

FPSTOP =F

07-05-24 08:14:33 Non-Vital Recorder Entry

FPHDK =F

07-05-24 08:14:33 Vital Recorder Entry

FPHD =F FPTP =F

07-05-24 08:14:32 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-05-24 08:14:09 Non-Vital Recorder Entry

FPHDK =T

07-05-24 08:14:09 Vital Recorder Entry

FPHD =T FPCS =F FPC4OUT =T FPC6OUT =F

07-05-24 08:14:09 Vital Recorder Entry

FPC2IN =T

07-05-24 08:14:07 Vital Recorder Entry

FPTP =T AE =T FPAGE =F FPBRE =F
TPARE =F TPBRE =F

07-05-24 08:14:06 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-05-24 08:14:06 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-05-24 08:09:31 Non-Vital Recorder Entry

FPASK =T

07-05-24 08:09:31 Vital Recorder Entry

FPAS =F

07-05-24 08:09:31 Non-Vital Recorder Entry

FPGK =T TPMHDK =T

07-05-24 08:09:31 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F TPMHD =T FPG_CO =T
FPAG =T FPAGP =T FPRP =F TPMC2OUT =F
TPMC6OUT =T FPAGE =T FPARE =F

07-05-24 08:09:30 Vital Recorder Entry

TPMC4IN =T

07-05-24 08:09:28 Vital Recorder Entry

FPMHZ =T

07-05-24 08:09:28 Vital Recorder Entry

FPGZ_TE =T

07-05-24 08:09:23 Vital Recorder Entry

NWZP =F FPGZPP =F

07-05-24 08:09:23 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-05-24 08:09:21 Non-Vital Recorder Entry

LK =T

07-05-24 08:09:21 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T

07-05-24 08:09:21 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 08:09:21 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =T
CTPGZ =F

07-05-24 08:09:17 Non-Vital Recorder Entry

LK =F TK =F

07-05-24 08:09:17 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-05-24 08:09:17 Vital Recorder Entry

OST_TE =T

07-05-24 08:09:07 Vital Recorder Entry

TPMRTT =F TPMTTP =T

07-05-24 08:09:07 Non-Vital Recorder Entry

TPMTK =F

07-05-24 08:09:07 Vital Recorder Entry

TPMT =T

07-05-24 08:09:02 Vital Recorder Entry

OST_TEN =T

07-05-24 08:09:01 Vital Recorder Entry

OST =T

07-05-24 08:06:32 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-05-24 08:06:32 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-05-24 08:06:31 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-05-24 08:06:31 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-05-24 08:06:21 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-05-24 08:06:21 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-05-24 08:06:20 Non-Vital Recorder Entry

TPGK =F TK =T

07-05-24 08:06:20 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-05-24 08:06:20 Vital Recorder Entry

OST =F

07-05-24 08:03:08 Vital Recorder Entry

TPMTP =F

07-05-24 08:03:08 Non-Vital Recorder Entry

TPMTK =T

07-05-24 08:03:07 Vital Recorder Entry

TPMT =F

07-05-24 07:55:56 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-05-24 07:28:45 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-05-24 07:28:45 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-05-24 07:28:27 Vital Recorder Entry

TPAG =F TPAYP =T TPAY =T TPAYFL =T
TPAGP =F

07-05-24 07:28:27 Vital Recorder Entry

FPC4IN =F FPC7IN =T

07-05-24 07:28:19 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-05-24 07:28:19 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-05-24 07:28:06 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-05-24 07:28:06 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-05-24 07:27:45 Non-Vital Recorder Entry

TPASK =T

07-05-24 07:27:45 Vital Recorder Entry

TPAS =F

07-05-24 07:27:45 Non-Vital Recorder Entry

TPGK =T

07-05-24 07:27:45 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPMC2OUT =F

TPMC7OUT =T

07-05-24 07:27:44 Vital Recorder Entry

TPGZ_TE =T

07-05-24 07:27:44 Vital Recorder Entry

TPMTP =T

07-05-24 07:27:44 Vital Recorder Entry

TPMSTOP =F

07-05-24 07:27:39 Non-Vital Recorder Entry

TPMHDK =F

07-05-24 07:27:39 Vital Recorder Entry

TPMHD =F TPMTP =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-05-24 07:27:39 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-05-24 07:27:34 Vital Recorder Entry

NWZP =F TPGZPP =F

07-05-24 07:27:34 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-05-24 07:27:32 Non-Vital Recorder Entry

LK =T

07-05-24 07:27:32 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F

NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-05-24 07:27:32 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 07:27:32 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CCOGZ =F

07-05-24 05:45:24 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-05-24 05:44:31 Non-Vital Recorder Entry

FPHDK =T

07-05-24 05:44:31 Vital Recorder Entry

FPHD =T FPCS =F FPC2OUT =T FPC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-05-24 05:44:30 Vital Recorder Entry

FPC2IN =T

07-05-24 05:44:28 Vital Recorder Entry

FPTP =T

07-05-24 05:44:28 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-05-24 05:44:28 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-05-24 05:37:46 Non-Vital Recorder Entry

TPMHDK =T

07-05-24 05:37:46 Vital Recorder Entry

TPMHD =T

07-05-24 05:37:46 Vital Recorder Entry

TPMC2IN =T

07-05-24 05:37:33 Non-Vital Recorder Entry

LK =F TK =F

07-05-24 05:37:33 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-05-24 05:37:33 Vital Recorder Entry

OST_TE =T

07-05-24 05:37:18 Vital Recorder Entry

OST_TEN =T

07-05-24 05:37:17 Vital Recorder Entry

TPMRTT =F TPMTP =T OST =T

07-05-24 05:37:17 Non-Vital Recorder Entry

TPMTK =F

07-05-24 05:37:17 Vital Recorder Entry

TPMT =T

07-05-24 05:33:32 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-05-24 05:33:32 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-05-24 05:33:32 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-05-24 05:33:32 Vital Recorder Entry

FPT =F FPB =F FPC7IN =F FPCMIN =F

07-05-24 05:33:18 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-05-24 05:33:18 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-05-24 05:33:16 Non-Vital Recorder Entry

COGZP =F TPGK =F TK =T

07-05-24 05:33:16 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPCOGZP =F TPMHZ =F
TPAYP =F TPAY =F TPAYFL =F TPMC4OUT =F
TPMC6OUT =T TPAYFLE =F TPARE =T

07-05-24 05:33:16 Vital Recorder Entry

OST =F

07-05-24 05:28:48 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F TPAYE =F
TPAYFLE =T

07-05-24 05:28:48 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-05-24 05:28:06 Vital Recorder Entry

TPMTP =F

07-05-24 05:28:06 Non-Vital Recorder Entry

TPMTK =T

07-05-24 05:28:06 Vital Recorder Entry

TPMT =F

07-05-24 05:18:48 Non-Vital Recorder Entry

FPHDK =T

07-05-24 05:18:48 Vital Recorder Entry

TPG_CO =T FPHD =T FPCS =F TPAYP =T
TPAY =T TPARFL =F TPMC2OUT =F TPMC7OUT =T
TPAYE =T TPARFLE =F

07-05-24 05:18:48 Vital Recorder Entry

FPC2IN =T

07-05-24 05:18:45 Vital Recorder Entry

FPTP =T

07-05-24 05:18:45 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-05-24 05:18:45 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-05-24 05:11:07 Vital Recorder Entry

NWZP =F TPGZPP =F

07-05-24 05:11:06 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-05-24 05:11:05 Non-Vital Recorder Entry

TPASK =T

07-05-24 05:11:05 Vital Recorder Entry

TPAS =F

07-05-24 05:11:05 Non-Vital Recorder Entry

TPGK =T

07-05-24 05:11:05 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPCOGZP =T
NWZP =T TPGZPP =T TPARFL =T TPARE =F
TPARFLE =T

07-05-24 05:11:04 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 05:11:04 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T COGZP =T
SMZOFF =T LOCALZOFF =T NWZ =T DELIVERY =T
CCOGZ =T

07-05-24 05:10:36 Vital Recorder Entry

TPMHZ =T

07-05-24 05:10:36 Vital Recorder Entry

TPGZ_TE =T

07-05-24 05:10:26 Vital Recorder Entry

NWZP =F TPGZPP =F

07-05-24 05:10:25 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-05-24 05:10:24 Non-Vital Recorder Entry

LK =T

07-05-24 05:10:24 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T

07-05-24 05:10:23 Non-Vital Recorder Entry

DELIVERY =F

07-05-24 05:10:23 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-05-24 05:10:21 Non-Vital Recorder Entry

LK =F TK =F

07-05-24 05:10:21 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-05-24 05:10:20 Vital Recorder Entry

OST_TE =T

07-05-24 05:10:08 Vital Recorder Entry

TPMRTT =F TPMTTP =T

07-05-24 05:10:08 Non-Vital Recorder Entry

TPMTK =F

07-05-24 05:10:08 Vital Recorder Entry

TPMT =T

07-05-24 05:10:05 Vital Recorder Entry

OST_TEN =T

07-05-24 05:10:05 Vital Recorder Entry

OST =T

07-05-24 05:05:32 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-05-24 05:05:32 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-05-24 05:05:32 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-05-24 05:05:32 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-05-24 05:05:16 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-05-24 05:05:15 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-05-24 05:05:14 Non-Vital Recorder Entry

TPGK =F TK =T

07-05-24 05:05:14 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-05-24 05:05:14 Vital Recorder Entry

OST =F

07-05-24 04:08:02 Vital Recorder Entry

TPMTP =F

07-05-24 04:08:02 Non-Vital Recorder Entry

TPMTK =T

07-05-24 04:08:02 Vital Recorder Entry

TPMT =F

07-05-24 03:59:19 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-04-24 23:33:00 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-04-24 23:33:00 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-04-24 23:32:55 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-04-24 23:32:55 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-04-24 23:32:36 Vital Recorder Entry

TPMTP =T

07-04-24 23:32:36 Non-Vital Recorder Entry

TPASK =T

07-04-24 23:32:36 Vital Recorder Entry

TPAS =F TPMSTOP =F

07-04-24 23:32:36 Non-Vital Recorder Entry

TPGK =T

07-04-24 23:32:35 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPMC2OUT =F
TPMC7OUT =T

07-04-24 23:32:35 Vital Recorder Entry

TPGZ_TE =T

07-04-24 23:32:31 Non-Vital Recorder Entry

TPMHDK =F

07-04-24 23:32:31 Vital Recorder Entry

TPMHD =F TPMTP =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-04-24 23:32:30 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-04-24 23:32:25 Vital Recorder Entry

NWZP =F TPGZPP =F

07-04-24 23:32:25 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 23:32:24 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 23:32:24 Non-Vital Recorder Entry

DELIVERY =T

07-04-24 23:32:23 Non-Vital Recorder Entry

LK =T

07-04-24 23:32:23 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-04-24 23:32:23 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 23:32:23 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =F
CTPGZ =T

07-04-24 22:01:02 Vital Recorder Entry

FPCMTEN =F

07-04-24 22:01:02 Vital Recorder Entry

FPCMIN =T

07-04-24 22:00:57 Vital Recorder Entry

FPCMTEN =T

07-04-24 22:00:57 Vital Recorder Entry

FPCMIN =F

07-04-24 22:00:52 Vital Recorder Entry

FPCMTEN =F

07-04-24 22:00:52 Vital Recorder Entry

FPCMIN =T

07-04-24 22:00:47 Vital Recorder Entry

FPCMTEN =T

07-04-24 22:00:46 Vital Recorder Entry

FPCMIN =F

07-04-24 21:49:10 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-04-24 21:45:33 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 21:45:33 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC2OUT =T TPMC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-04-24 21:45:33 Vital Recorder Entry

TPMC2IN =T

07-04-24 21:45:15 Vital Recorder Entry

TPMTP =T

07-04-24 21:45:15 Non-Vital Recorder Entry

TPMTK =F

07-04-24 21:45:15 Vital Recorder Entry

TPMT =T

07-04-24 21:43:18 Non-Vital Recorder Entry

FPHDK =T

07-04-24 21:43:18 Vital Recorder Entry

FPHD =T

07-04-24 21:43:17 Vital Recorder Entry

FPC2IN =T

07-04-24 21:42:48 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 21:42:48 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-04-24 21:42:47 Vital Recorder Entry

OST_TE =T

07-04-24 21:42:38 Vital Recorder Entry

FPCMTEN =F

07-04-24 21:42:38 Non-Vital Recorder Entry

FPBK =F

07-04-24 21:42:38 Vital Recorder Entry

FPB =T FPCMIN =T

07-04-24 21:42:36 Vital Recorder Entry

FPCMTEN =T FPRTT =F FPTP =T

07-04-24 21:42:36 Non-Vital Recorder Entry

FPTK =F

07-04-24 21:42:36 Vital Recorder Entry

FPT =T

07-04-24 21:42:32 Vital Recorder Entry

OST_TEN =T

07-04-24 21:42:32 Vital Recorder Entry

OST =T

07-04-24 21:41:16 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-04-24 21:41:16 Vital Recorder Entry

TPMHD =F TPMTTP =F FPAS =T

07-04-24 21:41:16 Non-Vital Recorder Entry

TPMTK =T

07-04-24 21:41:16 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-04-24 21:41:07 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-04-24 21:41:07 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-04-24 21:41:06 Non-Vital Recorder Entry

FPGK =F TK =T

07-04-24 21:41:06 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F

OSTP =F TPMCS =T FPAG =F FPMHZ =F

FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F

FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F

FPARE =T

07-04-24 21:41:06 Vital Recorder Entry

OST =F

07-04-24 21:37:13 Vital Recorder Entry

FPTP =F

07-04-24 21:37:13 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 21:37:13 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-04-24 21:34:09 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T

TPBRE =T

07-04-24 20:56:15 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T

FPAYFL =F

07-04-24 20:56:15 Vital Recorder Entry

TPMC4IN =T TPMC7IN =F

07-04-24 20:52:46 Vital Recorder Entry

FPAYFL =T FPC4OUT =T FPC7OUT =F

07-04-24 20:52:46 Vital Recorder Entry

TPMC2IN =F TPMC7IN =T

07-04-24 20:50:22 Vital Recorder Entry

AE =T FPAYE =F FPBRE =F TPARE =F
TPBRE =F

07-04-24 20:49:23 Non-Vital Recorder Entry

FPASK =T

07-04-24 20:49:23 Vital Recorder Entry

FPAS =F

07-04-24 20:49:23 Non-Vital Recorder Entry

FPGK =T TPMHDK =T

07-04-24 20:49:23 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F TPMHD =T TPMCS =F
FPG_CO =T FPAY =T FPAYP =T FPRP =F
FPC2OUT =F FPC7OUT =T FPAYE =T FPARE =F

07-04-24 20:49:23 Vital Recorder Entry

TPMC2IN =T

07-04-24 20:49:02 Vital Recorder Entry

TPMTP =T

07-04-24 20:49:02 Non-Vital Recorder Entry

TPMTK =F

07-04-24 20:49:02 Vital Recorder Entry

TPMT =T

07-04-24 20:46:12 Vital Recorder Entry

FPMHZ =T

07-04-24 20:46:12 Vital Recorder Entry

FPGZ_TE =T

07-04-24 20:46:08 Vital Recorder Entry

NWZP =F FPGZPP =F

07-04-24 20:46:08 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 20:46:06 Non-Vital Recorder Entry

LK =T

07-04-24 20:46:06 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T

07-04-24 20:46:06 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 20:46:06 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-04-24 20:46:03 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 20:46:03 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-04-24 20:46:03 Vital Recorder Entry

OST_TE =T

07-04-24 20:45:52 Vital Recorder Entry

FPCMTEN =F

07-04-24 20:45:52 Non-Vital Recorder Entry

FPBK =F

07-04-24 20:45:52 Vital Recorder Entry

FPB =T FPCMIN =T

07-04-24 20:45:50 Vital Recorder Entry

FPCMTEN =T FPRTT =F FPTP =T

07-04-24 20:45:50 Non-Vital Recorder Entry

FPTK =F

07-04-24 20:45:50 Vital Recorder Entry

FPT =T

07-04-24 20:45:48 Vital Recorder Entry

OST_TEN =T

07-04-24 20:45:47 Vital Recorder Entry

OST =T

07-04-24 20:43:18 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-04-24 20:43:18 Vital Recorder Entry

TPMHD =F TPMTTP =F FPAS =T

07-04-24 20:43:18 Non-Vital Recorder Entry

TPMTK =T

07-04-24 20:43:18 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-04-24 20:43:09 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-04-24 20:43:09 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-04-24 20:43:08 Non-Vital Recorder Entry

FPGK =F TK =T

07-04-24 20:43:08 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F

OSTP =F TPMCS =T FPAG =F FPMHZ =F

FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F

FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F

FPARE =T

07-04-24 20:43:08 Vital Recorder Entry

OST =F

07-04-24 20:38:43 Vital Recorder Entry

FPTP =F

07-04-24 20:38:42 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 20:38:42 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-04-24 20:35:20 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-04-24 19:53:42 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T
FPC4OUT =T FPC7OUT =F

07-04-24 19:53:41 Vital Recorder Entry

TPMC2IN =F TPMC4IN =T

07-04-24 19:53:26 Vital Recorder Entry

FPTP =T

07-04-24 19:53:26 Vital Recorder Entry

FPSTOP =F

07-04-24 19:53:21 Non-Vital Recorder Entry

FPHDK =F

07-04-24 19:53:21 Vital Recorder Entry

FPHD =F FPTP =F

07-04-24 19:53:21 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-04-24 19:53:19 Non-Vital Recorder Entry

FPASK =T

07-04-24 19:53:19 Vital Recorder Entry

FPAS =F

07-04-24 19:53:19 Non-Vital Recorder Entry

FPGK =T

07-04-24 19:53:19 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPMHZ =T

FPAY =T FPAYP =T FPRP =F FPC2OUT =F

FPC7OUT =T S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-04-24 19:53:18 Vital Recorder Entry

FPGZ_TE =T

07-04-24 19:53:14 Vital Recorder Entry

NWZP =F FPGZPP =F

07-04-24 19:53:14 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F

TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F

LOCALZOFF =F NWZ =F

07-04-24 19:53:12 Non-Vital Recorder Entry

LK =T

07-04-24 19:53:12 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F

NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-04-24 19:53:12 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 19:53:12 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPGZ =T
CTPGZ =F CCOGZ =F

07-04-24 19:12:12 Non-Vital Recorder Entry

FPHDK =T

07-04-24 19:12:12 Vital Recorder Entry

FPHD =T FPCS =F FPC2OUT =T FPC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-04-24 19:12:12 Vital Recorder Entry

FPC2IN =T

07-04-24 19:12:09 Vital Recorder Entry

FPTP =T AE =T FPARE =F FPBRE =F
TPARE =F TPBRE =F

07-04-24 19:12:09 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 19:12:09 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 19:07:07 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 19:07:07 Vital Recorder Entry

TPMHD =T

07-04-24 19:07:07 Vital Recorder Entry

TPMC2IN =T

07-04-24 19:06:53 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 19:06:53 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-04-24 19:06:53 Vital Recorder Entry

OST_TE =T

07-04-24 19:06:41 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-04-24 19:06:41 Non-Vital Recorder Entry

TPMTK =F

07-04-24 19:06:41 Vital Recorder Entry

TPMT =T

07-04-24 19:06:38 Vital Recorder Entry

OST_TEN =T

07-04-24 19:06:38 Vital Recorder Entry

OST =T

07-04-24 19:03:44 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-04-24 19:03:44 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-04-24 19:03:44 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 19:03:44 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-04-24 19:03:34 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-04-24 19:03:34 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-04-24 19:03:32 Non-Vital Recorder Entry

COGZP =F TPGK =F TK =T

07-04-24 19:03:32 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T

TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T

TPMRTT =T FPCS =T TPCOGZP =F TPMHZ =F

TPAG =F TPAGP =F TPMC4OUT =F TPMC6OUT =T

TPAGE =F TPARE =T

07-04-24 19:03:32 Vital Recorder Entry

OST =F

07-04-24 19:01:23 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F

TPAGP =T TPAGE =T TPAYFLE =F

07-04-24 19:01:23 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-04-24 18:59:48 Vital Recorder Entry

TPMTP =F

07-04-24 18:59:48 Non-Vital Recorder Entry

TPMTK =T

07-04-24 18:59:48 Vital Recorder Entry

TPMT =F

07-04-24 18:56:23 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F TPAYE =F
TPAYFLE =T

07-04-24 18:56:23 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-04-24 18:49:10 Non-Vital Recorder Entry

FPHDK =T

07-04-24 18:49:10 Vital Recorder Entry

TPG_CO =T FPHD =T FPCS =F TPAYP =T
TPAY =T TPARFL =F TPMC2OUT =F TPMC7OUT =T
TPAYE =T TPARFLE =F

07-04-24 18:49:10 Vital Recorder Entry

FPC2IN =T

07-04-24 18:49:08 Vital Recorder Entry

FPTP =T

07-04-24 18:49:08 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 18:49:07 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 18:44:02 Vital Recorder Entry

NWZP =F TPGZPP =F

07-04-24 18:44:02 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 18:44:00 Non-Vital Recorder Entry

TPASK =T

07-04-24 18:44:00 Vital Recorder Entry

TPAS =F

07-04-24 18:44:00 Non-Vital Recorder Entry

TPGK =T

07-04-24 18:44:00 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPCOGZP =T
NWZP =T TPGZPP =T TPARFL =T TPARE =F
TPARFLE =T

07-04-24 18:44:00 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 18:44:00 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T COGZP =T
SMZOFF =T LOCALZOFF =T NWZ =T DELIVERY =T
CCOGZ =T

07-04-24 18:43:11 Vital Recorder Entry

TPMHZ =T

07-04-24 18:43:11 Vital Recorder Entry

TPGZ_TE =T

07-04-24 18:43:00 Vital Recorder Entry

NWZP =F TPGZPP =F

07-04-24 18:43:00 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 18:42:58 Non-Vital Recorder Entry

LK =T

07-04-24 18:42:58 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T

07-04-24 18:42:58 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 18:42:58 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-04-24 18:42:54 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 18:42:54 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-04-24 18:42:54 Vital Recorder Entry

OST_TE =T

07-04-24 18:42:40 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-04-24 18:42:40 Non-Vital Recorder Entry

TPMTK =F

07-04-24 18:42:40 Vital Recorder Entry

TPMT =T

07-04-24 18:42:39 Vital Recorder Entry

OST_TEN =T

07-04-24 18:42:38 Vital Recorder Entry

OST =T

07-04-24 18:40:01 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-04-24 18:40:01 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-04-24 18:40:01 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 18:40:01 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-04-24 18:39:49 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-04-24 18:39:49 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-04-24 18:39:47 Non-Vital Recorder Entry

TPGK =F TK =T

07-04-24 18:39:47 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-04-24 18:39:47 Vital Recorder Entry

OST =F

07-04-24 18:35:59 Vital Recorder Entry

TPMTP =F

07-04-24 18:35:59 Non-Vital Recorder Entry

TPMTK =T

07-04-24 18:35:59 Vital Recorder Entry

TPMT =F

07-04-24 18:26:40 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-04-24 17:26:23 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-04-24 17:26:22 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-04-24 17:26:15 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-04-24 17:26:15 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-04-24 17:25:57 Non-Vital Recorder Entry

TPASK =T

07-04-24 17:25:57 Vital Recorder Entry

TPAS =F

07-04-24 17:25:56 Non-Vital Recorder Entry

TPGK =T

07-04-24 17:25:56 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPMC2OUT =F
TPMC7OUT =T

07-04-24 17:25:56 Vital Recorder Entry

TPGZ_TE =T

07-04-24 17:25:55 Vital Recorder Entry

TPMTP =T

07-04-24 17:25:55 Vital Recorder Entry

TPMSTOP =F

07-04-24 17:25:50 Non-Vital Recorder Entry

TPMHDK =F

07-04-24 17:25:50 Vital Recorder Entry

TPMHD =F TPMTF =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-04-24 17:25:49 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-04-24 17:25:46 Vital Recorder Entry

NWZP =F TPGZPP =F

07-04-24 17:25:46 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 17:25:44 Non-Vital Recorder Entry

LK =T

07-04-24 17:25:44 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-04-24 17:25:44 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 17:25:44 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZ =F
CTPGZ =T

07-04-24 13:24:23 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-04-24 13:20:50 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 13:20:50 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC2OUT =T TPMC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-04-24 13:20:50 Vital Recorder Entry

TPMC2IN =T

07-04-24 13:20:29 Vital Recorder Entry

TPMTP =T

07-04-24 13:20:29 Non-Vital Recorder Entry

TPMTK =F

07-04-24 13:20:29 Vital Recorder Entry

TPMT =T

07-04-24 13:18:14 Non-Vital Recorder Entry

FPHDK =T

07-04-24 13:18:14 Vital Recorder Entry

FPHD =T

07-04-24 13:18:14 Vital Recorder Entry

FPC2IN =T

07-04-24 13:17:43 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 13:17:43 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T

FPC2OUT =T FPC6OUT =F

07-04-24 13:17:43 Vital Recorder Entry

OST_TE =T

07-04-24 13:17:35 Vital Recorder Entry

FPCMTEN =F

07-04-24 13:17:35 Non-Vital Recorder Entry

FPBK =F

07-04-24 13:17:35 Vital Recorder Entry

FPB =T FPCMIN =T

07-04-24 13:17:32 Vital Recorder Entry

FPCMTEN =T FPRTT =F FPTP =T

07-04-24 13:17:32 Non-Vital Recorder Entry

FPTK =F

07-04-24 13:17:32 Vital Recorder Entry

FPT =T

07-04-24 13:17:28 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-04-24 13:17:28 Vital Recorder Entry

OST_TEN =T TPMHD =F TPMTTP =F FPAS =T

07-04-24 13:17:28 Non-Vital Recorder Entry

TPMTK =T

07-04-24 13:17:28 Vital Recorder Entry

TPMT =F TPMC4IN =F OST =T

07-04-24 13:17:18 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-04-24 13:17:18 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-04-24 13:17:17 Non-Vital Recorder Entry

FPGK =F TK =T

07-04-24 13:17:17 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F

OSTP =F TPMCS =T FPAG =F FPMHZ =F

FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F

FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F

FPARE =T

07-04-24 13:17:16 Vital Recorder Entry

OST =F

07-04-24 13:12:53 Vital Recorder Entry

FFTP =F

07-04-24 13:12:52 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 13:12:52 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-04-24 13:09:21 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T

TPBRE =T

07-04-24 12:57:47 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T
FPC4OUT =T FPC7OUT =F

07-04-24 12:57:47 Vital Recorder Entry

TPMC2IN =F TPMC4IN =T

07-04-24 12:57:33 Vital Recorder Entry

FPTP =T

07-04-24 12:57:32 Vital Recorder Entry

FPSTOP =F

07-04-24 12:57:27 Non-Vital Recorder Entry

FPHDK =F

07-04-24 12:57:27 Vital Recorder Entry

FPHD =F FPTP =F

07-04-24 12:57:27 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-04-24 12:57:24 Non-Vital Recorder Entry

FPASK =T

07-04-24 12:57:24 Vital Recorder Entry

FPAS =F

07-04-24 12:57:24 Non-Vital Recorder Entry

FPGK =T

07-04-24 12:57:24 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPMHZ =T

FPAY =T FPAYP =T FPRP =F FPC2OUT =F
FPC7OUT =T S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-04-24 12:57:24 Vital Recorder Entry

FPGZ_TE =T

07-04-24 12:57:19 Vital Recorder Entry

NWZP =F FPGZPP =F

07-04-24 12:57:19 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 12:57:17 Non-Vital Recorder Entry

LK =T

07-04-24 12:57:17 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-04-24 12:57:17 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 12:57:17 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-04-24 11:29:05 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 11:29:05 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC2OUT =T TPMC6OUT =F

S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-04-24 11:29:04 Vital Recorder Entry

TPMC2IN =T

07-04-24 11:28:44 Vital Recorder Entry

TPMTP =T AE =T FPARE =F FPBRE =F
TPARE =F TPBRE =F

07-04-24 11:28:43 Non-Vital Recorder Entry

TPMTK =F

07-04-24 11:28:43 Vital Recorder Entry

TPMT =T

07-04-24 11:26:09 Non-Vital Recorder Entry

FPHDK =T

07-04-24 11:26:09 Vital Recorder Entry

FPHD =T

07-04-24 11:26:09 Vital Recorder Entry

FPC2IN =T

07-04-24 11:25:39 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 11:25:39 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-04-24 11:25:39 Vital Recorder Entry

OST_TE =T

07-04-24 11:25:27 Vital Recorder Entry

FPRTT =F FPTP =T

07-04-24 11:25:27 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 11:25:27 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 11:25:23 Vital Recorder Entry

OST_TEN =T

07-04-24 11:25:23 Vital Recorder Entry

OST =T

07-04-24 11:23:39 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-04-24 11:23:38 Vital Recorder Entry

TPMHD =F TPMT =F FPAS =T

07-04-24 11:23:38 Non-Vital Recorder Entry

TPMTK =T

07-04-24 11:23:38 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-04-24 11:23:28 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-04-24 11:23:27 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-04-24 11:23:26 Non-Vital Recorder Entry

FPGK =F TK =T

07-04-24 11:23:26 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F
OSTP =F TPMCS =T FPAG =F FPMHZ =F
FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F
FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F
FPARE =T

07-04-24 11:23:26 Vital Recorder Entry

OST =F

07-04-24 11:18:07 Vital Recorder Entry

FPTP =F

07-04-24 11:18:07 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 11:18:07 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-04-24 11:12:39 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-04-24 11:02:15 Vital Recorder Entry

AE =T FPAGE =F FPBRE =F TPARE =F
TPBRE =F

07-04-24 10:55:08 Vital Recorder Entry

FPTP =T

07-04-24 10:55:08 Vital Recorder Entry

FPSTOP =F

07-04-24 10:55:03 Non-Vital Recorder Entry

FPHDK =F

07-04-24 10:55:03 Vital Recorder Entry

FPHD =F FPHP =F

07-04-24 10:55:03 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-04-24 10:54:40 Non-Vital Recorder Entry

FPHDK =T

07-04-24 10:54:39 Vital Recorder Entry

FPHD =T FPCS =F FPC4OUT =T FPC6OUT =F

07-04-24 10:54:39 Vital Recorder Entry

FPC2IN =T

07-04-24 10:54:37 Vital Recorder Entry

FPHP =T

07-04-24 10:54:37 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 10:54:37 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 10:49:26 Non-Vital Recorder Entry

FPASK =T

07-04-24 10:49:26 Vital Recorder Entry

FPAS =F

07-04-24 10:49:26 Non-Vital Recorder Entry

FPGK =T TPMHDK =T

07-04-24 10:49:26 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F TPMHD =T FPG_CO =T
FPAG =T FPAGP =T FPRP =F TPMC2OUT =F
TPMC6OUT =T FPAGE =T FPARE =F

07-04-24 10:49:25 Vital Recorder Entry

TPMC4IN =T

07-04-24 10:49:21 Vital Recorder Entry

FPMHZ =T

07-04-24 10:49:21 Vital Recorder Entry

FPGZ_TE =T

07-04-24 10:49:17 Vital Recorder Entry

NWZP =F FPGZPP =F

07-04-24 10:49:16 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 10:49:15 Non-Vital Recorder Entry

LK =T

07-04-24 10:49:15 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T

07-04-24 10:49:15 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 10:49:14 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =T
CTPGZ =F

07-04-24 10:49:12 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 10:49:12 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-04-24 10:49:11 Vital Recorder Entry

OST_TE =T

07-04-24 10:48:59 Vital Recorder Entry

TPMRTT =F TPMTTP =T

07-04-24 10:48:59 Non-Vital Recorder Entry

TPMTK =F

07-04-24 10:48:59 Vital Recorder Entry

TPMT =T

07-04-24 10:48:56 Vital Recorder Entry

OST_TEN =T

07-04-24 10:48:56 Vital Recorder Entry

OST =T

07-04-24 10:46:06 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-04-24 10:46:05 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-04-24 10:46:05 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 10:46:05 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-04-24 10:45:56 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-04-24 10:45:55 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-04-24 10:45:54 Non-Vital Recorder Entry

TPGK =F TK =T

07-04-24 10:45:54 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-04-24 10:45:54 Vital Recorder Entry

OST =F

07-04-24 10:42:13 Vital Recorder Entry

TPMTP =F

07-04-24 10:42:13 Non-Vital Recorder Entry

TPMTK =T

07-04-24 10:42:13 Vital Recorder Entry

TPMT =F

07-04-24 10:34:09 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-04-24 09:57:05 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-04-24 09:57:05 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-04-24 09:56:57 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-04-24 09:56:57 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-04-24 09:56:36 Non-Vital Recorder Entry

TPASK =T

07-04-24 09:56:36 Vital Recorder Entry

TPAS =F

07-04-24 09:56:36 Non-Vital Recorder Entry

TPGK =T

07-04-24 09:56:36 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPMC2OUT =F
TPMC7OUT =T

07-04-24 09:56:36 Vital Recorder Entry

TPGZ_TE =T

07-04-24 09:56:36 Vital Recorder Entry

TPMTP =T

07-04-24 09:56:35 Vital Recorder Entry

TPMSTOP =F

07-04-24 09:56:30 Non-Vital Recorder Entry

TPMHDK =F

07-04-24 09:56:30 Vital Recorder Entry

TPMHD =F TPMTP =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-04-24 09:56:30 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-04-24 09:56:26 Vital Recorder Entry

NWZP =F TPGZPP =F

07-04-24 09:56:25 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 09:56:24 Non-Vital Recorder Entry

LK =T

07-04-24 09:56:24 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-04-24 09:56:23 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 09:56:23 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-04-24 08:00:23 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-04-24 07:53:40 Non-Vital Recorder Entry

FPHDK =T

07-04-24 07:53:40 Vital Recorder Entry

FPHD =T FPCS =F FPC2OUT =T FPC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-04-24 07:53:39 Vital Recorder Entry

FPC2IN =T

07-04-24 07:53:37 Vital Recorder Entry

FPTP =T

07-04-24 07:53:37 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 07:53:37 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 07:48:11 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 07:48:11 Vital Recorder Entry

TPMHD =T

07-04-24 07:48:10 Vital Recorder Entry

TPMC2IN =T

07-04-24 07:47:56 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 07:47:56 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-04-24 07:47:55 Vital Recorder Entry

OST_TE =T

07-04-24 07:47:42 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-04-24 07:47:42 Non-Vital Recorder Entry

TPMTK =F

07-04-24 07:47:42 Vital Recorder Entry

TPMT =T

07-04-24 07:47:40 Vital Recorder Entry

OST_TEN =T

07-04-24 07:47:40 Vital Recorder Entry

OST =T

07-04-24 07:44:35 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-04-24 07:44:35 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-04-24 07:44:35 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 07:44:35 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-04-24 07:44:23 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-04-24 07:44:23 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-04-24 07:44:21 Non-Vital Recorder Entry

TPGK =F TK =T

07-04-24 07:44:21 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T

TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T

TPMRTT =T FPCS =T TPMHZ =F TPAG =F

TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F

TPARE =T

07-04-24 07:44:21 Vital Recorder Entry

OST =F

07-04-24 07:40:29 Vital Recorder Entry

TPMTP =F

07-04-24 07:40:29 Non-Vital Recorder Entry

TPMTK =T

07-04-24 07:40:29 Vital Recorder Entry

TPMT =F

07-04-24 07:32:14 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-04-24 05:59:51 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-04-24 05:59:51 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-04-24 05:59:43 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-04-24 05:59:43 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-04-24 05:46:41 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPAYE =F
TPBRE =F

07-04-24 05:45:35 Vital Recorder Entry

TPMTP =T

07-04-24 05:45:34 Vital Recorder Entry

TPMSTOP =F

07-04-24 05:45:29 Non-Vital Recorder Entry

TPMHDK =F

07-04-24 05:45:29 Vital Recorder Entry

TPMHD =F TPMTTP =F

07-04-24 05:45:29 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-04-24 05:45:19 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 05:45:19 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC6OUT =F TPMC7OUT =T

07-04-24 05:45:19 Vital Recorder Entry

TPMC2IN =T

07-04-24 05:44:58 Vital Recorder Entry

TPMTTP =T

07-04-24 05:44:58 Non-Vital Recorder Entry

TPMTK =F

07-04-24 05:44:58 Vital Recorder Entry

TPMT =T

07-04-24 05:42:24 Non-Vital Recorder Entry

TPASK =T

07-04-24 05:42:24 Vital Recorder Entry

TPAS =F

07-04-24 05:42:23 Non-Vital Recorder Entry

TPGK =T FPHDK =T

07-04-24 05:42:23 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
FPHD =T TPAYP =T TPAY =T FPC2OUT =F
FPC6OUT =T TPAYE =T TPARE =F

07-04-24 05:42:23 Vital Recorder Entry

FPC2IN =T

07-04-24 05:42:13 Vital Recorder Entry

TPMHZ =T

07-04-24 05:42:12 Vital Recorder Entry

TPGZ_TE =T

07-04-24 05:42:02 Vital Recorder Entry

NWZP =F TPGZPP =F

07-04-24 05:42:02 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 05:42:00 Non-Vital Recorder Entry

LK =T

07-04-24 05:42:00 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T

07-04-24 05:42:00 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 05:42:00 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =F
CTPGZ =T

07-04-24 05:41:56 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 05:41:56 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-04-24 05:41:56 Vital Recorder Entry

OST_TE =T

07-04-24 05:41:44 Vital Recorder Entry

FPRIT =F FPTP =T

07-04-24 05:41:44 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 05:41:44 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 05:41:40 Vital Recorder Entry

OST_TEN =T

07-04-24 05:41:40 Vital Recorder Entry

OST =T

07-04-24 05:39:31 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-04-24 05:39:31 Vital Recorder Entry

TPMHD =F TPMTM =F FPAS =T

07-04-24 05:39:31 Non-Vital Recorder Entry

TPMTK =T

07-04-24 05:39:31 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-04-24 05:39:21 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-04-24 05:39:21 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-04-24 05:39:20 Non-Vital Recorder Entry

FPGK =F TK =T

07-04-24 05:39:20 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F

OSTP =F TPMCS =T FPAG =F FPMHZ =F

FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F

FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F

FPARE =T

07-04-24 05:39:20 Vital Recorder Entry

OST =F

07-04-24 05:34:52 Vital Recorder Entry

FFTP =F

07-04-24 05:34:52 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 05:34:52 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-04-24 05:31:39 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-04-24 04:51:44 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T
FPC4OUT =T FPC7OUT =F

07-04-24 04:51:44 Vital Recorder Entry

TPMC2IN =F TPMC4IN =T

07-04-24 04:51:21 Non-Vital Recorder Entry

FPASK =T

07-04-24 04:51:21 Vital Recorder Entry

FPAS =F

07-04-24 04:51:20 Non-Vital Recorder Entry

FPGK =T

07-04-24 04:51:20 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPMHZ =T
FPAY =T FPAYP =T FPRP =F FPC2OUT =F
FPC7OUT =T

07-04-24 04:51:20 Vital Recorder Entry

FPGZ_TE =T

07-04-24 04:51:16 Vital Recorder Entry

NWZP =F FPGZPP =F

07-04-24 04:51:16 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 04:51:15 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 04:51:15 Non-Vital Recorder Entry

DELIVERY =T

07-04-24 04:51:14 Non-Vital Recorder Entry

LK =T

07-04-24 04:51:14 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-04-24 04:51:14 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 04:51:14 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-04-24 04:28:30 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-04-24 04:25:32 Non-Vital Recorder Entry

TPMHDK =T

07-04-24 04:25:32 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC2OUT =T TPMC6OUT =F

07-04-24 04:25:31 Vital Recorder Entry

TPMC2IN =T

07-04-24 04:25:13 Vital Recorder Entry

TPMTP =T

07-04-24 04:25:13 Non-Vital Recorder Entry

TPMTK =F

07-04-24 04:25:13 Vital Recorder Entry

TPMT =T

07-04-24 04:22:46 Non-Vital Recorder Entry

LK =F TK =F

07-04-24 04:22:46 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-04-24 04:22:46 Vital Recorder Entry

OST_TE =T

07-04-24 04:22:35 Vital Recorder Entry

FPRIT =F FPTP =T

07-04-24 04:22:35 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-04-24 04:22:34 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-04-24 04:22:31 Vital Recorder Entry

OST_TEN =T

07-04-24 04:22:31 Vital Recorder Entry

OST =T

07-04-24 04:20:31 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-04-24 04:20:31 Vital Recorder Entry

TPMHD =F TPMT =F FPAS =T

07-04-24 04:20:31 Non-Vital Recorder Entry

TPMTK =T

07-04-24 04:20:31 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-04-24 04:20:22 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-04-24 04:20:22 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-04-24 04:20:21 Non-Vital Recorder Entry

FPGK =F TK =T

07-04-24 04:20:21 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F
OSTP =F TPMCS =T FPAG =F FPMHZ =F
FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F
FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F
FPARE =T

07-04-24 04:20:20 Vital Recorder Entry

OST =F

07-04-24 04:16:37 Vital Recorder Entry

FPTP =F

07-04-24 04:16:37 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-04-24 04:16:37 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-04-24 04:13:29 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-04-24 02:55:54 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T
FPC4OUT =T FPC7OUT =F

07-04-24 02:55:54 Vital Recorder Entry

TPMC2IN =F TPMC4IN =T

07-04-24 02:55:40 Vital Recorder Entry

FPTP =T

07-04-24 02:55:40 Vital Recorder Entry

FPSTOP =F

07-04-24 02:55:35 Non-Vital Recorder Entry

FPHDK =F

07-04-24 02:55:35 Vital Recorder Entry

FPHD =F FPTP =F

07-04-24 02:55:35 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-04-24 02:55:31 Non-Vital Recorder Entry

FPASK =T

07-04-24 02:55:31 Vital Recorder Entry

FPAS =F

07-04-24 02:55:30 Non-Vital Recorder Entry

FPGK =T

07-04-24 02:55:30 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPMHZ =T
FPAY =T FPAYP =T FPRP =F FPC2OUT =F
FPC7OUT =T S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-04-24 02:55:30 Vital Recorder Entry

FPGZ_TE =T

07-04-24 02:55:26 Vital Recorder Entry

NWZP =F FPGZPP =F

07-04-24 02:55:26 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-04-24 02:55:24 Non-Vital Recorder Entry

LK =T

07-04-24 02:55:24 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-04-24 02:55:24 Non-Vital Recorder Entry

DELIVERY =F

07-04-24 02:55:24 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =T
CTPGZ =F

07-03-24 20:41:50 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-03-24 20:35:24 Non-Vital Recorder Entry

FPHDK =T

07-03-24 20:35:23 Vital Recorder Entry

FPHD =T FPCS =F FPC2OUT =T FPC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-03-24 20:35:23 Vital Recorder Entry

FPC2IN =T

07-03-24 20:35:21 Vital Recorder Entry

FPTP =T

07-03-24 20:35:21 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 20:35:21 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 20:29:57 Non-Vital Recorder Entry

TPMHDK =T

07-03-24 20:29:57 Vital Recorder Entry

TPMHD =T

07-03-24 20:29:57 Vital Recorder Entry

TPMC2IN =T

07-03-24 20:29:43 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 20:29:43 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 20:29:43 Vital Recorder Entry

OST_TE =T

07-03-24 20:29:31 Vital Recorder Entry

TPMRTT =F TPMTTP =T

07-03-24 20:29:31 Non-Vital Recorder Entry

TPMTK =F

07-03-24 20:29:31 Vital Recorder Entry

TPMT =T

07-03-24 20:29:28 Vital Recorder Entry

OST_TEN =T

07-03-24 20:29:27 Vital Recorder Entry

OST =T

07-03-24 20:26:12 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-03-24 20:26:12 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-03-24 20:26:11 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 20:26:11 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-03-24 20:26:01 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-03-24 20:26:01 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-03-24 20:26:00 Non-Vital Recorder Entry

TPGK =F TK =T

07-03-24 20:26:00 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-03-24 20:26:00 Vital Recorder Entry

OST =F

07-03-24 20:22:19 Vital Recorder Entry

TPMTP =F

07-03-24 20:22:19 Non-Vital Recorder Entry

TPMTK =T

07-03-24 20:22:19 Vital Recorder Entry

TPMT =F

07-03-24 20:13:45 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-03-24 19:54:45 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-03-24 19:54:44 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-03-24 19:50:14 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-03-24 19:50:13 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-03-24 19:48:10 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPAYE =F
TPBRE =F

07-03-24 19:42:43 Non-Vital Recorder Entry

TPASK =T

07-03-24 19:42:43 Vital Recorder Entry

TPAS =F

07-03-24 19:42:43 Non-Vital Recorder Entry

TPGK =T FPHDK =T

07-03-24 19:42:43 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
FPHD =T FPCS =F TPAYP =T TPAY =T
TPMC2OUT =F TPMC7OUT =T TPAYE =T TPARE =F

07-03-24 19:42:42 Vital Recorder Entry

FPC2IN =T

07-03-24 19:42:40 Vital Recorder Entry

FFTP =T

07-03-24 19:42:40 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 19:42:40 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 19:37:29 Vital Recorder Entry

TPMHZ =T

07-03-24 19:37:28 Vital Recorder Entry

TPGZ_TE =T

07-03-24 19:37:28 Vital Recorder Entry

TPMTP =T

07-03-24 19:37:28 Vital Recorder Entry

TPMSTOP =F

07-03-24 19:37:23 Non-Vital Recorder Entry

TPMHDK =F

07-03-24 19:37:23 Vital Recorder Entry

TPMHD =F TPMTP =F

07-03-24 19:37:23 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-03-24 19:37:18 Vital Recorder Entry

NWZP =F TPGZPP =F

07-03-24 19:37:18 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 19:37:16 Non-Vital Recorder Entry

LK =T

07-03-24 19:37:16 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T

07-03-24 19:37:16 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 19:37:16 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-03-24 19:36:08 Non-Vital Recorder Entry

TPMHDK =T

07-03-24 19:36:08 Vital Recorder Entry

TPMHD =T

07-03-24 19:36:07 Vital Recorder Entry

TPMC2IN =T

07-03-24 19:35:54 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 19:35:54 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 19:35:54 Vital Recorder Entry

OST_TE =T

07-03-24 19:35:42 Vital Recorder Entry

TPMRTT =F TPMTTP =T

07-03-24 19:35:41 Non-Vital Recorder Entry

TPMTK =F

07-03-24 19:35:41 Vital Recorder Entry

TPMT =T

07-03-24 19:35:39 Vital Recorder Entry

OST_TEN =T

07-03-24 19:35:39 Vital Recorder Entry

OST =T

07-03-24 19:33:47 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-03-24 19:33:47 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-03-24 19:33:47 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 19:33:47 Vital Recorder Entry

FPT =F FPB =F FPC7IN =F FPCMIN =F

07-03-24 19:33:35 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-03-24 19:33:35 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-03-24 19:33:34 Non-Vital Recorder Entry

TPGK =F TK =T

07-03-24 19:33:34 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAYP =F
TPAY =F TPAYFL =F TPMC4OUT =F TPMC6OUT =T
TPAYFLE =F TPARE =T

07-03-24 19:33:33 Vital Recorder Entry

OST =F

07-03-24 19:31:21 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F TPAYE =F
TPAYFLE =T

07-03-24 19:31:21 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-03-24 19:29:44 Vital Recorder Entry

TPMTP =F

07-03-24 19:29:44 Non-Vital Recorder Entry

TPMTK =T

07-03-24 19:29:44 Vital Recorder Entry

TPMT =F

07-03-24 19:25:04 Non-Vital Recorder Entry

TPASK =T

07-03-24 19:25:04 Vital Recorder Entry

TPAS =F

07-03-24 19:25:03 Non-Vital Recorder Entry

TPGK =T FPHDK =T

07-03-24 19:25:03 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
FPHD =T FPCS =F TPAYP =T TPAY =T
TPMC2OUT =F TPMC7OUT =T TPAYE =T TPARE =F

07-03-24 19:25:03 Vital Recorder Entry

FPC2IN =T

07-03-24 19:25:01 Vital Recorder Entry

FPTP =T

07-03-24 19:25:00 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 19:25:00 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 19:19:32 Vital Recorder Entry

TPMHZ =T

07-03-24 19:19:32 Vital Recorder Entry

TPGZ_TE =T

07-03-24 19:19:22 Vital Recorder Entry

NWZP =F TPGZPP =F

07-03-24 19:19:22 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 19:19:20 Non-Vital Recorder Entry

LK =T

07-03-24 19:19:20 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T

07-03-24 19:19:20 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 19:19:20 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-03-24 19:19:17 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 19:19:17 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 19:19:17 Vital Recorder Entry

OST_TE =T

07-03-24 19:19:06 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-03-24 19:19:06 Non-Vital Recorder Entry

TPMTK =F

07-03-24 19:19:06 Vital Recorder Entry

TPMT =T

07-03-24 19:19:02 Vital Recorder Entry

OST_TEN =T

07-03-24 19:19:01 Vital Recorder Entry

OST =T

07-03-24 19:17:13 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-03-24 19:17:13 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-03-24 19:17:13 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 19:17:13 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-03-24 19:17:02 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-03-24 19:17:02 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-03-24 19:17:01 Non-Vital Recorder Entry

TPGK =F TK =T

07-03-24 19:17:01 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-03-24 19:17:01 Vital Recorder Entry

OST =F

07-03-24 19:13:06 Vital Recorder Entry

TPMTP =F

07-03-24 19:13:06 Non-Vital Recorder Entry

TPMTK =T

07-03-24 19:13:06 Vital Recorder Entry

TPMT =F

07-03-24 19:03:22 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-03-24 18:20:48 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-03-24 18:20:48 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-03-24 18:01:39 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-03-24 18:01:39 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-03-24 18:01:18 Non-Vital Recorder Entry

TPASK =T

07-03-24 18:01:17 Vital Recorder Entry

TPAS =F

07-03-24 18:01:17 Non-Vital Recorder Entry

TPGK =T

07-03-24 18:01:17 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPMC2OUT =F
TPMC7OUT =T

07-03-24 18:01:17 Vital Recorder Entry

TPGZ_TE =T

07-03-24 18:01:16 Vital Recorder Entry

TPMTP =T

07-03-24 18:01:16 Vital Recorder Entry

TPMSTOP =F

07-03-24 18:01:11 Non-Vital Recorder Entry

TPMHDK =F

07-03-24 18:01:11 Vital Recorder Entry

TPMHD =F TPMTP =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-03-24 18:01:10 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-03-24 18:01:07 Vital Recorder Entry

NWZP =F TPGZPP =F

07-03-24 18:01:06 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 18:01:05 Non-Vital Recorder Entry

LK =T

07-03-24 18:01:05 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-03-24 18:01:05 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 18:01:04 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPGZ =F
CTPGZ =T

07-03-24 17:37:02 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-03-24 17:34:27 Non-Vital Recorder Entry

TPMHDK =T

07-03-24 17:34:27 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC2OUT =T TPMC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-03-24 17:34:26 Vital Recorder Entry

TPMC2IN =T

07-03-24 17:34:06 Vital Recorder Entry

TPMTP =T

07-03-24 17:34:06 Non-Vital Recorder Entry

TPMTK =F

07-03-24 17:34:05 Vital Recorder Entry

TPMT =T

07-03-24 17:32:10 Non-Vital Recorder Entry

FPHDK =T

07-03-24 17:32:10 Vital Recorder Entry

FPHD =T

07-03-24 17:32:10 Vital Recorder Entry

FPC2IN =T

07-03-24 17:31:41 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 17:31:41 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-03-24 17:31:41 Vital Recorder Entry

OST_TE =T

07-03-24 17:31:34 Vital Recorder Entry

FPCMTEN =F

07-03-24 17:31:33 Non-Vital Recorder Entry

FPBK =F

07-03-24 17:31:33 Vital Recorder Entry

FPB =T FPCMIN =T

07-03-24 17:31:31 Vital Recorder Entry

FPCMTEN =T FPRTT =F FFTP =T

07-03-24 17:31:31 Non-Vital Recorder Entry

FPTK =F

07-03-24 17:31:31 Vital Recorder Entry

FPT =T

07-03-24 17:31:26 Vital Recorder Entry

OST_TEN =T

07-03-24 17:31:26 Vital Recorder Entry

OST =T

07-03-24 17:29:21 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-03-24 17:29:21 Vital Recorder Entry

TPMHD =F TPMTTP =F FPAS =T

07-03-24 17:29:21 Non-Vital Recorder Entry

TPMTK =T

07-03-24 17:29:21 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-03-24 17:29:13 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-03-24 17:29:12 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-03-24 17:29:11 Non-Vital Recorder Entry

FPGK =F TK =T

07-03-24 17:29:11 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F
OSTP =F TPMCS =T FPAG =F FPMHZ =F

FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F
FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F
FPARE =T

07-03-24 17:29:11 Vital Recorder Entry

OST =F

07-03-24 17:25:14 Vital Recorder Entry

FPTP =F

07-03-24 17:25:13 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 17:25:13 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-03-24 17:22:00 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-03-24 16:51:30 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T
FPC4OUT =T FPC7OUT =F

07-03-24 16:51:30 Vital Recorder Entry

TPMC2IN =F TPMC4IN =T

07-03-24 16:51:19 Vital Recorder Entry

FPTP =T

07-03-24 16:51:18 Vital Recorder Entry

FPSTOP =F

07-03-24 16:51:13 Non-Vital Recorder Entry

FPHDK =F

07-03-24 16:51:13 Vital Recorder Entry

FPHD =F FPTP =F

07-03-24 16:51:13 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-03-24 16:51:08 Non-Vital Recorder Entry

FPASK =T

07-03-24 16:51:08 Vital Recorder Entry

FPAS =F

07-03-24 16:51:07 Non-Vital Recorder Entry

FPGK =T

07-03-24 16:51:07 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPMHZ =T
FPAY =T FPAYP =T FPRP =F FPC2OUT =F
FPC7OUT =T S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-03-24 16:51:07 Vital Recorder Entry

FPGZ_TE =T

07-03-24 16:51:03 Vital Recorder Entry

NWZP =F FPGZPP =F

07-03-24 16:51:03 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 16:51:02 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 16:51:02 Non-Vital Recorder Entry

DELIVERY =T

07-03-24 16:51:01 Non-Vital Recorder Entry

LK =T

07-03-24 16:51:01 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-03-24 16:51:01 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 16:51:01 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =T

07-03-24 16:01:34 Vital Recorder Entry

NWZP =F

07-03-24 16:01:33 Non-Vital Recorder Entry

VLDCTRL =F FPTBZOFF_T =F WBZOFF_T =F TPMTBZOFF_T =F
TPSTBZOFF_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-03-24 16:01:33 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 16:01:32 Non-Vital Recorder Entry

DELIVERY =T

07-03-24 16:01:32 Vital Recorder Entry

NWZP =T

07-03-24 16:01:31 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 16:01:31 Non-Vital Recorder Entry

VLDCTRL =T FPTBZOFF_T =T WBZOFF_T =T TPMTBZOFF_T =T
TPSTBZOFF_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CFPTBZON =F CFPTBZOFF =T CTPMTBZON =F
CTPMTBZOFF =T CTPSTBZON =F CTPSTBZOFF =T FPTBLKON =F
FPTBLKOFF =T TPMTBLKON =F TPMTBLKOFF =T TPSTBLKON =F
TPSTBLKOFF =T

07-03-24 14:45:44 Vital Recorder Entry

NWZP =F

07-03-24 14:45:43 Non-Vital Recorder Entry

VLDCTRL =F WBZOFF_T =F TPMTBZON_T =F TPSTBZON_T =F
FPTBZON_T =F SMZOFF =F LOCALZOFF =F NWZ =F

07-03-24 14:45:42 Vital Recorder Entry

NWZP =T

07-03-24 14:45:41 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 14:45:41 Non-Vital Recorder Entry

VLDCTRL =T WBZOFF_T =T TPMTBZON_T =T TPSTBZON_T =T
FPTBZON_T =T SMZOFF =T LOCALZOFF =T NWZ =T
DELIVERY =T CTPGZ =F CFPTBZON =T CFPTBZOFF =F
CTPMTBZON =T CTPMTBZOFF =F CTPSTBZON =T CTPSTBZOFF =F
FPTBLKON =T FPTBLKOFF =F TPMTBLKON =T TPMTBLKOFF =F
TPSTBLKON =T TPSTBLKOFF =F

07-03-24 14:03:39 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-03-24 13:58:05 Non-Vital Recorder Entry

FPHDK =T

07-03-24 13:58:05 Vital Recorder Entry

FPHD =T FPCS =F FPC2OUT =T FPC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-03-24 13:58:04 Vital Recorder Entry

FPC2IN =T

07-03-24 13:58:02 Vital Recorder Entry

FPTP =T

07-03-24 13:58:02 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 13:58:02 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 13:52:26 Non-Vital Recorder Entry

TPMHDK =T

07-03-24 13:52:26 Vital Recorder Entry

TPMHD =T

07-03-24 13:52:26 Vital Recorder Entry

TPMC2IN =T

07-03-24 13:52:10 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 13:52:10 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 13:52:10 Vital Recorder Entry

OST_TE =T

07-03-24 13:51:58 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-03-24 13:51:58 Non-Vital Recorder Entry

TPMTK =F

07-03-24 13:51:58 Vital Recorder Entry

TPMT =T

07-03-24 13:51:55 Vital Recorder Entry

OST_TEN =T

07-03-24 13:51:54 Vital Recorder Entry

OST =T

07-03-24 13:50:00 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-03-24 13:50:00 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-03-24 13:50:00 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 13:50:00 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-03-24 13:49:49 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-03-24 13:49:49 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-03-24 13:49:48 Non-Vital Recorder Entry

TPGK =F TK =T

07-03-24 13:49:48 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-03-24 13:49:48 Vital Recorder Entry

OST =F

07-03-24 13:45:48 Vital Recorder Entry

TPMTP =F

07-03-24 13:45:48 Non-Vital Recorder Entry

TPMTK =T

07-03-24 13:45:48 Vital Recorder Entry

TPMT =F

07-03-24 13:42:22 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F

TPAGP =T TPAGE =T TPAYFLE =F

07-03-24 13:42:21 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-03-24 13:35:31 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAYFLE =T
TPBRE =T

07-03-24 09:35:57 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F

07-03-24 09:35:56 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-03-24 09:35:32 Non-Vital Recorder Entry

TPASK =T

07-03-24 09:35:31 Vital Recorder Entry

TPAS =F

07-03-24 09:35:31 Non-Vital Recorder Entry

TPGK =T

07-03-24 09:35:31 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPMC2OUT =F
TPMC7OUT =T

07-03-24 09:35:31 Vital Recorder Entry

TPGZ_TE =T

07-03-24 09:35:29 Vital Recorder Entry

TPMTP =T

07-03-24 09:35:29 Vital Recorder Entry

TPMSTOP =F

07-03-24 09:35:24 Non-Vital Recorder Entry

TPMHDK =F

07-03-24 09:35:24 Vital Recorder Entry

TPMHD =F TPMTF =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-03-24 09:35:24 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-03-24 09:35:21 Vital Recorder Entry

NWZP =F TPGZPP =F

07-03-24 09:35:20 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 09:35:20 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 09:35:20 Non-Vital Recorder Entry

DELIVERY =T

07-03-24 09:35:19 Non-Vital Recorder Entry

LK =T

07-03-24 09:35:19 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-03-24 09:35:18 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 09:35:18 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-03-24 09:29:05 Non-Vital Recorder Entry

FPHDK =T

07-03-24 09:29:05 Vital Recorder Entry

FPHD =T FPCS =F FPC2OUT =T FPC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-03-24 09:29:05 Vital Recorder Entry

FPC2IN =T

07-03-24 09:29:03 Vital Recorder Entry

FPTP =T AE =T FPARE =F FPBRE =F
TPARE =F TPBRE =F

07-03-24 09:29:02 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 09:29:02 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 09:23:59 Non-Vital Recorder Entry

TPMHDK =T

07-03-24 09:23:59 Vital Recorder Entry

TPMHD =T

07-03-24 09:23:59 Vital Recorder Entry

TPMC2IN =T

07-03-24 09:23:45 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 09:23:45 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 09:23:44 Vital Recorder Entry

OST_TE =T

07-03-24 09:23:33 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-03-24 09:23:33 Non-Vital Recorder Entry

TPMTK =F

07-03-24 09:23:33 Vital Recorder Entry

TPMT =T

07-03-24 09:23:29 Vital Recorder Entry

OST_TEN =T

07-03-24 09:23:29 Vital Recorder Entry

OST =T

07-03-24 09:20:20 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-03-24 09:20:20 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-03-24 09:20:20 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 09:20:20 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-03-24 09:20:10 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-03-24 09:20:10 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-03-24 09:20:09 Non-Vital Recorder Entry

TPGK =F TK =T

07-03-24 09:20:09 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-03-24 09:20:08 Vital Recorder Entry

OST =F

07-03-24 09:16:39 Vital Recorder Entry

TPMTP =F

07-03-24 09:16:39 Non-Vital Recorder Entry

TPMTK =T

07-03-24 09:16:39 Vital Recorder Entry

TPMT =F

07-03-24 09:15:33 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T TPAGE =T TPAYFLE =F

07-03-24 09:15:33 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-03-24 09:11:29 Vital Recorder Entry

TPAYFL =T TPMC4OUT =T TPMC7OUT =F TPAYE =F
TPAYFLE =T

07-03-24 09:11:28 Vital Recorder Entry

FPC2IN =F FPC7IN =T

07-03-24 09:09:04 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAYE =T
TPBRE =T

07-03-24 09:06:01 Non-Vital Recorder Entry

TPASK =T

07-03-24 09:06:00 Vital Recorder Entry

TPAS =F

07-03-24 09:06:00 Non-Vital Recorder Entry

TPGK =T FPHDK =T

07-03-24 09:06:00 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
FPHD =T FPCS =F TPAYP =T TPAY =T
TPMC2OUT =F TPMC7OUT =T

07-03-24 09:06:00 Vital Recorder Entry

FPC2IN =T

07-03-24 09:05:58 Vital Recorder Entry

FPTP =T AE =T FPARE =F FPBRE =F
TPARE =F TPBRE =F

07-03-24 09:05:57 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 09:05:57 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 09:01:29 Vital Recorder Entry

TPMHZ =T

07-03-24 09:01:29 Vital Recorder Entry

TPGZ_TE =T

07-03-24 09:01:19 Vital Recorder Entry

NWZP =F TPGZPP =F

07-03-24 09:01:19 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 09:01:17 Non-Vital Recorder Entry

LK =T

07-03-24 09:01:17 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T

07-03-24 09:01:17 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 09:01:17 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-03-24 09:01:14 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 09:01:14 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 09:01:14 Vital Recorder Entry

OST_TE =T

07-03-24 09:01:02 Vital Recorder Entry

TPMRTT =F TPMTP =T

07-03-24 09:01:02 Non-Vital Recorder Entry

TPMTK =F

07-03-24 09:01:01 Vital Recorder Entry

TPMT =T

07-03-24 09:00:58 Vital Recorder Entry

OST_TEN =T

07-03-24 09:00:58 Vital Recorder Entry

OST =T

07-03-24 08:58:38 Non-Vital Recorder Entry

TPASK =F FPHDK =F

07-03-24 08:58:38 Vital Recorder Entry

TPAS =T FPHD =F FPTP =F

07-03-24 08:58:38 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 08:58:38 Vital Recorder Entry

FPT =F FPC4IN =F FPB =F FPCMIN =F

07-03-24 08:58:29 Vital Recorder Entry

TPG_COTEN =F TPG_COTE =F TPG_CO =F

07-03-24 08:58:29 Vital Recorder Entry

TPRPP =T TPG_COTE =T

07-03-24 08:58:27 Non-Vital Recorder Entry

TPGK =F TK =T

07-03-24 08:58:27 Vital Recorder Entry

TPRPP_TEN =T TPGZ_TEN =F TPGZ_TE =F TPG_COTEN =T
TPGZ4P =F TPGZPPP =F OSTP =F TPRP =T
TPMRTT =T FPCS =T TPMHZ =F TPAG =F
TPAGP =F TPMC4OUT =F TPMC6OUT =T TPAGE =F
TPARE =T

07-03-24 08:58:27 Vital Recorder Entry

OST =F

07-03-24 08:55:28 Vital Recorder Entry

TPMTP =F

07-03-24 08:55:28 Non-Vital Recorder Entry

TPMTK =T

07-03-24 08:55:28 Vital Recorder Entry

TPMT =F

07-03-24 08:48:16 Vital Recorder Entry

AE =F FPARE =T FPBRE =T TPAGE =T
TPBRE =T

07-03-24 07:34:09 Vital Recorder Entry

TPAG =T TPAYP =F TPAY =F TPAYFL =F
TPAGP =T

07-03-24 07:34:09 Vital Recorder Entry

FPC4IN =T FPC7IN =F

07-03-24 07:29:38 Non-Vital Recorder Entry

TPASK =T

07-03-24 07:29:38 Vital Recorder Entry

TPAS =F

07-03-24 07:29:38 Non-Vital Recorder Entry

TPGK =T

07-03-24 07:29:38 Vital Recorder Entry

TPRPP_TEN =F TPRPP =F TPRP =F TPG_CO =T
TPMHZ =T TPAYP =T TPAY =T TPAYFL =T
TPMC2OUT =F TPMC4OUT =T

07-03-24 07:29:38 Vital Recorder Entry

TPGZ_TE =T

07-03-24 07:29:34 Vital Recorder Entry

TPMTP =T

07-03-24 07:29:34 Vital Recorder Entry

TPMSTOP =F

07-03-24 07:29:29 Non-Vital Recorder Entry

TPMHDK =F

07-03-24 07:29:29 Vital Recorder Entry

TPMHD =F TPMTP =F S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-03-24 07:29:29 Vital Recorder Entry

TPMC2IN =F TPMSTOP =T

07-03-24 07:29:28 Vital Recorder Entry

NWZP =F TPGZPP =F

07-03-24 07:29:27 Non-Vital Recorder Entry

VLDCTRL =F TPGZVLD =F FPTBZOFF_T =F TPGZP =F
WBZOFF_T =F TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 07:29:26 Non-Vital Recorder Entry

LK =T

07-03-24 07:29:26 Vital Recorder Entry

TPGZ_TEN =T TPGZ4P =T TPGZPPP =T L =F
NWZP =T TPGZPP =T FPC2OUT =F FPC6OUT =T

07-03-24 07:29:25 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 07:29:25 Non-Vital Recorder Entry

VLDCTRL =T TPGZVLD =T FPTBZOFF_T =T TPGZP =T
WBZOFF_T =T TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CFPZGZ =F
CTPGZ =T

07-03-24 07:28:39 Vital Recorder Entry

AE =T FPARE =F FPBRE =F TPARE =F
TPBRE =F

07-03-24 07:26:37 Non-Vital Recorder Entry

TPMHDK =T

07-03-24 07:26:37 Vital Recorder Entry

TPMHD =T TPMCS =F TPMC2OUT =T TPMC6OUT =F
S3_LMPGNT_B1=T S3_LMPGNT_B2=T

07-03-24 07:26:37 Vital Recorder Entry

TPMC2IN =T

07-03-24 07:26:19 Vital Recorder Entry

TPMTP =T

07-03-24 07:26:18 Non-Vital Recorder Entry

TPMTK =F

07-03-24 07:26:18 Vital Recorder Entry

TPMT =T

07-03-24 07:24:02 Non-Vital Recorder Entry

FPHDK =T

07-03-24 07:24:02 Vital Recorder Entry

FPHD =T

07-03-24 07:24:02 Vital Recorder Entry

FPC7IN =T

07-03-24 07:23:33 Non-Vital Recorder Entry

LK =F TK =F

07-03-24 07:23:33 Vital Recorder Entry

OST_TEN =F OST_TE =F OSTP =T L =T
FPC2OUT =T FPC6OUT =F

07-03-24 07:23:33 Vital Recorder Entry

OST_TE =T

07-03-24 07:23:21 Vital Recorder Entry

FPRIT =F FPTP =T

07-03-24 07:23:20 Non-Vital Recorder Entry

FPTK =F FPBK =F

07-03-24 07:23:20 Vital Recorder Entry

FPT =T FPB =T FPCMIN =T

07-03-24 07:23:18 Vital Recorder Entry

OST_TEN =T

07-03-24 07:23:18 Vital Recorder Entry

OST =T

07-03-24 07:21:22 Non-Vital Recorder Entry

FPASK =F TPMHDK =F

07-03-24 07:21:22 Vital Recorder Entry

TPMHD =F TPMT =F FPAS =T

07-03-24 07:21:21 Non-Vital Recorder Entry

TPMTK =T

07-03-24 07:21:21 Vital Recorder Entry

TPMT =F TPMC4IN =F

07-03-24 07:21:11 Vital Recorder Entry

FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-03-24 07:21:11 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-03-24 07:21:10 Non-Vital Recorder Entry

FPGK =F TK =T

07-03-24 07:21:10 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPGZ_TEN =F FPGZ_TE =F
OSTP =F TPMCS =T FPAG =F FPMHZ =F
FPRTT =T FPGZ4P =F FPGZPPP =F FPAGP =F
FPRP =T FPC4OUT =F FPC6OUT =T FPAGE =F
FPARE =T

07-03-24 07:21:10 Vital Recorder Entry

OST =F

07-03-24 07:16:50 Vital Recorder Entry

FPTP =F

07-03-24 07:16:50 Non-Vital Recorder Entry

FPTK =T FPBK =T

07-03-24 07:16:50 Vital Recorder Entry

FPT =F FPB =F FPCMIN =F

07-03-24 07:13:38 Vital Recorder Entry

AE =F FPAGE =T FPBRE =T TPARE =T
TPBRE =T

07-03-24 07:07:36 Non-Vital Recorder Entry

FPASK =T

07-03-24 07:07:36 Vital Recorder Entry

FPAS =F

07-03-24 07:07:35 Non-Vital Recorder Entry

FPGK =T

07-03-24 07:07:35 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPAG =T
FPMHZ =T FPAGP =T FPRP =F FPC2OUT =F
FPC4OUT =T

07-03-24 07:07:35 Vital Recorder Entry

FPGZ_TE =T

07-03-24 07:07:31 Vital Recorder Entry

NWZP =F FPGZPP =F

07-03-24 07:07:31 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 07:07:29 Non-Vital Recorder Entry

LK =T

07-03-24 07:07:29 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-03-24 07:07:29 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 07:07:29 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CSTOP =F
CFPGZ =T

07-03-24 06:50:31 Non-Vital Recorder Entry

LK =F FPASK =F

07-03-24 06:50:31 Vital Recorder Entry

FPAS_TEN =F FPAS_TE =F FPAS =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 06:50:30 Vital Recorder Entry

FPAS_TE =T

07-03-24 06:41:30 Vital Recorder Entry

NWZP =F

07-03-24 06:41:30 Vital Recorder Entry

FPAS_TEN =T FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-03-24 06:41:30 Non-Vital Recorder Entry

VLDCTRL =F FPTBZOFF_T =F STOPVLD =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F LOCALZOFF =F

NWZ =F

07-03-24 06:41:30 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-03-24 06:41:29 Non-Vital Recorder Entry

FPGK =F

07-03-24 06:41:28 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPAG =F FPMHZ =F
FPAGP =F FPRP =T FPC2OUT =T FPC4OUT =F

07-03-24 06:41:28 Vital Recorder Entry

FPGZ_TEN =F FPGZ_TE =F FPGZ4P =F FPGZPPP =F
NWZP =T

07-03-24 06:41:28 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 06:41:28 Non-Vital Recorder Entry

VLDCTRL =T FPTBZOFF_T =T STOPVLD =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T LOCALZOFF =T
NWZ =T DELIVERY =T CSTOP =T CFPZ =F

07-03-24 06:02:14 Non-Vital Recorder Entry

FPASK =T

07-03-24 06:02:14 Vital Recorder Entry

FPAS =F

07-03-24 06:02:14 Non-Vital Recorder Entry

FPGK =T

07-03-24 06:02:14 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPAG =T
FPMHZ =T FPAGP =T FPRP =F FPC2OUT =F
FPC4OUT =T

07-03-24 06:02:14 Vital Recorder Entry

FPGZ_TE =T

07-03-24 06:02:09 Vital Recorder Entry

NWZP =F FPGZPP =F

07-03-24 06:02:09 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 06:02:07 Non-Vital Recorder Entry

LK =T

07-03-24 06:02:07 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-03-24 06:02:07 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 06:02:07 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T CSTOP =F
CFPGZ =T

07-03-24 05:57:36 Non-Vital Recorder Entry

LK =F FPASK =F

07-03-24 05:57:36 Vital Recorder Entry

FPAS_TEN =F FPAS_TE =F FPAS =T L =T
TPMC2OUT =T TPMC6OUT =F

07-03-24 05:57:36 Vital Recorder Entry

FPAS_TE =T

07-03-24 05:48:36 Vital Recorder Entry

NWZP =F

07-03-24 05:48:35 Non-Vital Recorder Entry

VLDCTRL =F FPTBZOFF_T =F STOPVLD =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F SMZOFF =F LOCALZOFF =F
NWZ =F

07-03-24 05:48:35 Vital Recorder Entry

FPAS_TEN =T FPG_COTEN =F FPG_COTE =F FPG_CO =F

07-03-24 05:48:35 Vital Recorder Entry

FPRPP =T FPG_COTE =T

07-03-24 05:48:34 Non-Vital Recorder Entry

FPGK =F

07-03-24 05:48:34 Vital Recorder Entry

FPRPP_TEN =T FPG_COTEN =T FPAG =F FPMHZ =F
FPAGP =F FPRP =T FPC2OUT =T FPC4OUT =F

07-03-24 05:48:34 Vital Recorder Entry

FPGZ_TEN =F FPGZ_TE =F FPGZ4P =F FPGZPPP =F
NWZP =T

07-03-24 05:48:33 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 05:48:33 Non-Vital Recorder Entry

VLDCTRL =T FPTBZOFF_T =T STOPVLD =T WBZOFF_T =T
TPMTBZOFF_T =T TPSTBZOFF_T =T SMZOFF =T LOCALZOFF =T
NWZ =T DELIVERY =T CSTOP =T CFPZ =F

07-03-24 05:22:38 Vital Recorder Entry

FPAG =T FPAY =F FPAYP =F FPAGP =T
FPC4OUT =T FPC7OUT =F

07-03-24 05:22:38 Vital Recorder Entry

TPMC2IN =F TPMC4IN =T

07-03-24 05:22:24 Vital Recorder Entry

FPTP =T

07-03-24 05:22:24 Vital Recorder Entry

FPSTOP =F

07-03-24 05:22:19 Non-Vital Recorder Entry

FPHDK =F

07-03-24 05:22:19 Vital Recorder Entry

FPHD =F FPTP =F

07-03-24 05:22:19 Vital Recorder Entry

FPC2IN =F FPSTOP =T

07-03-24 05:22:14 Non-Vital Recorder Entry

FPASK =T

07-03-24 05:22:14 Vital Recorder Entry

FPAS =F

07-03-24 05:22:14 Non-Vital Recorder Entry

FPGK =T

07-03-24 05:22:14 Vital Recorder Entry

FPRPP_TEN =F FPRPP =F FPG_CO =T FPMHZ =T
FPAY =T FPAYP =T FPRP =F FPC2OUT =F
FPC7OUT =T S3_LMPGNT_B1=F S3_LMPGNT_B2=F

07-03-24 05:22:14 Vital Recorder Entry

FPGZ_TE =T

07-03-24 05:22:10 Vital Recorder Entry

NWZP =F FPGZPP =F

07-03-24 05:22:09 Non-Vital Recorder Entry

VLDCTRL =F FPGZVLD =F FPTBZOFF_T =F WBZOFF_T =F
TPMTBZOFF_T =F TPSTBZOFF_T =F FPGZP =F SMZOFF =F
LOCALZOFF =F NWZ =F

07-03-24 05:22:08 Non-Vital Recorder Entry

LK =T

07-03-24 05:22:08 Vital Recorder Entry

FPGZ_TEN =T FPGZ4P =T FPGZPPP =T L =F
NWZP =T FPGZPP =T TPMC2OUT =F TPMC6OUT =T

07-03-24 05:22:07 Non-Vital Recorder Entry

DELIVERY =F

07-03-24 05:22:07 Non-Vital Recorder Entry

VLDCTRL =T FPGZVLD =T FPTBZOFF_T =T WBZOFF_T =T
TPMTBZOFF_T=T TPSTBZOFF_T=T FPGZP =T SMZOFF =T
LOCALZOFF =T NWZ =T DELIVERY =T

07-03-24 04:26:06 Non-Vital Recorder Entry

ALARMK =F

07-03-24 04:26:06 Vital Recorder Entry

HLT_CHK =T

07-03-24 04:26:05 Non-Vital Recorder Entry

LOK =F

07-03-24 04:26:05 Vital Recorder Entry

ALARM_LMP =T LOP =T S3_VLD_HLT =T

07-03-24 04:26:05 Vital Recorder Entry

S3_LMPB2_HLT=T S3_LMPB2_NOR=T TPAGLO =T TPAYLO =T
TPARLO =T TPBGLO =T TPBYLO =T TPBRLO =T

07-03-24 04:25:28 Non-Vital Recorder Entry

ALARMK =T LOK =T

07-03-24 04:25:28 Vital Recorder Entry

ALARM_LMP =F LOP =F HLT_CHK =F

07-03-24 04:25:28 Vital Recorder Entry

S3_VLD_HLT =F S3_LMPB2_HLT=F S3_LMPB2_NOR=F TPAGLO =F
TPAYLO =F TPARLO =F TPBGLO =F TPBYLO =F
TPBRLO =F