Enbridge Gas Utah Odorization report

Date of Event: 11/06/2024
Address of Investigation: 10593 South 3200 West
Operational Area: Western Region
Regional Manager: [redacted]

Sample #1

SL #	Meter #	Address	City	Supervisor/Lead	Date
1186694	36098560	10673 South 3210 West	South Jordan	[redacted]	11/6/2024
1186694	36098560	10673 South 3210 West	South Jordan		11/6/2024

Sample #2

SL #	Meter #	Address	City	Supervisor/Lead	Date
1178135	16077599	10577 South 3210 West	South Jordan	[redacted]	11/6/2024
1178135	16077599	10577 South 3210 West	South Jordan		11/6/2024

Sample #3

SL #	Meter #	Address	City	Supervisor/Lead	Date
1178704	46084388	3232 West Clarkston Circle	South Jordan	[redacted]	11/6/2024
1178704	46084388	3232 West Clarkston Circle	South Jordan		11/6/2024

Sample #1

Calibrated Guage	IHP Main PSI	Sample Time	Technition EID	Odarator S/N	Unit #	Calibration Good Through	Reading
866490	41.62	17:12	[redacted])	2001716002	7	4/19/2025	0.29
866490	41.62	17:14	[redacted])	2598-6	2	1/30/2025	0.31

Sample #2

Calibrated Guage	IHP Main PSI	Sample Time	Technition	Odarator S/N	Unit #	Calibration Good Through	Reading
866490	41.69	17:22	[redacted]	2001716002	7	4/19/2025	0.31
866490	41.69	17:24	[redacted]	2598-6	2	1/30/2025	0.32

Sample #3

Calibrated Guage	IHP Main PSI	Sample Time	Technition	Odarator S/N	Unit #	Calibration Good Through	Reading
866490	41.71	17:30	[redacted]	2001716002	7	4/19/2025	0.32
866490	41.71	17:32	[redacted]	2598-6	2	1/30/2025	0.37