The Standard

# ENGINE LOG

**ENGINE RECORD — GENERAL INFORMATION**

MANUFACTURER Franklin MODEL Sport 4

SERIAL 4-1023 TYPE CERTIFICATE

THIS ENGINE IS CURRENTLY INSTALLED IN AIRCRAFT

MINIMUM OCTANE FUEL 100 OIL GRADE SUMMER SAE 50 WINTER SAE 30

MAGNETO TIME 32° BTC POINT SETTING FIRING ORDER 1-4-2-3

SPARK PLUG GAP .016"

MFG. RECOMMENDED OVERHAUL AT HOURS.

*The Standard*

**ENGINE LOG**

| DATE 1985 | RECORDING TACH TIME | TODAYS FLIGHT | TOTAL TIME IN SERVICE | D ENTRIES MECHAN | N OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.) | DATE 19__ |
|---|---|---|---|---|---|---|
| March 4, 1985 | | | Tach time - 435.52 | | [redacted] | Mar |
| | | | | | | |
| | | Engine disassembled, cleaned, inspected, and re-assembled | | | | in |
| in accordance with the Franklin overhaul manual. All cyl. valves | | | | | | to |
| and valve seats re-faced. Cyl. walls honed. Engine assembled with the | | | | | | |
| following new parts. New crankshaft (mains - std., rods - .010"), all new | | | | | | |
| bearings, thrust washers, camshaft, cam followers, (4) hyd. lifter, piston | | | | | | |
| rings, gaskets & seals. Engine installed on A/C by owner. Eng. test | | | | | | Marc |
| run on A/C and appears to be in a safe condition for flight | | | | | | |
| break in. | | | [redacted] | | CLASSIC AIRCRAFT P.O. Box 4 Fontana, CA 92335 (714) 829-2970 | Mar |
| | | | | | | |
| | | | | | | Mar |

| DATE 19__ | RECORDING TACH TIME | TODAYS FLIGHT | TOTAL TIME IN SERVICE | DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.) |
|---|---|---|---|---|
| march 8, | | 1985 | | Tach time - 436.52 |
| | | | | I certify that this engine has been inspected |
| in | accordance | with a | condition inspection and was determined | |
| to | be in a | safe | condition. | |
| | | | | [redacted] |
| | | | | |
| | | | | |
| March 9 | | 1985 | | Run acft for 15 min no leaks |
| | | | | or any other problems. |
| March 10 | | 1985 | | Run acft for 30 min no problems |
| | | | | or leaks. |
| March 11 | | 1985 | | Run acft 30 min. no problems |

inspected etc. burns about 1 quart and hour.